

Safety Data Sheet 1100313 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/24/2015 Version: 1.0

1.1. Identification		
Product form	: Substance	
Substance name	: 2-Fluoropropane	
CAS No	: 420-26-8	
Product code	: 1100-3-13	
Formula	: C3H7F	
Synonyms	: Isopropyl fluoride	
Other means of identification	: MFCD00040106	
1.2. Relevant identified uses of the s	substance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3.         Details of the supplier of the sat           SynQuest Laboratories, Inc.         P.O. Box 309           Alachua, FL 32615 - United States of Americ         T (386) 462-0788 - F (386) 462-7097           info@synquestlabs.com         - www.synquestlabs	ca	
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identificati	ion	
2.1. Classification of the substance		
Classification (GHS-US)		
Flam. Gas 2H221 - Flammable gasLiquefied gasH280 - Contains gas undeSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye	e irritation	
Flam. Gas 2H221 - Flammable gasLiquefied gasH280 - Contains gas undeSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H336 - May cause drowsinSTOT SE 3H335 - May cause respiration	er pressure; may explode if heated on e irritation ness or dizziness	
Flam. Gas 2H221 - Flammable gasLiquefied gasH280 - Contains gas undeSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H336 - May cause drowsinSTOT SE 3H335 - May cause respiratFull text of H-phrases: see section 16	er pressure; may explode if heated on e irritation ness or dizziness	
Flam. Gas 2H221 - Flammable gasLiquefied gasH280 - Contains gas undeSkin Irrit. 2H315 - Causes skin irritatieEye Irrit. 2AH319 - Causes serious eySTOT SE 3H336 - May cause drowsirSTOT SE 3H335 - May cause respiratFull text of H-phrases: see section 162.2.Label elements	er pressure; may explode if heated on e irritation ness or dizziness	
Flam. Gas 2 H221 - Flammable gas Liquefied gas H280 - Contains gas unde Skin Irrit. 2 H315 - Causes skin irritati Eye Irrit. 2A H319 - Causes serious ey STOT SE 3 H336 - May cause drowsir STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	er pressure; may explode if heated on e irritation hess or dizziness tory irritation : irritation irritation	
Flam. Gas 2       H221 - Flammable gas         Liquefied gas       H280 - Contains gas unde         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H336 - May cause drowsin         STOT SE 3       H335 - May cause respirat         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	er pressure; may explode if heated on e irritation hess or dizziness tory irritation : i i Warning	
Flam. Gas 2       H221 - Flammable gas         Liquefied gas       H280 - Contains gas unde         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H336 - May cause drowsin         STOT SE 3       H335 - May cause respirat         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)	er pressure; may explode if heated on e irritation hess or dizziness tory irritation : irritation irritation	
Flam. Gas 2 H221 - Flammable gas Liquefied gas H280 - Contains gas unde Skin Irrit. 2 H315 - Causes skin irritati Eye Irrit. 2A H319 - Causes serious ey STOT SE 3 H336 - May cause drowsir STOT SE 3 H335 - May cause respirat Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	er pressure; may explode if heated on e irritation hess or dizziness tory irritation	contact

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P312 - P321 - P332+ P337+ P362+ P377 - P381 - P403 - P403+ P403 - P405 - P401+	<ul> <li>a, if present and easy to do. Co.</li> <li>Call a POISON CENTER or of Specific treatment (see supple P313 - If skin irritation occurs: P313 - If eye irritation persists P364 - Take off contaminated Leaking gas fire: Do not extire Eliminate all ignition sources.</li> <li>Store in a well-ventilated place P233 - Store in a well-ventilated store locked up.</li> <li>P403 - Protect from sunlight.</li> <li>Dispose of contents/containe</li> </ul>	doctor/physician if you f emental first aid instruct Get medical advice/att :: Get medical advice/att :: Get medical advice/at clothing and wash it be iguish, unless leak can if safe to do so ce ed place. Keep containe Store in a well-ventilate	ctions on this label) rention ttention efore reuse be stopped safely er tightly closed d place
2.3. Other hazards				
Other hazards not contributing to the classification	: May ca	ause frostbite.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informat	ion on ing	gredients		
3.1. Substance Substance type	· Mono-	constituent		
	. 100110		0/	Classification (CHC US)
Name 2-Fluoropropane (Main constituent)		Product identifier (CAS No) 420-26-8	<b>%</b> <= 100	Classification (GHS-US) Simple Asphy, H380 Flam. Gas 2, H221 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where	e of accident or if you feel unw possible). Move the affected p	personnel away from the	e contaminated area.
First-aid measures after inhalation	respira	ation. Get immediate medical a	advice/attention.	ning. If not breathing, give artificial
First-aid measures after skin contact	advice	attention.		area. Get immediate medical
First-aid measures after eye contact	thorou	ghly with water for at least 15	minutes. Get immediate	
First-aid measures after ingestion	give a	o its physical form, exposure to nything by mouth to an uncons /attention.	o this chemical is not like acious person. Rinse me	ely. Do NOT induce vomiting. Never outh out with water. Get medical
4.2. Most important symptoms and eff				
Symptoms/injuries		ost important known symptom nd/or in section 11.	s and effects are descr	ibed in the labelling (see section
Symptoms/injuries after inhalation	•	ause drowsiness or dizziness.		
Symptoms/injuries after skin contact		ct with the liquid the may caus		possibly permanent and intermediate
Symptoms/injuries after eye contact		tbite from rapid liquid evapora		possibly permanent eye injury due
4.3. Indication of any immediate media	cal attention	and special treatment need	ed	
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		bl resistant foam. Carbon dioxi nding fire.	de. Dry powder. Use ex	tinguishing media appropriate for

12/06/2016

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from	Special hazards arising from the substance or mixture		
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.		
Explosion hazard	: Contains gas under pressure; may explode if heated. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.		
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".		

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equ	Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.			
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.			

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materi	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
C.4. Defense to other			

#### **Reference to other sections 6.4**.

**Environmental precautions** 

No additional information available

6.2.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.			
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, include	ing any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use. Keep away from ignition sources.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage area	: Store in dry, cool, well-ventilated area.			

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2.	Exposure controls	
Approp	riate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand p	rotection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pro	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin ar	nd body protection	: Wear suitable protective clothing.
Respira	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Therma	al hazard protection	: Cold insulating gloves.
Other i	nformation	: Safety shoes. 29 CFR 1910.136: Foot Protection.

### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Gas
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: -133.4 °C
Freezing point	: No data available
Boiling point	: -9.4 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.9692 g/ml (@ -9.4 °C)
Molecular mass	: 62.09 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

#### 9.2. Other information

: 1.3282 (@ -9.4 °C)

# SECTION 10: Stability and reactivity

10.1. Reactivity

Refractive index

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50  $^{\circ}\text{C}$  Keep away from heat, sparks and flame.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTI	ON 11: Toxicological information
11.1.	Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	<ul> <li>Not classified</li> <li>May cause drowsiness or dizziness. May cause respiratory irritation.</li> <li>Not classified</li> </ul>
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact	<ul> <li>May cause drowsiness or dizziness.</li> <li>Contact with the liquid the may cause cold burns/frostbite.</li> <li>Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.</li> </ul>

SECT	ION 12: Ecological information	
12.1.	Toxicity	
No additional information available		
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Other adverse effects	
No addi	tional information available	

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport informatio	n		
Department of Transportation (DOT)			
In accordance with DOT			

Transport document description : U	IN3161 Liquefied gas, flammable, n.o.s., 2.1
Proper Shipping Name (DOT) : Li	IN3161 iquefied gas, flammable, n.o.s. .1 - Class 2.1 - Flammable gas 49 CFR 173.115

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: :	2.1 - Flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: :	304
DOT Packaging Bulk (49 CFR 173.xxx)	: :	314;315
DOT Symbols	: (	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	i	T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in accordance with the requirements of 173.313 of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: :	306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	Forbidden
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	( 	D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vesse carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	: •	40 - Stow "clear of living quarters"
Other information	:	No supplementary information available.
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	: :	3161
Proper Shipping Name (IMDG)	:	LIQUEFIED GAS, FLAMMABLE, N.O.S.
Class (IMDG)	: :	2 - Gases
Air transport		
UN-No. (IATA)	: :	3161
Proper Shipping Name (IATA)	:	Liquefied gas, flammable, n.o.s.
Class (IATA)	: :	

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2-Fluoropropane	CAS No 420-26-8	100%			
P					

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

#### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

#### Full text of H-phrases:

i un tex	i or r-prilases.	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Gas 2	Flammable gases Category 2
	Liquefied gas	Gases under pressure Liquefied gas
	Simple Asphy	Simple Asphyxiant
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H221	Flammable gas
	H280	Contains gas under pressure; may explode if heated
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H336	May cause drowsiness or dizziness
	H380	May displace oxygen and cause rapid suffocation
	nealth hazard	<ul> <li>2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.</li> <li>3 - Liquids and solids that can be ignited under almost all</li> </ul>
		ambient conditions.
NFPA	reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS I	II Rating	
Health		: 1 Slight Hazard - Irritation or minor reversible injury possible
Flamm	ability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physic	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

#### SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.