

**1,1,1,3,3-Pentafluoropropane** Safety Data Sheet 1100325 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/24/2016 Version: 1.0

CECTION 1: Identification  Identification  Industance name  AS No  Industance name  AS No  Industance name  AS No  Industance name  CAS No  Industance name  CAS No  Industance name  CAS No  Industance name  Case of the substance/mixture  Industance of the substance/mixture  Industance name  Case of the substance/mixture  Industance name  Indus	a
Product form Product form Product form Product code Prod	<ul> <li>1,1,1,3,3-Pentafluoropropane</li> <li>460-73-1</li> <li>1100-3-25</li> <li>C3H3F5</li> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> ety data sheet a com
Substance name SAS No Product code Formula Synonyms Other means of identification S. C. Relevant identified uses of the su Use of the substance/mixture S. Details of the supplier of the safet SynQuest Laboratories, Inc. C. O. Box 309 Jachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 Info@synquestlabs.com - www.synquestlabs.com A. Emergency telephone number EECTION 2: Hazard(s) identification	<ul> <li>1,1,1,3,3-Pentafluoropropane</li> <li>460-73-1</li> <li>1100-3-25</li> <li>C3H3F5</li> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> ety data sheet a com
<ul> <li>AS No Product code ormula synonyms</li> <li>Other means of identification</li> <li><b>.2.</b> Relevant identified uses of the substance/mixture</li> <li><b>.3.</b> Details of the supplier of the safet synQuest Laboratories, Inc.</li> <li><b>.0.</b> Box 309 Jachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 of @ synquestlabs.com - www.synquestlabs.com</li> <li><b>.4.</b> Emergency telephone number imergency number</li> <li><b>.5.ECTION 2: Hazard(s) identification</b></li> </ul>	<ul> <li>460-73-1</li> <li>1100-3-25</li> <li>C3H3F5</li> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> sty data sheet a com
Aroduct code formula	<ul> <li>1100-3-25</li> <li>C3H3F5</li> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> sty data sheet a com
Arrow a synonyms     Arrow a synonym	<ul> <li>C3H3F5</li> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> ety data sheet a .com
Synonyms Other means of identification  2. Relevant identified uses of the su  3. Details of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplier of the supplier of the safet  3. Details of the supplice of the supplice of the safet  3. Details	<ul> <li>1,1,1,3,3-Pentafluoropropane</li> <li>MFCD00236696</li> </ul> Ubstance or mixture and uses advised against <ul> <li>Laboratory chemicals</li> <li>Manufacture of substances</li> <li>Scientific research and development</li> </ul> ety data sheet a .com
A constraint of the supplier of the substance/mixture     A constraint of the supplier of the safet     A constraint of the supplier of the supplier of the safet     A constraint of the supplier of the supplier of the safet     A constraint of the supplier of the supplier of the safet     A constraint of the supplier of the supplier of the safet     A constraint of the supplier of the supplier of the safet     A constraint of the supplice of the supplice of the safet     A constraint of the supplice of the safet     A constraint of the safet     A constrated	: MFCD00236696 ubstance or mixture and uses advised against : Laboratory chemicals Manufacture of substances Scientific research and development ety data sheet a .com
Relevant identified uses of the survey like of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the substance/mixture     Source and the supplier of the safet of the substance/mixture     Source and the supplier of the safet of the substance and the subst	ubstance or mixture and uses advised against         : Laboratory chemicals         Manufacture of substances         Scientific research and development         ety data sheet         a         .com
<ul> <li><b>Details of the supplier of the safet</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Section</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Section</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Section</b></li> <li><b>Wexternation</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Details of the supplier of the safet</b></li> <li><b>Section</b></li> <li><b>Details of the supplier of the safet</b></li> </ul>	: Laboratory chemicals Manufacture of substances Scientific research and development ety data sheet
.3. Details of the supplier of the safet SynQuest Laboratories, Inc. P.O. Box 309 Jachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 Info@synquestlabs.com - www.synquestlabs.com .4. Emergency telephone number Imergency number SECTION 2: Hazard(s) identification	Manufacture of substances Scientific research and development ety data sheet
AynQuest Laboratories, Inc. 2.0. Box 309 Jachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 160@synquestlabs.com - www.synquestlabs.com 4. Emergency telephone number Imergency number ECTION 2: Hazard(s) identificatio	a . <u>com</u>
O. Box 309 Jachua, FL 32615 - United States of America (386) 462-0788 - F (386) 462-7097 <u>fo@synquestlabs.com</u> - <u>www.synquestlabs.co</u> .4. Emergency telephone number mergency number SECTION 2: Hazard(s) identificatio	. <u>com</u>
mergency number SECTION 2: Hazard(s) identificatio	: (844) 523-4086 (3E Company - Account 10069)
GECTION 2: Hazard(s) identificatio	: (844) 523-4086 (3E Company - Account 10069)
	on
Classification (GHS-US)	
ye Irrit. 2A H319 - Causes serious eye i TOT SE 3 H335 - May cause respirator full text of H-phrases: see section 16	
.2. Label elements	
HS-US labeling	
lazard pictograms (GHS-US)	: GHS04 GHS07
ignal word (GHS-US)	: Warning
lazard statements (GHS-US)	<ul> <li>H280 - Contains gas under pressure; may explode if heated</li> <li>H315 - Causes skin irritation</li> <li>H319 - Causes serious eye irritation</li> <li>H335 - May cause respiratory irritation</li> <li>H380 - May displace oxygen and cause rapid suffocation</li> </ul>
recautionary statements (GHS-US)	: P261 - Avoid breathing fumes, gas, mist, spray, vapors

# 1,1,1,3,3-Pentafluoropropane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P40 P40 P41	2+P364 - Take off contaminated 3+P233 - Store in a well-ventilate 5 - Store locked up 0+P403 - Protect from sunlight. \$ 1 - Dispose of contents/container	ed place. Keep contain Store in a well-ventilate	er tightly closed ed place
2.3. Other hazards	· Mov	aquaa fraathita		
Other hazards not contributing to the classification	. May	r cause frostbite.		
2.4. Unknown acute toxicity (GHS US	)			
lot applicable				
<b>ECTION 3: Composition/informa</b>	tion on i	ngredients		
.1. Substance				
Substance type	: Mor	no-constituent		
Name		Product identifier	%	Classification (GHS-US)
1,1,1,3,3-Pentafluoropropane (Main constituent)		(CAS No) 460-73-1	<= 100	Simple Asphy, H380 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ull text of H-phrases: see section 16				
.2. Mixture				
lot applicable				
ECTION 4: First aid measures				
.1. Description of first aid measures				
irst-aid measures general irst-aid measures after inhalation	whe	ase of accident or if you feel unw re possible). Move the affected p	ersonnel away from th	
		piration. Get immediate medical a		ning. If not breathing, give artificial
irst-aid measures after skin contact		w frosted parts with lukewarm wa	ter. Do no rub affected	d area. Get immediate medical
irst-aid measures after eye contact	thor	nove contact lenses, if present ar oughly with water for at least 15 r	minutes. Get immediat	e medical advice/attention.
irst-aid measures after ingestion	give	e to its physical form, exposure to anything by mouth to an uncons ice/attention.		ely. Do NOT induce vomiting. Never outh out with water. Get medical
.2. Most important symptoms and e	f <mark>fects, bot</mark> ł	n acute and delayed		
ymptoms/injuries		most important known symptoms and/or in section 11.	s and effects are descr	ibed in the labelling (see section
ymptoms/injuries after inhalation		cause drowsiness or dizziness.		
symptoms/injuries after skin contact symptoms/injuries after eye contact	: Dire	tact with the liquid the may cause oct contact with the liquefied gas r ostbite from rapid liquid evaporat	nay cause severe and	possibly permanent eye injury due
.3. Indication of any immediate med	ical attenti	on and special treatment need	ed	
lo additional information available				
SECTION 5: Firefighting measures				
.1. Extinguishing media				
Suitable extinguishing media		ohol resistant foam. Carbon dioxio ropriate for surrounding fire.	de. Dry powder. Water	spray. Use extinguishing media
.2. Special hazards arising from the	substance	or mixture		
ire hazard		rmal decomposition generates: C	arbon oxides. Hydroge	en fluoride.
xplosion hazard		tains gas under pressure; may ex osed containers.	xplode if heated. Use v	water spray or fog for cooling
.3. Advice for firefighters				
irefighting instructions	: In c	ase of fire: Evacuate area. Fight f	ire remotely due to the	e risk of explosion.
Protection during firefighting		ar gas tight chemically protective aratus. For further information ref		n with self contained breathing sure controls/personal protection".
2/06/2016	EN (E	nglish US)	SDS ID: 11003	325 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 6: Accidental release meas</b>	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containmer	and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION & Exposure controls/porso	nal protoction

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

No additional information available

8.2.	Exposure controls	
Approp	riate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand p	rotection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pro	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin ar	nd body protection	: Wear suitable protective clothing.
Respira	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Therma	al hazard protection	: Cold insulating gloves.
Other i	nformation	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
Symptoms/injuries after eye contact	: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECTI	ON 12: Ecological information
12.1.	Toxicity
No addit	tional information available
12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bioaccumulative potential
No addit	tional information available
12.4.	Mobility in soil
No addit	tional information available
12.5.	Other adverse effects
No addit	tional information available

SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

### SECTION 14: Transport information

### **Department of Transportation (DOT)**

In accordance with DOT	
Transport document description	: UN316
	: UN316
UN-No.(DOT)	. UN310
Proper Shipping Name (DOT)	: Liquefi
Transport hazard class(es) (DOT)	: 2.2 - C
Hazard labels (DOT)	: 2.2 - N

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

63 Liquefied gas, n.o.s., 2.2

: G - Identifies PSN requiring a technical name

- 63
- ied gas, n.o.s.
- Class 2.2 Non-flammable compressed gas 49 CFR 173.115

accordance with the requirements of 173.313 of this subchapter.

Ion-flammable gas



: 304

: 314;315

12/06/2016

: T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Exceptions (49 CFR 173.xxx)	:	306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	150 kg
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	:	No supplementary information available.
TDG		
No additional information available		
Transport by sea		
UN-No. (IMDG)	:	3163
Proper Shipping Name (IMDG)	:	LIQUEFIED GAS, N.O.S.

## Class (IMDG)

All transport	
UN-No. (IATA)	: 3163
Proper Shipping Name (IATA)	: Liquefied gas, n.o.s.
Class (IATA)	: 2

SECTION 15: Regulatory information	
5.1. US Federal regulations	
1,1,1,3,3-Pentafluoropropane (460-73-1)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

: 2 - Gases

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA	
1,1,1,3,3-Pentafluoropropane (460-73-1)	
Listed on the Canadian DSL (Domestic Sustances List)	

#### EU-Regulations

### 1,1,1,3,3-Pentafluoropropane (460-73-1)

Listed on ELINCS (European List of Notified Chemical Substances)

#### National regulations

1,1,1,3,3-Pentafluoropropane (460-73-1)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on Turkish inventory of chemical

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Liquefied gas	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H380	May displace oxygen and cause rapid suffocation
NFPA health hazard NFPA fire hazard	<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>0 - Materials that will not burn.</li> </ul>
NFPA reactivity	<ul> <li>O - Materials that will not burn.</li> <li>O - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.