

1,1,3-Trifluoropropane Safety Data Sheet 1100350 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 04/29/2016 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 1,1,3-Trifluoropropane
CAS No	: 24270-67-5
Product code	: 1100-3-50
Formula	: C3H5F3
Synonyms	: HFC-263fa; R-263fa
Other means of identification	MFCD07784186
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097	a
info@synquestlabs.com - www.synquestlabs	s.com
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance of	
Classification (GHS-US)	
Skin Irrit. 2H315 -Causes skin irritationEye Irrit. 2AH319 -Causes serious eye irSTOT SE 3H335 -May cause respiratory	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	rritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	rritation y irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	rritation y irritation
Eye Irrit. 2AH319 - Causes serious eye irSTOT SE 3H335 - May cause respiratoryFull text of H-phrases: see section 162.2.Label elements	rritation y irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lense P312 P321 P332 P337 P362 P370 P403 P403 P403	 +P351+P338 - If in eyes: Rinse cautious is, if present and easy to do. Continue rin - Call a POISON CENTER or doctor/phy - Specific treatment (see supplemental f +P313 - If skin irritation occurs: Get med +P313 - If eye irritation persists: Get med +P378 - In case of fire: Use dry sand, dry +P233 - Store in a well-ventilated place. +P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap 	sing vsician if you fea irst aid instruction ical advice/atten dical advice/atten and wash it befor / chemical or al Keep container Keep cool	el unwell ons on this label) ntion ntion ore reuse cohol-resistant foam to extinguish tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)			
Not applicable				
SECTION 3: Composition/informa	tion on in	gredients		
3.1. Substance				
Substance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
1,1,3-Trifluoropropane		(CAS No) 24270-67-5	<= 100	Flam. Liq. 2, H225
(Main constituent)				Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ration. Get medical advice/attention.	able for breathir	ng. If not breathing, give artificial
First-aid measures after skin contact	: Wasł	n with plenty of soap and water. Get med	ical advice/atter	ntion.
First-aid measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	medical advice	/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and e	fects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
4.3. Indication of any immediate med	ical attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures	6			
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry poppriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the	substance	or mixture		
Fire hazard		mal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.
Explosion hazard	: Risk	of explosion if heated under confinement iners. May form flammable/explosive var	. Use water spr	
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remot	ely due to the r	sk of explosion.
Protection during firefighting	: Wear	r gas tight chemically protective clothing i ratus. For further information refer to sec	n combination v	vith self contained breathing

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equ	
	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	 Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: Safety shoes, 29 CFR 1910,136; Foot Protection,

Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemical p	properties
9.1. Information on basic physical and c	
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 45 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.182 g/ml (@ 20 °C)
Molecular mass	: 98.07 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available : No data available
Viscosity Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.309 (@ 20 °C)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and stor	rage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition products	
Under normal conditions of storage and use, haz fire, see Section 5.	ardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5 5 , , ,	
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTIO	N 12: Ecological information
12.1.	Toxicity
No addition	nal information available
12.2. F	Persistence and degradability
No addition	nal information available
12.3. E	Bioaccumulative potential
No addition	nal information available
12.4.	Mobility in soil
No additior	nal information available
12.5. 0	Other adverse effects
N a a daliti au	and information evolution

No additional information available

SECTION 13: Disposal consider	ations
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport informa	tion
SECTION 14. Transport informa	

Department of	Transportation	(DOT)

In accordance with DOT	
Transport document description	: UN1993 Flammable liquids, n.o.s., 3, II
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242

DOT Symbols

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

1,1,3-Trifluoropropane CAS No 24270-67-5 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-ph		Serious eye damage/eye irritation Category 2A
Flam. L		Flammable liquids Category 2
Skin Irri	•	Skin corrosion/irritation Category 2
STOT S	E 3	Specific target organ toxicity (single exposure) Category 3
H225		Highly flammable liquid and vapor
H315		Causes skin irritation
H319		Causes serious eye irritation
H335		May cause respiratory irritation
NFPA fire hazar	ł	 residual injury even though prompt medical attention was given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating		
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability		 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.