

1,1,1,3,3,3-Hexafluoro-2-methylpropane Safety Data Sheet 1100364 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/03/2016 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 1,1,1,3,3,3-Hexafluoro-2-methylp	opane	
CAS No	: 382-09-2		
Product code	: 1100-3-64		
Formula	: C4H4F6		
Other means of identification	: MFCD03094211		
1.2. Relevant identified uses of the s	substance or mixture and uses advised	against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and developm		
1.3. Details of the supplier of the saf	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number		((0000)	
Emergency number	: (844) 523-4086 (3E Company - A	ccount 10069)	
SECTION 2: Hazard(s) identificati	ion		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Eye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirate			
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	e irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	e irritation ory irritation		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	e irritation ory irritation	on	
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16	 e irritation ory irritation : i i i i i i i i i i i i i i i i i i	on ation s, mist, spray, vapors r handling well-ventilated area otective clothing/eye protection/face protection h plenty of soap and water person to fresh air and keep comfortable for bre hase cautiously with water for several minutes. R Continue rinsing or doctor/physician if you feel unwell pplemental first aid instructions on this label) urs: Get medical advice/attention	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P410+P403 - Protect from sunlight. Store in a well-ventilated place P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on ingredients			
3.1. Substance				
Substance type :	Mono-constituent			
Name	Product identifier	%	Classification (GHS-US)	
1,1,1,3,3,3-Hexafluoro-2-methylpropane (Main constituent)	(CAS No) 382-09-2	<= 100	Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
C C	In case of accident or if you feel unwell, seel where possible). Move the affected personne	el away from the	contaminated area.	
First-aid measures after inhalation :	Remove person to fresh air and keep comfor respiration. Get medical advice/attention.			
	Wash with plenty of soap and water. Get me			
First-aid measures after eye contact :	Immediately flush eyes thoroughly with wate present and easy to do. Continue rinsing. Ge	et medical advice	attention.	
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anythir mouth out with water. Get medical advice/att		unconscious person. Rinse	
4.2. Most important symptoms and effects	, both acute and delayed			
Symptoms/injuries :	The most important known symptoms and el 2.2) and/or in section 11.	ffects are describe	ed in the labelling (see section	
4.3. Indication of any immediate medical a	Indication of any immediate medical attention and special treatment needed			
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide. Dry appropriate for surrounding fire.	powder. Water sp	oray. Use extinguishing media	
5.2. Special hazards arising from the subs	tance or mixture			
	Thermal decomposition generates: Carbon of	oxides. Hydrogen	fluoride.	
Explosion hazard :	Risk of explosion if heated under confinement containers.			
5.3. Advice for firefighters				
Firefighting instructions :	In case of fire: Evacuate area. Fight fire rem	otely due to the ri	sk of explosion.	
Protection during firefighting :	Wear gas tight chemically protective clothing apparatus. For further information refer to se			
SECTION 6: Assidental release massi	ires			
SECTION 6: Accidental release measu				
6.1. Personal precautions, protective equip				
6.1. Personal precautions, protective equip	pment and emergency procedures Evacuate unnecessary personnel. Ensure ac reducing oxygen available for breathing. Do			
6.1. Personal precautions, protective equip General measures : 6.1.1. For non-emergency personnel	Evacuate unnecessary personnel. Ensure ad	not breathe gas,	fumes, vapor or spray.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify aut	horities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed
Storage conditions	when not in use.
Storage conditions Incompatible materials	

SECTION 8: Exposure controls/personal protection
--

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1.	.1. Information on basic physical and chemical properties		
Physical state : Liquid		: Liquid	
Color		: No data available	
Odor		: No data available	
Odor thr	eshold	: No data available	
рН		: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Î	, · · · · , · · · · , · · · · , · · · ·	-	,
	Melting point	:	No data available
	Freezing point	:	No data available
	Boiling point	:	21 °C
	Flash point	:	No data available
	Relative evaporation rate (butyl acetate=1)	:	No data available
	Flammability (solid, gas)	:	No data available
	Explosion limits	:	No data available
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	Vapor pressure	:	760 mm Hg (@ 21 °C)
	Relative density	:	No data available
	Relative vapor density at 20 °C	:	No data available
	Molecular mass	:	166.07 g/mol
	Solubility	:	No data available
	Log Pow	:	No data available
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity	:	No data available
	Viscosity, kinematic	:	No data available
	Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

0507	
SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
_	

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
02/03/2017	EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal consideration	ations
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information
15.1. US Federal regulations
All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) inventory except for:		
1,1,1,3,3,3-Hexafluoro-2-methylpropane	CAS No 382-09-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

i un tez	a ur r-prilases.	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Liquefied gas	Gases under pressure Liquefied gas
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H280	Contains gas under pressure; may explode if heated
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA fire hazard : 0 - Materials that will not but on the sectivity NFPA reactivity : 0 - Normally stable, even up on the sectivity		 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 0 - Materials that will not burn. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS I Health Flamm Physic	ability	 2 Moderate Hazard - Temporary or minor injury may occur 0 Minimal Hazard - Materials that will not burn 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.