

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 1100750 Issue date: 01.12.2015 Version: 1.0

| 1.1. Identification | | | |
|---|--|--|--|
| Product form Substance name CAS-No. Product code Formula Other means of identification | : Substance : 1-Chloro-1,1 : 422-55-9 : 1100-7-50 : C3HCIF6 : MFCD00042 | 1,2,2,3,3-hexafl 2216 | uoropropane |
| 1.2. Recommended use and restrictions or | n use | | |
| Use of the substance/mixture | | chemicals e of substances search and dev | |
| 1.3. Supplier | | | |
| SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | | | |
| 1.4. Emergency telephone number | | | |
| Emergency number | : (844) 523-40 | 086 (3E Compa | any - Account 10069) |
| SECTION 2: Hazard(s) identification | | | |
| | | | |
| 2.1. Classification of the substance or mix | ture | | |
| GHS US classification Gases under pressure Liquefied gas Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity – Single exposure, Ca Respiratory tract irritation Hazardous to the ozone layer Category 1 | itegory 3, | H280 H315 H319 H335 H420 | Contains gas under pressure; may explode if heated Causes skin irritation Causes serious eye irritation May cause respiratory irritation Harms public health and the environment by destroying ozone i |
| Full text of H statements : see section 16 | | | the upper atmosphere |
| 2.2. GHS Label elements, including precat | itionary staten | nents | |
| GHS US labeling | | | |
| Hazard pictograms (GHS US) | | | |
| Signal word (GHS US) Hazard statements (GHS US) | | tains gas under ses skin irritatio | pressure; may explode if heated |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | H335 - May cause respiratory irritation |
|-----------------------------------|--|
| | H420 - Harms public health and the environment by destroying ozone in the upper atmosphere |
| Precautionary statements (GHS US) | : P261 - Avoid breathing fumes, gas, mist, spray, vapors. |
| | P264 - Wash skin thoroughly after handling |
| | P271 - Use only outdoors or in a well-ventilated area. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P302+P352 - If on skin: Wash with plenty of soap and water |
| | P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P312 - Call a POISON CENTER or doctor/physician if you feel unwell |
| | P321 - Specific treatment (see supplemental first aid instructions on this label) |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| | P362+P364 - Take off contaminated clothing and wash it before reuse. |
| | P403+P233 - Store in a well-ventilated place. Keep container tightly closed. |
| | P405 - Store locked up. |
| | P410+P403 - Protect from sunlight. Store in a well-ventilated place. |
| | P501 - Dispose of contents/container to an approved waste disposal plant |
| | P502 - Refer to manufacturer/supplier for information on recovery/recycling |

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|--|--------------------|---|---|
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane (Main constituent) | CAS-No.: 422-55-9 | | Press. Gas (Liq.), H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Ozone 1, H420 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get medical advice/attention. |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| First-aid measures after eye contact | : Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical advice/attention. | | | |
|--|---|--|--|--|
| First-aid measures after ingestion | : Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. | | | |
| 4.2. Most important symptoms and effects (acute and delayed) | | | | |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. | | | |
| Symptoms/effects after inhalation | : May cause drowsiness or dizziness. | | | |

Symptoms/effects after skin contact Symptoms/effects after eye contact

- : Contact with the liquid the may cause cold burns/frostbite.
- : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

apparatus. For further information refer to section 8: "Exposure controls/personal protection".

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

| SECTION 5: Fire-fighting meas | sures | |
|---|--|--|
| 5.1. Suitable (and unsuitable) extin | nguishing media | |
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. | |
| 5.2. Specific hazards arising from the chemical | | |
| Fire hazard Explosion hazard | Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride. Contains gas under pressure; may explode if heated. Use water spray or fog for cooling expose containers. May form flammable/explosive vapor-air mixture. | |
| 5.3. Special protective equipment and precautions for fire-fighters | | |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.Wear gas tight chemically protective clothing in combination with self contained breathing | |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| | | |
| 6.1. Personal precautions, protect | ive equipment and emergency procedures | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray. | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer | |

to section osure controls/personal protection". Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.3. Methods and material for containment and cleaning up | | |
|---|--|--|
| For containment Methods for cleaning up Other information | Stop leak if safe to do so. Ventilate area. For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | |
| 6.4. Reference to other sections | | |

No additional information available

| SECTION 7: Handling and storage | |
|---|--|
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Technical measures Storage conditions | Comply with applicable regulations. Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use. Keep away from ignition sources. |
| Incompatible materials Storage area | Refer to Section 10 on Incompatible Materials.Store in dry, cool, well-ventilated area. |

SECTION 8: Exposure controls/personal protection

| 8.1. Control parameters | | | |
|---|---|--|--|
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane (422-55-9) | | | |
| No additional information available | | | |
| 8.2. Appropriate engineering controls | | | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released. | | |
| 8.3. Individual protection measures/Personal protective equipment | | | |

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Thermal hazard protection:

Cold insulating gloves.

Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

| SECTION 9: Ph | vsical and chemical | properties |
|----------------------|---------------------|------------|
| | | |

9.1. Information on basic physical and chemical properties

| Physical state | : Liguid |
|---|-----------------------|
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 21 °C |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 1,556 g/ml (@ 20 °C |
| Molecular mass | : 186,48 g/mol |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| | |

9.2. Other information

Refractive index

: 1,29 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity (oral) | : Not classified |
|-------------------------------------|--|
| | : Not classified |
| Acute toxicity (dermal) | |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) |
| | and/or in section 11. |
| Symptoms/effects after inhalation | : May cause drowsiness or dizziness. |
| Symptoms/effects after skin contact | : Contact with the liquid the may cause cold burns/frostbite. |
| Symptoms/effects after eye contact | : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation. |

SECTION 12: Ecological information

12.1. Toxicity

| No additional information available | | |
|---|---|--|
| 12.2. Persistence and degradability | | |
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane (422-55-9) | | |
| Persistence and degradability | Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic. | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 12.3. Bioaccumulative potential | | | |
|--|---|--|--|
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane (422-55-9) | | | |
| Bioaccumulative potential | Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established. | | |
| 12.4. Mobility in soil | | | |
| No additional information available | | | |
| 12.5. Other adverse effects | | | |
| Other information | : Class II ozone-depleting substance. | | |
| SECTION 13: Disposal considerations | ; | | |
| Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information | Prevent runoff from entering drains, sewers or waterways. See the EPA's Interim Guidance on PFAS Destruction and Disposal. See the EPA's Interim Guidance on PFAS Destruction and Disposal. See the EPA's Interim Guidance on PFAS Destruction and Disposal. EPA's Interim Guidance on PFAS Destruction and Disposal. EPA's Interim Guidance on PFAS Destruction and Disposal (Dec. 18, 2020 https://downloads.regulations.gov/EPA-HQ-OLEM-2020-0527-0002/content.pdf). The National Defense Authorization Act for Fiscal Year 2020, Public Law No: 116-92 (hereafter, "FY 2020 NDAA"), was signed into law on December 19, 2019. Section 7361 of the FY 2020 NDAA directs the U.S. Environmental Protection Agency (EPA) to publish interim guidance on the destruction | | |

Ecology - waste materials

factors. This material is considered to be a "Forever chemical". Prevent any possible release to the : environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.

PFAS. This interim guidance fulfills that direction. EPA will review the interim guidance at least every 3 years and revise it, if appropriate based on the availability of new information or other

| SECTION 14: Transport information | |
|--|--|
| 14.1. UN number | |
| Not regulated for transport | |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Not regulated Not regulated Not regulated Not regulated |
| 14.3. Transport hazard class(es) | |
| DOT Transport hazard class(es) (DOT) | : Not regulated |
| TDG Transport hazard class(es) (TDG) | : Not regulated |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| according to Federal Register / Vol. 77, No. 58 / Monday | y, March 26, 2012 / Rules and Regulations | | |
|--|---|--|--|
| IMDG Transport hazard class(es) (IMDG) | : Not regulated | | |
| IATA Transport hazard class(es) (IATA) | : Not regulated | | |
| 14.4. Packing group | | | |
| Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) | Not regulatedNot regulatedNot regulatedNot regulated | | |
| 14.5. Environmental hazards | | | |
| Other information | : No supplementary information | available. | |
| 14.6. Special precautions for user | | | |
| DOT Not regulated | | | |
| TDG Not regulated | | | |
| IMDG Not regulated | | | |
| IATA Not regulated | | | |
| 14.7. Transport in bulk according to Ann | ex II of MARPOL 73/78 and the | IBC Code | |
| Not applicable | | | |
| SECTION 15: Regulatory information | n | | |
| 15.1. US Federal regulations | | | |
| All components of this product are present and I (TSCA) inventory, except for: | isted as Active on the United States E | Invironmental Protection Agency Toxic Substances Control Act | |
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane | CAS-No. 422-55-9 | 100% | |
| 15.2. International regulations | | | |
| CANADA | | | |
| No additional information available | | | |
| EU-Regulations | | | |
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane | (422-55-9) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | | |
| National regulations | | | |
| 1-Chloro-1,1,2,2,3,3-hexafluoropropane | (422-55-9) | | |

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | |
|------------------------|---|
| H280 | Contains gas under pressure; may explode if heated |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H420 | Harms public health and the environment by destroying ozone in the upper atmosphere |

Safety Data Sheet (SDS), USA