

1-Chloro-1,1,3,3,3-pentafluoropropane Safety Data Sheet 1100752 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/01/2015 Version: 1.0

SECTION 1: Identification				
.1. Identification				
Product form	: Substance			
Substance name	: 1-Chloro-1,1,3,3,3-pent	fluoropropane		
CAS No	: 460-92-4			
Product code	: 1100-7-52			
Formula	: C3H2CIF5			
Other means of identification	: MFCD00069128			
		adviced enginet		
I.2. Relevant identified uses of the substance/mixture		advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substan Scientific research and			
1.3. Details of the supplier of the sa	fety data sheet			
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri F (386) 462-0788 - F (386) 462-7097 nfo@synguestlabs.com - www.synguestlab				
4. Emergency telephone number	<u>3.com</u>			
Emergency number	: (844) 523-4086 (3E Cor	npany - Account 10069)		
с <i>У</i>	, , , , , , , , , , , , , , , , , , ,	· · · · · ·		
SECTION 2: Hazard(s) identificat				
2.1. Classification of the substance	or mixture			
Classification (GHS-US)				
STOT SE 3 H335 - May cause respira Dzone 1 H420 - Harms public healt Full text of H-phrases: see section 16		ving ozone in the upper atmosphere		
2.2. Label elements				
GHS-US labeling				
Hazard pictograms (GHS-US)	: GHS04 GH	807		
Signal word (GHS-US)	: Warning			
Hazard statements (GHS-US)	H315 - Causes skin irrit H319 - Causes serious H335 - May cause resp H380 - May displace ox	eye irritation	upper atmosphere	
Precautionary statements (GHS-US)	P264 - Wash skin thoro P271 - Use only outdoo P280 - Wear protective P302+P352 - If on skin: P304+P340 - If inhaled: P305+P351+P338 - If ir lenses, if present and e P312 - Call a POISON (P321 - Specific treatme	umes, gas, mist, spray, vapors ighly after handling s or in a well-ventilated area gloves/protective clothing/eye protection/face protect Wash with plenty of soap and water Remove person to fresh air and keep comfortable for eyes: Rinse cautiously with water for several minute isy to do. Continue rinsing ENTER or doctor/physician if you feel unwell t (see supplemental first aid instructions on this laber ation occurs: Get medical advice/attention	or breathing es. Remove contact	
2/06/2016	EN (English US)	SDS ID: 1100752	Page 1	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P362+P364 P403+P233 P405 - Store P410+P403 P501 - Disp	 If eye irritation persists: Get m Take off contaminated clothing Store in a well-ventilated place locked up Protect from sunlight. Store in ose of contents/container to an a r to manufacturer/supplier for inf 	and wash it bef Keep containe well-ventilated pproved waste o	ore reuse r tightly closed place disposal plant
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatio	n on inaredi	ents		
3.1. Substance	3			
Substance type	: Mono-const	ituent		
Name	Proc	luct identifier	%	Classification (GHS-US)
1-Chloro-1,1,3,3,3-pentafluoropropane (Main constituent)		No) 460-92-4	<= 100	Simple Asphy, H380 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
				Ozone 1, H420
Full text of H-phrases: see section 16				
3.2. Mixture				
SECTION 4: First aid measures				
1.1. Description of first aid measures		a di da setta a l'Anna di a di secondi a second		Server a d'a tales dals avec de a la la de al
first-aid measures general		ccident or if you feel unwell, see ble). Move the affected personn		
First-aid measures after inhalation		son to fresh air and keep comfo Get immediate medical advice/a		ng. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.			
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical advice/attention.			
First-aid measures after ingestion	: Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.			
4.2. Most important symptoms and effect	ts, both acute	and delayed		
Symptoms/injuries		portant known symptoms and e n section 11.	fects are describ	bed in the labelling (see section
Symptoms/injuries after inhalation	: May cause	drowsiness or dizziness.		
Symptoms/injuries after skin contact		the liquid the may cause cold b		
Symptoms/injuries after eye contact		ct with the liquefied gas may cat rom rapid liquid evaporation.	ise severe and p	oossibly permanent eye injury due
4.3. Indication of any immediate medical No additional information available	attention and	special treatment needed		
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Use extingu	ishing media appropriate for sur	ounding fire.	
5.2. Special hazards arising from the sul	•		-	
Fire hazard		composition generates: Carbon of	xides. Hydroger	chloride. Hydrogen fluoride
Explosion hazard	: Contains ga	s under pressure; may explode intainers. May form flammable/ex	f heated. Use wa	ater spray or fog for cooling
5.3. Advice for firefighters				
Firefighting instructions	: In case of fi	e: Evacuate area. Fight fire rem	otely due to the	risk of explosion.
Protection during firefighting		ght chemically protective clothing		with self contained breathing re controls/personal protection".

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release mea	sures
	upment and emergency procedures
General measures	 Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authori	ties if product enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

12/06/2016	EN (English US)	SDS ID: 1100752	3/6
Other information	: Safety shoes. 29 CFR 1910.136:	Foot Protection.	
Thermal hazard protection	: Cold insulating gloves.		
Respiratory protection	: In case of inadequate ventilation Protection.	wear respiratory protection. 29 CFR 1910.13	34: Respiratory
Skin and body protection	: Wear suitable protective clothing.		
Eye protection	: Chemical goggles or safety glass	es. Face shield. 29 CFR 1910.133: Eye and	Face Protection.
Hand protection	: Protective gloves. 29 CFR 1910.1	38: Hand Protection.	
Appropriate engineering controls	should be available in the immedi	rk station. Emergency eye wash fountains a ate vicinity of any potential exposure. Syste cked for leakage. Oxygen detectors should sed.	ms under
8.2. Exposure controls			

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical		
9.1. Information on basic physical and		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: -107 °C	
Freezing point	: No data available	
Boiling point	: 28.4 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 1.4372 g/ml (@ 20 °C)	
Molecular mass	: 168.49 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
Refractive index	: 1.2875 (@ 20 °C)	
SECTION 10: Stability and reactivit	ty .	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
The product is stable at normal handling and s	storage conditions.	
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Keep away from heat, sparks and flame.		
10.5. Incompatible materials	a) Strong bases Strong ovidizing agents	
Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.		
10.6. Hazardous decomposition product Under normal conditions of storage and use, h fire, see Section 5.	cts nazardous decomposition products should not be produced. Hazardous decomposition products in case of	
SECTION 11: Toxicological information	ation	
11.1. Information on toxicological effec		
Aquita toviaitu	· Not allocation	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
40/00/0040		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified : Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact	 May cause drowsiness or dizziness. Contact with the liquid the may cause cold burns/frostbite. Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.
SECTION 12: Ecological information	

SECT	
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

Other information

: Class II ozone-depleting substance.

SECTION 13: Disposal considerations

13.1. Waste treatment methods No additional information available

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information	
5.1. US Federal regulations	
1-Chloro-1,1,3,3,3-pentafluoropropane (460-92-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

1-Chloro-1,1,3,3,3-pentafluoropropane (460-92-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

ski of friphilases.			
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
Liquefied gas	Gases under pressure Liquefied gas		
Ozone 1	Hazardous to the ozone layer Category 1		
Simple Asphy	Simple Asphyxiant		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H280	Contains gas under pressure; may explode if heated		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
H380	May displace oxygen and cause rapid suffocation		
H420	Harms public health and the environment by destroying ozone in the upper atmosphere		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.