

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 1100754 Issue date: 12/1/2015 Version: 1.0

1.1. Identification			
Product form Substance name CAS-No. Product code Formula Other means of identification	 Substance 3-Chloro-1, 149329-29 1100-7-54 C3H3ClF4 MFCD0403 	,1,1,3-tetrafluorc -3	propane
1.2. Recommended use and restrictions on	use		
Use of the substance/mixture		chemicals re of substances esearch and dev	
1.3. Supplier			
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4	4086 (3E Compa	any - Account 10069)
SECTION 2: Hazard(s) identification			
2.1. Classification of the substance or mixt	ure		
GHS US classification			
Gases under pressure Liquefied gas Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Specific target organ toxicity – Single exposure, Cat Respiratory tract irritation Hazardous to the ozone layer Category 1 Full text of H statements : see section 16	egory 3,	H280 H315 H319 H335 H420	Contains gas under pressure; may explode if heated Causes skin irritation Causes serious eye irritation May cause respiratory irritation Harms public health and the environment by destroying ozone i the upper atmosphere
2.2. GHS Label elements, including precau	tionary state	ments	
Line Cho East citinents, moluting precau	lionary state	manto	

Signal word (GHS US) Hazard statements (GHS US)

- : Warning
- : H280 Contains gas under pressure; may explode if heated
 - H315 Causes skin irritation
 - H319 Causes serious eye irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H335 - May cause respiratory irritation
	H420 - Harms public health and the environment by destroying ozone in the upper atmosphere
Precautionary statements (GHS US)	: P261 - Avoid breathing fumes, gas, mist, spray, vapors.
	P264 - Wash skin thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 - If on skin: Wash with plenty of soap and water
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
	P410+P403 - Protect from sunlight. Store in a well-ventilated place.
	P501 - Dispose of contents/container to an approved waste disposal plant
	P502 - Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
3-Chloro-1,1,1,3-tetrafluoropropane (Main constituent)	CAS-No.: 149329-29- 3		Press. Gas (Liq.), H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Ozone 1, H420

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
: Wash with plenty of soap and water. Get medical advice/attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact First-aid measures after ingestion	 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical advice/attention. Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.

Symptoms/effects after skin contact Symptoms/effects after eye contact

- : Contact with the liquid the may cause cold burns/frostbite.
- : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

apparatus. For further information refer to section 8: "Exposure controls/personal protection".

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.	
5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride. Contains gas under pressure; may explode if heated. Use water spray or fog for cooling expose containers. May form flammable/explosive vapor-air mixture. 	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up	
For containment Methods for cleaning up Other information	 Stop leak if safe to do so. Ventilate area. For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
No additional information available		
8.2. Appropriate engineering control	ls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.	
8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
protective gloves. 29 CFR 1910.138: Hand Protection		
Eye protection:		
Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection		

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Thermal hazard protection:

Cold insulating gloves.

Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 42 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Molecular mass	: 150.5 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Aguta taviaity (aral)	: Not classified
Acute toxicity (oral)	
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2)
	and/or in section 11.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
Symptoms/effects after eye contact	: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available				
12.2. Persistence and degradability				
3-Chloro-1,1,1,3-tetrafluoropropane (149329-29-3)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information	: Class II ozone-depleting substance.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
No additional information available	
SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Not regulated Not regulated Not regulated Not regulated
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not regulated
TDG Transport hazard class(es) (TDG)	: Not regulated
IMDG Transport hazard class(es) (IMDG)	: Not regulated
IATA Transport hazard class(es) (IATA)	: Not regulated
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not regulated Not regulated Not regulated Not regulated
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT Not regulated	

TDG

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
3-Chloro-1,1,1,3-tetrafluoropropane	149329-29-3	Not present	-	

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

3-Chloro-1,1,1,3-tetrafluoropropane (149329-29-3)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases		
H280	Contains gas under pressure; may explode if heated	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H420	Harms public health and the environment by destroying ozone in the upper atmosphere	

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.