

**3-Chloro-1,1,2,2-tetrafluoropropane** Safety Data Sheet 1100757 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/03/2015 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 3-Chloro-1,1,2,2-tetrafluorop	ropane	
CAS No	: 679-85-6		
Product code	: 1100-7-57		
Formula	: C3H3CIF4		
Synonyms	: HCFC-244ca		
Other means of identification	: MFCD00155712		
1.2. Relevant identified uses of the s	substance or mixture and uses adv	vised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and deve	lopment	
1.3. Details of the supplier of the saf	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compar	ny - Account 10069)	
SECTION 2: Hazard(s) identificati	ion		
2.1. Classification of the substance			
Classification (GHS-US)			
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health		zone in the upper atmosphere	
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health Full text of H-phrases: see section 16	ry irritation	zone in the upper atmosphere	
STOT SE 3H335 - May cause respiratorOzone 1H420 - Harms public healthFull text of H-phrases: see section 162.2.Label elements	ry irritation	zone in the upper atmosphere	
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	ry irritation	zone in the upper atmosphere	
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	ry irritation	zone in the upper atmosphere	
STOT SE 3       H335 - May cause respirator         Ozone 1       H420 - Harms public health         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Signal word (GHS-US)	ry irritation and the environment by destroying o : :	zone in the upper atmosphere	
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health i Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	ry irritation and the environment by destroying o : GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye H335 - May cause respirato	rritation	oper atmosphere
STOT SE 3 H335 - May cause respirator Ozone 1 H420 - Harms public health Full text of H-phrases: see section 16 2.2. Label elements	ry irritation and the environment by destroying o GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye H335 - May cause respirato H420 - Harms public health : P261 - Avoid breathing fume P264 - Wash skin thorough P271 - Use only outdoors or P280 - Wear protective glov P302+P352 - If on skin: Was P304+P340 - If inhaled: Rer P305+P351+P338 - If in eye lenses, if present and easy f P312 - Call a POISON CEN P321 - Specific treatment (s P332+P313 - If skin irritation P337+P313 - If eye irritation P362+P364 - Take off conta	rritation y irritation and the environment by destroying ozone in the up es, mist, spray, vapors / after handling in a well-ventilated area es/protective clothing/eye protection/face protection sh with plenty of soap and water hove person to fresh air and keep comfortable for b s: Rinse cautiously with water for several minutes.	n preathing

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

	P502 - Refer to manufacturer/s	supplier for information on re	
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS U	S)		
Not applicable			
SECTION 3: Composition/information	ation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
3-Chloro-1,1,2,2-tetrafluoropropane (Main constituent)	(CAS No) 679-85-6	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Ozone 1, H420
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure			
First-aid measures general	: In case of accident or if you fee where possible). Move the affe	cted personnel away from t	he contaminated area.
First-aid measures after inhalation	: Remove person to fresh air an respiration. Get medical advice		thing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap and v	water. Get medical advice/a	ttention.
First-aid measures after eye contact	: Immediately flush eyes thoroug present and easy to do. Contin		5 minutes. Remove contact lenses, if rice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Neve mouth out with water. Get med	0 , 0 ,	an unconscious person. Rinse
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries	: The most important known syn 2.2) and/or in section 11.	nptoms and effects are desc	cribed in the labelling (see section
Symptoms/injuries after inhalation	: May cause drowsiness or dizzi	ness.	
4.3. Indication of any immediate me	dical attention and special treatment	needed	
Treat symptomatically.			
SECTION 5: Firefighting measure	25		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon appropriate for surrounding fire	,	r spray. Use extinguishing media
5.2. Special hazards arising from the	e substance or mixture		
Fire hazard	: Thermal decomposition generation	, ,	, , ,
Explosion hazard	: Risk of explosion if heated und containers.	er confinement. Use water	spray or fog for cooling exposed
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area.	Fight fire remotely due to th	e risk of explosion.
Protection during firefighting	: Wear gas tight chemically prote	ective clothing in combination	on with self contained breathing
	apparatus. For further informat	ion refer to section 8: "Expo	osure controls/personal protection".
SECTION 6: Accidental release n	neasures		
6.1. Personal precautions, protectiv	e equipment and emergency procedu	ures	
General measures			ntilation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equip	ped with suitable protective	equipment may intervene.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

refer to section 8: "Exposure control         Emergency procedures       : Gas/vapor heavier than air. May accelevel.         6.2.       Environmental precautions         Avoid release to the environment. Notify authorities if product enters sewers or public was         6.3.       Methods and material for containment and cleaning up         For containment       : Stop leak if safe to do so. Dike for reference         Methods for cleaning up       : Take up large spills with pump or variantee	cumulate in confined spaces, particularly at or below ground
6.2.       Environmental precautions         Avoid release to the environment. Notify authorities if product enters sewers or public was         6.3.       Methods and material for containment and cleaning up         For containment       : Stop leak if safe to do so. Dike for reference         Methods for cleaning up       : Take up large spills with pump or value	iters.
Avoid release to the environment. Notify authorities if product enters sewers or public was         6.3.       Methods and material for containment and cleaning up         For containment       : Stop leak if safe to do so. Dike for red         Methods for cleaning up       : Take up large spills with pump or variantee	
6.3.       Methods and material for containment and cleaning up         For containment       : Stop leak if safe to do so. Dike for red         Methods for cleaning up       : Take up large spills with pump or val	
For containment: Stop leak if safe to do so. Dike for reMethods for cleaning up: Take up large spills with pump or va	ecovery or absorb with appropriate material
Methods for cleaning up : Take up large spills with pump or va	ecovery or absorb with appropriate material
	solvery of absorb with appropriate material.
explosion-proof equipment. Take up spills into appropriate container for o	cuum and finish with dry chemical absorbent. Use small spills with dry chemical absorbent. Sweep or shovel disposal. Ventilate area.
Other information : For disposal of solid materials or res	sidues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
	tions have been read and understood. Ensure good of breathe fumes, mist, spray, vapors. Wear personal with skin and eyes.
<i></i>	ustrial hygiene and safety procedures. Do not eat, drink or ays wash hands after handling the product.
7.2. Conditions for safe storage, including any incompatibilities	
Technical measures : Comply with applicable regulations.	
Storage conditions : Keep container closed when not in u	JSE.
Incompatible materials : Refer to Section 10 on Incompatible	Materials.
	ea.

<b>SECTION 8: Exposure contr</b>	rois/p	ersonal	protection
----------------------------------	--------	---------	------------

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties	3
---	---

9.1. Information on bas	ic physical and chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: -101.8 °C	
Freezing point	: No data available	
Boiling point	: 53 - 54 °C	
Critical temperature	: 221.0 °C	
Flash point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.446 g/ml (@ 20 °C)
Molecular mass	: 150.5 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.324 (@ 20 °C)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

## 10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

•	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

#### Other information

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

: Class II ozone-depleting substance.

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT Not regulated for transport

## TDG

No additional information available

## Transport by sea

No additional information available

#### Air transport

No additional information available

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Chloro-1,1,2,2-tetrafluoropropane	CAS No 679-85-6	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

## 15.2. International regulations

CANADA

No additional information available

## **EU-Regulations**

No additional information available

## National regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 16: Other information**

## Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Ozone 1	Hazardous to the ozone layer Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H420	Harms public health and the environment by destroying ozone in the upper atmosphere
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.