

Safety Data Sheet 1100758

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/01/2015 Version: 1.0

SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Substance name	: 1-Chloro-1,1,2,3,3,3-hexafluoropropane, technical grade			
CAS No	: 359-58-0			
Product code	: 1100-7-58			
Formula	: C3HCIF6			
Synonyms	: 1-Chloro-1,1,2,3,3,3-hexafluoropropane			
Other means of identification	: MFCD04038865			
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against			
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development			
1.3. Details of the supplier of the safety da	ata sheet			
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com				
1.4. Emergency telephone number				
Emergency number	: (844) 523-4086 (3E Company - Account 10069)			
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or mix	cture control of the second			
Classification (GHS-US)				
Simple AsphyH380 - May displace oxygen and cause rapid suffocationLiquefied gasH280 - Contains gas under pressure; may explode if heatedSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritationSTOT SE 3H335 - May cause respiratory irritationOzone 1H420 - Harms public health and the environment by destroying ozone in the upper atmosphereFull text of H-phrases: see section 16				
2.2. Label elements				
GHS-US labeling	GHS-US labeling			

Hazard pictograms (GHS-US)	GHS04 GHS07	•	
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	 H280 - Contains gas under pre H315 - Causes skin irritation H319 - Causes serious eye irri H335 - May cause respiratory H380 - May displace oxygen a H420 - Harms public health ar 	tation	e upper atmosphere
Precautionary statements (GHS-US)	P302+P352 - If on skin: Wash P304+P340 - If inhaled: Remo	Ifter handling a well-ventilated area /protective clothing/eye protection/face protect with plenty of soap and water ve person to fresh air and keep comfortable f Rinse cautiously with water for several minut	or breathing
12/06/2016	EN (English US)	SDS ID: 1100758	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P410+P403 - Protect from sunlight. Store in a well-ventilated place P501 - Dispose of contents/container to an approved waste disposal plant P502 - Refer to manufacturer/supplier for information on recovery/recycling				
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/informatio	n on in	gredients		
3.1. Substance				
Substance type	: Mono	constituent		
Name		Product identifier	%	Classification (GHS-US)
1-Chloro-1,1,2,3,3,3-hexafluoropropane, technical gra (Main constituent)	de	(CAS No) 359-58-0	<= 100	Simple Asphy, H380 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Ozone 1, H420
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where	se of accident or if you feel unwell, seek possible). Move the affected personnel	away from the c	contaminated area.
First-aid measures after inhalation	respii	ove person to fresh air and keep comforta ration. Get immediate medical advice/atte	ention.	
First-aid measures after skin contact First-aid measures after eye contact		with plenty of soap and water. Get med		
First-aid measures after ingestion	 Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical advice/attention. Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never 			
	give a	anything by mouth to an unconscious per e/attention.		
4.2. Most important symptoms and effect				
Symptoms/injuries	2.2) a	nost important known symptoms and effe ind/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		cause drowsiness or dizziness.		
Symptoms/injuries after skin contact		act with the liquid the may cause cold but		
Symptoms/injuries after eye contact		t contact with the liquefied gas may caus stbite from rapid liquid evaporation.	e severe and po	ssibly permanent eye injury due
4.3. Indication of any immediate medical No additional information available	attentio	n and special treatment needed		
SECTION 5: Firefighting measures				
5.1. Extinguishing media	. 116 -	ution linking modia and so the for	unding firs	
Suitable extinguishing media		extinguishing media appropriate for surro	unaing tire.	
5.2. Special hazards arising from the sul				
Fire hazard		nal decomposition generates: Carbon ox		
Explosion hazard		ains gas under pressure; may explode if sed containers. May form flammable/exp		
5.3. Advice for firefighters				
Firefighting instructions	: In cas	se of fire: Evacuate area. Fight fire remot	ely due to the ris	sk of explosion.
12/06/2016	EN (Eng	glish US)	SDS ID: 1100758	2/6

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting :	Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release measu	
6.1. Personal precautions, protective equip	oment and emergency procedures
General measures :	Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures :	Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	if product enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
For containment :	Stop leak if safe to do so.
Methods for cleaning up :	Ventilate area.
Other information :	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed :	Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.
Precautions for safe handling :	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Safe handling of the gas receptacle :	Securely chain cylinders when in use and protect against physical damage.
Hygiene measures :	Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures :	Comply with applicable regulations.
Storage conditions :	Protect from sunlight. Do not expose to temperatures exceeding 50 °C Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials :	Refer to Section 10 on Incompatible Materials.
Storage area :	Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

o.z. Exposure controls	
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Thermal hazard protection	: Cold insulating gloves.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	ne	mical properties
Physical state	:	Liquid
Color	:	No data available
Odor	:	No data available
Odor threshold	:	No data available
рН	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	20 °C
Flash point	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Molecular mass	:	186.48 g/mol
Solubility	:	No data available
Log Pow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available

9.2. Other information

No additional information available

SECTI	ON 10: Stability and reactivity			
10.1.	Reactivity			
No additional information available				
10.2.	Chemical stability			
The pro	duct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No additional information available				
10.4.	Conditions to avoid			
Keep away from heat, sparks and flame.				

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
Symptoms/injuries after eye contact	: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECT	ON 12: Ecological Information
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available
12.4.	Mobility in soil
No addi	ional information available
12.5.	Other adverse effects

Other information

OFOTION 40 F

: Class II ozone-depleting substance.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea No additional information available

Air transport No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
Liquefied gas	Gases under pressure Liquefied gas		
Ozone 1 Hazardous to the ozone layer Category 1			
Simple Asphy	Simple Asphyxiant		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H280	Contains gas under pressure; may explode if heated		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
H380	May displace oxygen and cause rapid suffocation		
H420	Harms public health and the environment by destroying ozone in the upper atmosphere		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.