

1,3-Dibromopropane Safety Data Sheet 1100913 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/19/2017 Version: 1.0

4.4 Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: 1,3-Dibromopropane	
CAS No	: 109-64-8	
Product code	: 1100-9-13	
Formula	: C3H6Br2	
Synonyms	: Trimethylene dibromide	
Other means of identification	: MFCD0000255	
	bstance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals	
	Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the safet	ty data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identificatio	n	
2.1. Classification of the substance or		
Classification (GHS-US)		
STOT SE 3H335 - May cause respAquatic Acute 2H401 - Toxic to aquaticAquatic Chronic 2H411 - Toxic to aquatic	piratory irritation	
STOT SE 3H335 - May cause respAquatic Acute 2H401 - Toxic to aquaticAquatic Chronic 2H411 - Toxic to aquatic	biratory irritation blife	
STOT SE 3H335 - May cause respAquatic Acute 2H401 - Toxic to aquaticAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 162.2.Label elements	biratory irritation blife	
STOT SE 3 H335 - May cause resp Aquatic Acute 2 H401 - Toxic to aquatic Aquatic Chronic 2 H411 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	biratory irritation blife	
STOT SE 3H335 - May cause respAquatic Acute 2H401 - Toxic to aquaticAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 162.2.Label elements	biratory irritation blife	
STOT SE 3 H335 - May cause resp Aquatic Acute 2 H401 - Toxic to aquatic Aquatic Chronic 2 H411 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	biratory irritation c life c life with long lasting effects : : : : : : : : : : : : :	
STOT SE 3 H335 - May cause resp Aquatic Acute 2 H401 - Toxic to aquatic Aquatic Chronic 2 H411 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	piratory irritation life life with long lasting effects : Compared to the second s	
STOT SE 3 H335 - May cause resp Aquatic Acute 2 H401 - Toxic to aquatic Aquatic Chronic 2 H411 - Toxic to aquatic Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 biratory irritation life life with long lasting effects : with long lasting effects : warning : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	

1,3-Dibromopropane Safety Data Sheet

.3. Other hazards	lenses, if present and easy to do. Co P312 - Call a POISON CENTER or of P321 - Specific treatment (see suppl P330 - Rinse mouth P332+P313 - If skin irritation occurs: P337+P313 - If eye irritation persists P362+P364 - Take off contaminated	hent ctive clothing/eye prot DISON CENTER or do lenty of soap and wat r): Take off immediate rson to fresh air and k cautiously with water intinue rinsing doctor/physician if you emental first aid instru- Get medical advice/a : Get medical advice/a : clothing and wash it t sand, dry chemical o ed place. Keep cool	octor/ physician if you feel unwell er ely all contaminated clothing. Rinse eep comfortable for breathing for several minutes. Remove contact feel unwell uctions on this label) attention attention before reuse r alcohol-resistant foam to extinguish ner tightly closed
lo additional information available			
.4. Unknown acute toxicity (GHS US)			
lot applicable			
SECTION 3: Composition/information	on ingredients		
.1. Substance			
Substance type :	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
1,3-Dibromopropane (Main constituent)	(CAS No) 109-64-8	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
ull text of H-phrases: see section 16	I		
.2. Mixture			
lot applicable			
SECTION 4: First aid measures			

4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed 4.3.

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen bromide.	
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.	
5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protectiv	ve equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.	
6.2. Environmental precautions		
Avoid release to the environment Notify ou	therities if product optors convers or public waters	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for	containment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

```
8.2. Exposure controls
```

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Safety Data Sheet

Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c	hemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: -34 °C
Freezing point	: No data available
Boiling point	: 167 °C
Flash point	: 54 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.989 g/ml (@ 25 °C)
Molecular mass	: 201.89 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.524 (@ 20 °C)
SECTION 10: Stability and reactivity	

No additional information available

10.2. Chemical stability

Reactivity

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

10.1.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Harmful if swallowed.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	
1,3-Dibromopropane (109-64-8)	
LC50 fish 1	1.62 - 1.99 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5 Other adverse effects	

Other adverse effects 12.5.

No additional information available

SECTION 13: Disposal consideration	ions
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment : UN1993 Flammable liquids, n.o.s., 3, III

- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : Yes

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant	: Yes		
	₹¥2		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203		
DOT Packaging Bulk (49 CFR 173.xxx)	: 242		
DOT Symbols	: G - Identifies PSN requiring a technical name		
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L		
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.		
Other information	: No supplementary information available.		
TDG			
No additional information available			
Transport by sea			
UN-No. (IMDG)	: 1993		
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.		
Class (IMDG)	: 3 - Flammable liquids		
Packing group (IMDG)	: III - substances presenting low danger		
Air transport			
UN-No. (IATA)	: 1993		
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.		
Class (IATA)	: 3 - Flammable Liquids		
Packing group (IATA)	: III - Minor Danger		
SECTION 15: Regulatory information			
15.1. US Federal regulations			

15.1. US Federal regulations

1,3-Dibromopropane (109-64-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

1,3-Dibromopropane (109-64-8)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

1,3-Dibromopropane (109-64-8)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Full lex	ki ol H-phrases.		
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
	Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
	Flam. Liq. 3	Flammable liquids Category 3	
	Skin Irrit. 2	Skin corrosion/irritation Category 2	
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
	H226	Flammable liquid and vapor	
	H302	Harmful if swallowed	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H335	May cause respiratory irritation	
	H401	Toxic to aquatic life	
	H411	Toxic to aquatic life with long lasting effects	
incapacitation or possibl		: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard		: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity		: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS	III Rating		

Health Flammability

Physical

- 2 Moderate Hazard Temporary or minor injury may occur
 2 Moderate Hazard Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
- : 0 Minimal Hazard Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.