

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 1100B02 Issue date: 6/30/2016 Revision date: 7/5/2022 Version: 1.1

SECTION 1: Identification

1.1. Identification			
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	 Substance Dibromofluoromethane 1868-53-7 1100-B-02 CHBr2F HBFC-21B2; Halon 1102 MFCD00039269 		
1.2. Recommended use and restrictions or	1.2. Recommended use and restrictions on use		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Supplier			
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identification			

2.1. Classification of the substance or mixture

GHS US classification

H302 H315	Harmful if swallowed Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H420	Harms public health and the environment by destroying ozone in the upper atmosphere
	H315 H319 H335

Full text of H statements : see section 16

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US) : Warning H302 - Harmful if swallowed

:

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	H335 - May cause respiratory irritation
	H420 - Harms public health and the environment by destroying ozone in the upper atmosphere
Precautionary statements (GHS US)	: P261 - Avoid breathing fumes, mist, spray, vapors.
	P264 - Wash skin thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell
	P302+P352 - If on skin: Wash with plenty of soap and water
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved waste disposal plant
	P502 - Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
Dibromofluoromethane (Main constituent)	CAS-No.: 1868-53-7	≤ 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Ozone 1, H420

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact First-aid measures after eye contact	 Wash with plenty of soap and water. Get immediate medical advice/attention. Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. 	
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.	
4.2. Most important symptoms and offects (asute and delayed)		

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Specific hazards arising from the chem	ical		
Fire hazard Explosion hazard	 Thermal decomposition generates: Carbon oxides. Hydrogen bromide. Hydrogen fluoride. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. 		
5.3. Special protective equipment and preca	autions for fire-fighters		
Firefighting instructions Protection during firefighting	 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". 		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	nent and emergency procedures		
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.		

6.2	. Envi	ronmental	precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	 Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. 	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information

: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible materials Storage area	 Comply with applicable regulations. Keep container closed when not in use. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. 	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dibromofluoromethane (1868-53-7)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Color Odor Odor threshold pH Melting point Freezing point Flash point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Density Molecular mass Solubility Partition coefficient n-octanol/water (Log Pow)	 Liquid No data available -78 °C No data available 64.9 °C (@ 757 mm Hg) No data available
5	o ()
Auto-ignition temperature Decomposition temperature	No data availableNo data available
Viscosity, kinematic Viscosity, dynamic	No data availableNo data available
Explosion limits Explosive properties Oxidizing properties	: No data available : No data available : No data available
9.2. Other information	

Refractive index

: 1.468 (@ 0 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Harmful if swallowed. Not classified Not classified
Dibromofluoromethane (1868-53-7)	
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic	 Causes skin irritation. Causes serious eye irritation. Not classified Not classified Not classified Not classified May cause respiratory irritation. Not classified
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet


12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information	: Class I - Group VII ozone-depleting substance.
SECTION 13: Disposal considerations	\$
13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
14.1. UN number	
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	 : UN3082 : Not applicable : 3082 : 3082
14.2. UN proper shipping name	

Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)



: Not applicable

TDG

Transport hazard class(es) (TDG)

IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG)



Transport hazard class(es) (IATA)

: 9

: 9

: 9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (IATA)	: 9
14.4. Packing group	~
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	: III : Not applicable : III : III
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location	 UN3082 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solid may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr · f) Where: tr is the maximum mean bulk temperature during transport, and f is the temperature in degrees celsus of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defi

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Response Guide (ERG) Number : 171

IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP1, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	 E1 Y964 30kgG 964 450L 964 450L 964 450L 91

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
Dibromofluoromethane	CAS-No. 1868-53-7	100%
15.2. International regulations		
CANADA		
No additional information available		
EU-Regulations		
No additional information available		
National regulations		
No additional information available		
15.3. US State regulations		

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 07/05/2022

Full text of H-phra	ases	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H420	Harms public health and the environment by destroying ozone in the upper atmosphere	
NFPA health hazar	pormanent injury	
NFPA fire hazard	 O - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. 	
NFPA reactivity	: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.	
Hazard Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. 	
Safety Data Sheet		

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.