

1-Bromo-4,4,4-trifluoro-3-(trifluoromethyl)butane

Safety Data Sheet 1100B49 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/29/2019 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 1-Bromo-4,4,4-trifluoro-3-(trifluoromethyl)butane
CAS No	: 203303-02-0
Product code	: 1100-B-49
Formula	: C5H5BrF6
Synonyms	: 4,4,4-Trifluoro-3-(trifluoromethyl)butyl bromide
Other means of identification	: MFCD00236629
	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	fety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309	
Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097	ca
info@synquestlabs.com - www.synquestlabs	s.com
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificati	ion
	or mixture
2.1. Classification of the substance of	
2.1. Classification of the substance of Classification (GHS-US)	
Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation	
2.1.Classification of the substance ofClassification (GHS-US)Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye i	irritation
2.1.Classification of the substance ofClassification (GHS-US)Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye i	irritation
2.1.Classification of the substance ofClassification (GHS-US)Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye iSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 16	irritation
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements	irritation
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling 	irritation
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements 	irritation
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling 	irritation
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling 	irritation
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) 	rritation ry irritation
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	rritation ry irritation : : : : : : : : : : : : : : : :
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	riritation ry irritation : $\overrightarrow{v}_{GHSO7}$: Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation
2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	riritation ry irritation : : : : : : : : : : : : :
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ry irritation : irritation : irritation : irritation : GHS07 : Warning : H315 - Causes skin irritation H315 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing fumes, mist, spray, vapors
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ry irritation : irritation : irritation : irritation : irritation : Gauses skin irritation : H315 - Causes skin irritation H315 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ny irritation : i i irritation : i i i i i i i i i i i i i i i i i i
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ry irritation : irritation : irritation : irritation : irritation : Gauses skin irritation : H315 - Causes skin irritation H315 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation : P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 Fritation ry irritation : expected by the second seco
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 Printation ry irritation ry irritation ry irritation ry irritation r i i i i i i i i i i i i i i i i i i
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 Printation ry irritation ry irritation r irritation<
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ry irritation irritation ir
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation by irritation irritation ir
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation ry irritation irritation ir
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) 	 irritation by irritation irritation ir
 2.1. Classification of the substance of Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling 	 irritation y irritation irritation irritati

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on on ind	aredients		
3.1. Substance		greatents		
Substance type	: Mono	-constituent		
			0/	
Name 1-Bromo-4,4,4-trifluoro-3-(trifluoromethyl)butane (Main constituent)		Product identifier (CAS No) 203303-02-0	% <= 100	Classification (GHS-US) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	where	e of accident or if you feel unwell, seek possible). Move the affected personnel	away from the c	contaminated area.
First-aid measures after inhalation		ve person to fresh air and keep comfort ation. Get medical advice/attention.	able for breathing	g. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Get med		
First-aid measures after eye contact	prese	diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get	medical advice/a	attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything out with water. Get medical advice/atte		unconscious person. Rinse
4.2. Most important symptoms and effe	cts, both a	acute and delayed		
Symptoms/injuries		nost important known symptoms and effo nd/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immediate medica	al attentior	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
SECTION 5: Firefighting measures 5.1. Extinguishing media				
		ol resistant foam. Carbon dioxide. Dry p priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.1. Extinguishing media	appro	priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard 	appro ubstance o : Therm	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox	ides. Hydrogen I	bromide. Hydrogen fluoride.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable statement of the sui	appro ubstance o : Therm	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement	ides. Hydrogen I	bromide. Hydrogen fluoride.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sufficient for the sufficie	appro ubstance o : Therm : Risk o contai	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners.	ides. Hydrogen I . Use water spra	bromide. Hydrogen fluoride. ay or fog for cooling exposed
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sufficient for the sufficient of the	appro ubstance o : Therm : Risk c contai : In cas	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire remo	ides. Hydrogen l . Use water spra	bromide. Hydrogen fluoride. ny or fog for cooling exposed sk of explosion.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sufficient for the sufficie	appro ubstance o : Therm : Risk c contai : In cas : Wear	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners.	ides. Hydrogen l . Use water spra ely due to the ris n combination w	bromide. Hydrogen fluoride. ay or fog for cooling exposed sk of explosion. ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 	appro abstance o : Therm : Risk c contai : In cas : Wear appar. SURES	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. le of fire: Evacuate area. Fight fire remoi gas tight chemically protective clothing i atus. For further information refer to sec	ides. Hydrogen l . Use water spra ely due to the ris n combination w	bromide. Hydrogen fluoride. ay or fog for cooling exposed sk of explosion. ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sufficient for the sufficient of the	appro abstance o : Therm : Risk c contai : In cas : Wear appar. SURES	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. le of fire: Evacuate area. Fight fire remoi gas tight chemically protective clothing i atus. For further information refer to sec	ides. Hydrogen l . Use water spra ely due to the ris n combination w	bromide. Hydrogen fluoride. ay or fog for cooling exposed sk of explosion. ith self contained breathing
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 	appro abstance o : Therm : Risk o contai : In cas : Wear apparent approvement a : Evacu	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. le of fire: Evacuate area. Fight fire remoi gas tight chemically protective clothing i atus. For further information refer to sec	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure	bromide. Hydrogen fluoride. ny or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measurement 6.1. Personal precautions, protective extension 	appro abstance o : Therm : Risk o contai : In cas : Wear apparent approvement a : Evacu	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures late unnecessary personnel. Ensure add	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure	bromide. Hydrogen fluoride. ny or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection".
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective extended on the sufficient of the sufficien	appro abstance o : Therm : Risk c contai : In cas : Wear appar appar asures quipment a : Evacu vapor	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures late unnecessary personnel. Ensure add	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure	bromide. Hydrogen fluoride. by or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection". ition. Do not breathe gas, fumes,
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective extremes 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	appro abstance o : Therm : Risk c contai : In cas : Wear appar SURES quipment a : Evacu vapor : Only c	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire remoi gas tight chemically protective clothing i atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitab	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila	bromide. Hydrogen fluoride. by or fog for cooling exposed sk of explosion. ith self contained breathing controls/personal protection". ition. Do not breathe gas, fumes, ipment may intervene.
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meating 6.1. Personal precautions, protective extended General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders Protective equipment 	appro abstance o : Therm : Risk c contai : In cas : Wear appar SURES Quipment a : Evacu vapor : Only c : Do no refer t	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable t attempt to take action without suitable o section 8: "Exposure controls/personal	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila le protective equipu protective equipu l protection".	bromide. Hydrogen fluoride. by or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection". ition. Do not breathe gas, fumes, ipment may intervene. ment. For further information
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release means 6.1. Personal precautions, protective extremes 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	appro abstance o : Therm : Risk c contai : In cas : Wear appar SURES Quipment a : Evacu vapor : Only c : Do no refer t	priate for surrounding fire. or mixture hal decomposition generates: Carbon ox of explosion if heated under confinement ners. e of fire: Evacuate area. Fight fire removing gas tight chemically protective clothing in atus. For further information refer to sec and emergency procedures uate unnecessary personnel. Ensure add or spray. qualified personnel equipped with suitable t attempt to take action without suitable o section 8: "Exposure controls/persona apor heavier than air. May accumulate i	ides. Hydrogen I . Use water spra ely due to the ris n combination w tion 8: "Exposure equate air ventila le protective equipu protective equipu l protection".	bromide. Hydrogen fluoride. by or fog for cooling exposed sk of explosion. ith self contained breathing e controls/personal protection". ition. Do not breathe gas, fumes, ipment may intervene. ment. For further information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

C.O. Environmental preservitions			
6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
3. Methods and material for containment and cleaning up			
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, inclue	ding any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
	Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

05/00/0010		0D0 ID: 1100D10	2/0
Vapor pressure	: No data available		
Oxidizing properties	: No data available		
Explosive properties	: No data available		
Explosion limits	: No data available		
Flammability (solid, gas)	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flash point	: No data available		
Boiling point	: 108 °C		
Freezing point	: No data available		
Melting point	: No data available		
рН	: No data available		
Odor threshold	: No data available		
Odor	: No data available		
Color	: No data available		
Physical state	: Liquid		
9.1. Information on basic physical and	d chemical properties		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.6 g/ml (@ 25 °C)
Molecular mass	: 258.99 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	itional information available
10.2.	Chemical stability
The pro	oduct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	itional information available
10.4.	Conditions to avoid
Keep av	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with	an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with lic	ensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.	
SECTION 14: Transport information		
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport		
TDG		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory informati	n	
15.1. US Federal regulations		
All components of this product are listed, or Substances Control Act (TSCA) inventory ex	cluded from listing, on the United States Environmental F	Protection Agency Toxic
1-Bromo-4,4,4-trifluoro-3-(trifluoromethyl)bu	CAS No 203303-02-0	100%

CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or
	residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.