

Safety Data Sheet 1200118 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 1.0

Date of issue: 11/16/2016

.1. Identification	
Droduct form	- Substansa
Product form	: Substance
Substance name	: Cyclononane
CAS No	: 293-55-0
Product code	: 1200-1-18
Formula	: C9H18
Other means of identification	: MFCD19707166
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	ifety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	: (844) 523-4086 (3E Company - Account 10069)
Emergency number	. (077) 323-4000 (3L Company - Account 10008)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Classification (GHS-US)	
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	irritation by irritation : CHS02 CHS02 CHS02 CHS07 CH
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	irritation bry irritation : : : : : : : : : : : : : : : : : : :
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	<ul> <li>irritation by irritation</li> <li>irritation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant		
2.3. Other hazards No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Substance type :	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Cyclononane (Main constituent)	(CAS No) 293-55-0	<= 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general :	In case of accident or if you feel unwel where possible). Move the affected pe		
First-aid measures after inhalation	Remove person to fresh air and keep or respiration. Get medical advice/attention		ning. If not breathing, give artificial
	Wash with plenty of soap and water. G		
·	Immediately flush eyes thoroughly with present and easy to do. Continue rinsi	ng. Get medical advid	ce/attention.
First-aid measures after ingestion :	Do NOT induce vomiting. Never give a mouth out with water. Get medical adv		an unconscious person. Rinse
4.2. Most important symptoms and effects	, both acute and delayed		
Symptoms/injuries :	The most important known symptoms 2.2) and/or in section 11.	and effects are descr	ibed in the labelling (see section
4.3. Indication of any immediate medical a	ttention and special treatment needed	d	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide appropriate for surrounding fire.	e. Dry powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the subs	tance or mixture		
Fire hazard :	Thermal decomposition generates: Ca	rbon oxides.	
Explosion hazard :	Risk of explosion if heated under confi containers. May form flammable/explo		
5.3. Advice for firefighters			
Firefighting instructions :	In case of fire: Evacuate area. Fight fir	e remotely due to the	risk of explosion.
Protection during firefighting :	Wear gas tight chemically protective cl apparatus. For further information refe		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures				
General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,				
vapor or spray.	iumes,			
6.1.1. For non-emergency personnel				
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.				
6.1.2. For emergency responders				
Protective equipment : Do not attempt to take action without suitable protective equipment. For further informat refer to section 8: "Exposure controls/personal protection".	lion			
Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below level. Consider the risk of potentially explosive atmospheres. Eliminate every possible s ignition.				
6.2. Environmental precautions				
Avoid release to the environment. Notify authorities if product enters sewers or public waters.				
6.3. Methods and material for containment and cleaning up				
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or spills into appropriate container for disposal. Ventilate area.	shovel			
Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations	".			
Other information       : For disposal of solid materials or residues refer to section 13 : "Disposal considerations         6.4.       Reference to other sections	".			
· · · · · ·	".			
6.4. Reference to other sections	".			
6.4. Reference to other sections No additional information available	".			
6.4. Reference to other sections No additional information available SECTION 7: Handling and storage	n .			
6.4.       Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1.       Precautions for safe handling	l al es			
6.4.       Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed         Precautions for safe handling         : Handle empty containers with care because residual vapors are flammable.         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear persona protective equipment. Avoid contact with skin and eyes. Keep away from ignition source (including static discharges). Proper grounding procedures to avoid static electricity show	ł al es vuld be			
6.4. Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1. Precautions for safe handling         Additional hazards when processed         Precautions for safe handling         : Handle empty containers with care because residual vapors are flammable.         : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear persona protective equipment. Avoid contact with skin and eyes. Keep away from ignition source (including static discharges). Proper grounding procedures to avoid static electricity short followed. Use only non-sparking tools.         Hygiene measures       : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, or state in accordance with good industrial hygiene and safety procedures.	ł al es vuld be			
6.4.       Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapors are flammable.         Precautions for safe handling       : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear persona protective equipment. Avoid contact with skin and eyes. Keep away from ignition source (including static discharges). Proper grounding procedures to avoid static electricity show followed. Use only non-sparking tools.         Hygiene measures       : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, or smoke when using this product. Always wash hands after handling the product.	ł al es vuld be			
6.4.       Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapors are flammable.         Precautions for safe handling       : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear persona protective equipment. Avoid contact with skin and eyes. Keep away from ignition source (including static discharges). Proper grounding procedures to avoid static electricity should followed. Use only non-sparking tools.         Hygiene measures       : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, or smoke when using this product. Always wash hands after handling the product.         7.2.       Conditions for safe storage, including any incompatibilities	ł al es vuld be			
6.4.       Reference to other sections         No additional information available         SECTION 7: Handling and storage         7.1.       Precautions for safe handling         Additional hazards when processed       : Handle empty containers with care because residual vapors are flammable.         Precautions for safe handling       : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition source (including static discharges). Proper grounding procedures to avoid static electricity should followed. Use only non-sparking tools.         Hygiene measures       : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, or smoke when using this product. Always wash hands after handling the product.         7.2.       Conditions for safe storage, including any incompatibilities         Technical measures       : Comply with applicable regulations.	ł al es vuld be			

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Cyclononane Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 10 °C
Freezing point	: No data available
Boiling point	: 68 - 70 °C (@ 15 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.8534 g/ml (@ 15.2 °C)
Molecular mass	: 126.24 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.467 (@ 20 °C)
SECTION 10: Stability and reactivit	У
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
0 0 0	
10.6. Hazardous decomposition produc	
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological inform	
11.1. Information on toxicological effec	ts
Aguto toxicity	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
12/06/2016	EN (English US) SDS ID: 1200118 4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

## **SECTION 14: Transport information**

#### Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : UN3295 Hydrocarbons, liquid, n.o.s., 3, III

: UN3295

- : Hydrocarbons, liquid, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : 203
- : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>144 - If transported as a residue in an underground storage tank (UST), as defined in 40 CFR 280.12, that has been cleaned and purged or rendered inert according to the American Petroleum Institute (API) Standard 1604 (IBR, see 171.7 of this subchapter), then the tank and this material are not subject to any other requirements of this subchapter. However, sediments remaining in the tank that meet the definition for a hazardous material are subject to the applicable regulations of this subchapter.</li> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquid with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Tabl 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>	ls 5 e
DOT Packaging Exceptions (49 CFR 173.xxx)	150	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	60 L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	220 L	
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Other information	No supplementary information available.	
<b>TDG</b> No additional information available		
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	3295 HYDROCARBONS, LIQUID, N.O.S. 3 - Flammable liquids III - substances presenting low danger	
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	3295 Hydrocarbons, liquid, n.o.s. 3 - Flammable Liquids III - Minor Danger	

#### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Cyclononane	CAS No 293-55-0	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### SECTION 16: Other information

Full tex	t of H-phrases:			
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A	
	Flam. Liq. 3		Flammable liquids Category 3	
	Skin Irrit. 2 STOT SE 3		sion/irritation Category 2	
			rget organ toxicity (single exposure) Category 3	
	H226	Flammable	e liquid and vapor	
	H315	Causes sk	in irritation	
	H319	Causes se	rious eye irritation	
	H335	May cause	e respiratory irritation	
NFPA fire hazard       : 2 - Must be moderately he temperature before ignitio         NFPA reactivity       : 0 - Normally stable, even		<ul> <li>2 - Intense or continued exposure coul incapacitation or possible residual injur medical attention is given.</li> <li>2 - Must be moderately heated or expor temperature before ignition can occur.</li> <li>0 - Normally stable, even under fire exp and are not reactive with water.</li> </ul>	ry unless prompt 2 psed to relatively high 2 0	
HMIS I	II Rating			
Health : 2 Moderate Hazard - Ten		: 2 Moderate Hazard - Temporary or m	inor injury may occur	
temperatures before igni			must be moderately heated or exposed to high ambient r. Includes liquids having a flash point at or above 100 F	
			normally stable, even under fire conditions, and will NOT ose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.