

1,1,2-Trifluorobut-1-ene

Safety Data Sheet 13003X6 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 05/31/2016 Version: 1.0

SECTION 1: Identification			
I.1. Identification			
Product form	: Substance		
Substance name	: 1,1,2-Trifluorobut-1-ene		
CAS No	: 383-84-6		
Product code	: 1300-3-X6		
Formula	: C4H5F3		
Other means of identification	: MFCD00077602		
I.2. Relevant identified uses of the	substance or mixture and uses a	dvised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and dev		
1.3. Details of the supplier of the sa	ifety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Comp	any - Account 10069)	
SECTION 2: Hazard(s) identificat	tion		
2.1. Classification of the substance			
Classification (GHS-US)			
Flam. Gas 2H221 - Flammable gasLiquefied gasH280 - Contains gas underSkin Irrit. 2H315 - Causes skin irritatiEye Irrit. 2AH319 - Causes serious eySTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 16	ve irritation		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
Signal word (GHS-US) Hazard statements (GHS-US)	GHS04 GHS07 : Warning : H221 - Flammable gas H280 - Contains gas under H315 - Causes skin irritatio H319 - Causes serious ever	r pressure; may explode if heated	
	H335 - May cause respirat H380 - May displace oxyge	ory irritation en and cause rapid suffocation	
Precautionary statements (GHS-US)	P261 - Avoid breathing fun P264 - Wash skin thorough P271 - Use only outdoors of P280 - Wear protective glo		stion
	P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy P312 - Call a POISON CE	NTER or doctor/physician if you feel unwell	or breathing es. Remove contact
2/06/2016	P304+P340 - If inhaled: Re P305+P351+P338 - If in ey lenses, if present and easy P312 - Call a POISON CE	emove person to fresh air and keep comfortable fr yes: Rinse cautiously with water for several minut y to do. Continue rinsing	or breathing es. Remove contact

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P332+P313 - If skin irritation occurs: Get med P337+P313 - If eye irritation persists: Get med P362+P364 - Take off contaminated clothing P377 - Leaking gas fire: Do not extinguish, un P381 - Eliminate all ignition sources if safe to P403 - Store in a well-ventilated place P403+P233 - Store in a well-ventilated place. P405 - Store locked up P410+P403 - Protect from sunlight. Store in a P501 - Dispose of contents/container to an ap	lical advice/atte and wash it befo less leak can be do so Keep container well-ventilated	ntion ore reuse e stopped safely tightly closed place
2.3. Other hazards			
No additional information available 2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance	on ingrouonic		
	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
1,1,2-Trifluorobut-1-ene	(CAS No) 383-84-6	<= 100	Simple Asphy, H380
(Main constituent)			Flam. Gas 2, H221 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: In case of accident or if you feel unwell, seek where possible). Move the affected personnel		
First-aid measures after inhalation	: Remove person to fresh air and keep comfort respiration. Get immediate medical advice/att		ng. If not breathing, give artificial
	: Wash with plenty of soap and water. Get med		
First-aid measures after eye contact	: Remove contact lenses, if present and easy to thoroughly with water for at least 15 minutes.	Get medical adv	vice/attention.
First-aid measures after ingestion	: Due to its physical form, exposure to this cher give anything by mouth to an unconscious per advice/attention.		
4.2. Most important symptoms and effects	s, both acute and delayed		
Symptoms/injuries	: The most important known symptoms and efference 2.2) and/or in section 11.	ects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.		
Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold bu		
Symptoms/injuries after eye contact	: Direct contact with the liquefied gas may caus to frostbite from rapid liquid evaporation.	e severe and po	ossibly permanent eye injury due
4.3. Indication of any immediate medical a	attention and special treatment needed		
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry p appropriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.1. Extinguishing media Suitable extinguishing media	appropriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
Suitable extinguishing media 5.2. Special hazards arising from the subs	appropriate for surrounding fire.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.
Protection during firefightin	
SECTION 6: Accider	ntal release measures
	Ital release measures Itions, protective equipment and emergency procedures

Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For cont	ainment	: Stop leak if safe to do so.	
Methods	for cleaning up	: Ventilate area.	
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
64	Reference to other sections		

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Handle empty containers with care because residual vapors are flammable. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

CECTION 0.	Exposure control	o ho ko o ho	in roto office

8.1. Control parameters

No additional information available

8.2.	Exposure controls			
Appro	priate engineering controls	should be available in the im	e work station. Emergency eye wash fountains a mediate vicinity of any potential exposure. Syste / checked for leakage. Oxygen detectors should eleased.	ems under
Hand	protection	: Protective gloves. 29 CFR 1	910.138: Hand Protection.	
Eye pr	otection	: Chemical goggles or safety g	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
12/06/2	016	EN (English US)	SDS ID: 13003X6	3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Thermal hazard protection	: Cold insulating gloves.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties
Physical state	: Gas
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 13 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 110.08 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2 Other information	

9.2. Other information
No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
Symptoms/injuries after eye contact	: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECTION	ON 12: Ecological information
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available
12.4.	Mobility in soil
No additi	onal information available
12.5.	Other adverse effects
No additi	onal information available

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3161 Liquefied gas, flammable, n.o.s., 2.1
UN-No.(DOT)	: UN3161
Proper Shipping Name (DOT)	: Liquefied gas, flammable, n.o.s.
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 304

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in accordance with the requirements of 173.313 of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: Forbidden
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3161
Proper Shipping Name (IMDG)	: LIQUEFIED GAS, FLAMMABLE, N.O.S.
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 3161
Proper Shipping Name (IATA)	: Liquefied gas, flammable, n.o.s.
Class (IATA)	: 2
SECTION 15: Regulatory information	

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

1,1,2-Trifluorobut-1-ene CAS No 383-84-6 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: Eve Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam, Gas 2	Flammable gases Category 2
Liquefied gas	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H221	Flammable gas
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H380	May displace oxygen and cause rapid suffocation
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given
NFPA health hazard	residual injury even though prompt medical attention was
	residual injury even though prompt medical attention was given. : 3 - Liquids and solids that can be ignited under almost all
NFPA fire hazard	 residual injury even though prompt medical attention was given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions,
NFPA fire hazard	 residual injury even though prompt medical attention was given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions,
NFPA fire hazard NFPA reactivity HMIS III Rating	 residual injury even though prompt medical attention was given. 3 - Liquids and solids that can be ignited under almost all ambient conditions. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.