

(Z)-1,2,3,3,3-Pentafluoropropene Safety Data Sheet 13003Z5 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/28/2015 Version: 1.0

1.1. Identification			
Product form	: Substance		
Substance name	: (Z)-1,2,3,3,3-Pentafluoropro	popo	
		pene	
CAS No	: 5528-43-8		
Product code	: 1300-3-Z5		
Formula	: C3HF5		
Other means of identification	: MFCD00798133		
	substance or mixture and uses ad	vised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and deve	elopment	
1.3. Details of the supplier of the sa	afety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlat			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compa	ry - Account 10069)	
SECTION 2: Hazard(s) identificat	tion		
2.1. Classification of the substance	or mixture		
Classification (GHS-US)			
Eye Irrit. 2A H319 - Causes serious ey STOT SE 3 H336 - May cause drows	ye irritation iness or dizziness		
Eye Irrit. 2AH319 - Causes serious egSTOT SE 3H336 - May cause drowsSTOT SE 3H335 - May cause respira	ye irritation iness or dizziness		
Eye Irrit. 2AH319 - Causes serious eySTOT SE 3H336 - May cause drowsSTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 16	ye irritation iness or dizziness		
Eye Irrit. 2AH319 - Causes serious eySTOT SE 3H336 - May cause drowsSTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 162.2.Label elements	ye irritation iness or dizziness		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H336 - May cause drows STOT SE 3 H335 - May cause respiration Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	ye irritation iness or dizziness		
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H336 - May cause drows STOT SE 3 H335 - May cause respira Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	ye irritation iness or dizziness		
Eye Irrit. 2A H319 - Causes serious ey STOT SE 3 H336 - May cause drowsi STOT SE 3 H335 - May cause respira Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	ye irritation iness or dizziness atory irritation		
Eye Irrit. 2AH319 - Causes serious eySTOT SE 3H336 - May cause drowsSTOT SE 3H335 - May cause respiraFull text of H-phrases: see section 162.2.Label elements	ye irritation iness or dizziness atory irritation : : : : : : : : : : : : : : : : : : :	irritation ry irritation	
Eye Irrit. 2A H319 - Causes serious exists STOT SE 3 H336 - May cause drowsi STOT SE 3 H335 - May cause respirate Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 ye irritation iness or dizziness atory irritation :	irritation ry irritation ss or dizziness a and cause rapid suffocation es, gas, mist, spray, vapors y after handling in a well-ventilated area es/protective clothing/eye protection/face protect sh with plenty of soap and water nove person to fresh air and keep comfortable fo es: Rinse cautiously with water for several minute	or breathing es. Remove contac

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P337+P313 - If eye irritation pers P362+P364 - Take off contamina P403+P233 - Store in a well-ven P405 - Store locked up P410+P403 - Protect from sunlig P501 - Dispose of contents/conta	ited clothing and wash it b tilated place. Keep contair ht. Store in a well-ventilate	efore reuse ner tightly closed ed place
2.3. Other hazards			
Other hazards not contributing to the classification	: May cause frostbite.		
2.4. Unknown acute toxicity (GHS U	S)		
Not applicable			
SECTION 3: Composition/informa	ation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
(Z)-1,2,3,3,3-Pentafluoropropene (Main constituent)	(CAS No) 5528-43-8	<= 100	Simple Asphy, H380 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure			
First-aid measures general	: In case of accident or if you feel where possible). Move the affect		
First-aid measures after inhalation	 Remove person to fresh air and l respiration. Get immediate medic 	keep comfortable for breat	
First-aid measures after skin contact	: Thaw frosted parts with lukewarn advice/attention.	n water. Do no rub affecte	d area. Get immediate medical
First-aid measures after eye contact	: Remove contact lenses, if preser thoroughly with water for at least	15 minutes. Get immediat	te medical advice/attention.
First-aid measures after ingestion			kely. Do NOT induce vomiting. Never nouth out with water. Get medical
4.2. Most important symptoms and e	effects, both acute and delayed		
Symptoms/injuries	: The most important known symp 2.2) and/or in section 11.	toms and effects are desc	ribed in the labelling (see section
Symptoms/injuries after skin contact	: Contact with the liquid the may c		
Symptoms/injuries after eye contact	to frostbite from rapid liquid evap	oration.	l possibly permanent eye injury due
	dical attention and special treatment n	eeded	
No additional information available			
SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon d appropriate for surrounding fire.	ioxide. Dry powder. Water	r spray. Use extinguishing media
5.2. Special hazards arising from the	e substance or mixture		
Fire hazard	: Thermal decomposition generate		
Explosion hazard	: Contains gas under pressure; ma exposed containers.	ay explode if heated. Use	water spray or fog for cooling
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fi	• •	•
Protection during firefighting	: Wear gas tight chemically protec apparatus. For further information		n with self contained breathing sure controls/personal protection".
12/06/2016	EN (English US)	SDS ID: 1300	3Z5 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.		
6.3. Methods and material for containme	nt and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includin	g any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		
SECTION & Exposure controls/porce			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2.	Exposure controls	
Approp	riate engineering controls	 Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand p	protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pro	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin ar	nd body protection	: Wear suitable protective clothing.
Respira	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Therma	al hazard protection	: Cold insulating gloves.
Other i	nformation	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemica	
9.1. Information on basic physical and	
Physical state	: Gas
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
H	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -18 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 132.03 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivi	ty

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

May polymerize.

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effe	cts	
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after skin contact	: Contact with the liquid the may cause cold burns/frostbite.
Symptoms/injuries after eye contact	: Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport informati	on		

Department of Transportation (DOT)	

In accordance with DOT	
Transport document description	: UN3163 Liquefied gas, n.o.s., 2.2
UN-No.(DOT)	: UN3163
Proper Shipping Name (DOT)	: Liquefied gas, n.o.s.
Transport hazard class(es) (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 304
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in accordance with the requirements of 173.313 of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3163
Proper Shipping Name (IMDG)	: LIQUEFIED GAS, N.O.S.
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 3163
Proper Shipping Name (IATA)	: Liquefied gas, n.o.s.
Class (IATA)	: 2

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

(Z)-1,2,3,3,3-Pentafluoropropene	CAS No 5528-43-8	100%
----------------------------------	------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

(Z)-1,2,3,3,3-Pentafluoropropene (5528-43-8)	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2ASerious eye damage/eye irritation Category 2ALiquefied gasGases under pressure Liquefied gasSimple AsphySimple AsphyxiantSkin Irrit. 2Skin corrosion/irritation Category 2STOT SE 3Specific target organ toxicity (single exposure) Category 3STOT SE 3Specific target organ toxicity (single exposure) Category 3H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH380May cause drowsiness or dizzinessH380May displace oxygen and cause rapid suffocation			
Simple AsphySimple AsphyxiantSkin Irrit. 2Skin corrosion/irritation Category 2STOT SE 3Specific target organ toxicity (single exposure) Category 3STOT SE 3Specific target organ toxicity (single exposure) Category 3H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Skin Irrit. 2Skin corrosion/irritation Category 2STOT SE 3Specific target organ toxicity (single exposure) Category 3STOT SE 3Specific target organ toxicity (single exposure) Category 3H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	Liquefied gas	Gases under pressure Liquefied gas	
STOT SE 3Specific target organ toxicity (single exposure) Category 3STOT SE 3Specific target organ toxicity (single exposure) Category 3H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	Simple Asphy	Simple Asphyxiant	
STOT SE 3Specific target organ toxicity (single exposure) Category 3H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	Skin Irrit. 2	Skin corrosion/irritation Category 2	
H280Contains gas under pressure; may explode if heatedH315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H315Causes skin irritationH319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H319Causes serious eye irritationH335May cause respiratory irritationH336May cause drowsiness or dizziness	H280	Contains gas under pressure; may explode if heated	
H335 May cause respiratory irritation H336 May cause drowsiness or dizziness	H315	Causes skin irritation	
H336 May cause drowsiness or dizziness	H319	Causes serious eye irritation	
	H335	May cause respiratory irritation	
H380 May displace oxygen and cause rapid suffocation	H336	May cause drowsiness or dizziness	
	H380	May displace oxygen and cause rapid suffocation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.