

# Allyl chloride

Safety Data Sheet 1300510 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/17/2019 Version: 1.0

<b>SECTION 1: Identification</b>	
1.1. Identification	
Product form	: Substance
Substance name	: Allyl chloride
CAS No	: 107-05-1
Product code	: 1300-5-10
Formula	: C3H5Cl
Synonyms	: 3-Chloropropene
Other means of identification	: MFCD0000984
1.2. Relevant identified us	es of the substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
	· · · · · · · · · · · · · · · · · · ·
	of the safety data sheet
SynQuest Laboratories, Inc. P.O. Box 309	
Alachua, FL 32615 - United State	s of America
T (386) 462-0788 - F (386) 462-70	
info@synquestlabs.com - www.sy	
1.4. Emergency telephone	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) ide	entification
2.1. Classification of the s	
Classification (GHS-US)	1995 Uishly flowmoble liquid and yoneyr
Flam. Liq. 2 Acute Tox. 3 (Oral)	H225 - Highly flammable liquid and vapour H301 - Toxic if swallowed
Acute Tox. 3 (Dermal)	H311 - Toxic in contact with skin
Acute Tox. 3 (Inhalation:vapour)	H331 - Toxic if inhaled
Skin Irrit. 2 Eye Irrit. 2A	H315 - Causes skin irritation H319 - Causes serious eye irritation
Muta. 2	H341 - Suspected of causing genetic defects
Carc. 2	H351 - Suspected of causing cancer
STOT SE 3 STOT RE 1	H335 - May cause respiratory irritation H372 - Causes damage to organs through prolonged or repeated exposure
Aquatic Acute 1	H400 - Very toxic to aquatic life
Full text of H-phrases: see section	n 16

### 2.2. Label elements

GHS-	US labeling	

Hazard pictograms (GHS-US)	GHS02	GHS06	GHS07	GHS08	GHS09
Signal word (GHS-US) Hazard statements (GHS-US)	H315 - Causes H319 - Causes H335 - May cau H341 - Suspect H351 - Suspect	31 - Toxic if swa skin irritation serious eye irrita se respiratory irried of causing ge ed of causing ca damage to organ	allowed, in conta ation ritation enetic defects ancer ns through prolo	act with skin or if nged or repeated	
Precautionary statements (GHS-US)	: P201 - Obtain s P202 - Do not h			have been read	l and understood

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
	P233 - Keep container tightly closed
	P240 - Ground/bond container and receiving equipment
	P241 - Use explosion-proof electrical/ventilating/lighting equipment
	P242 - Use only non-sparking tools
	P243 - Take precautionary measures against static discharge
	P260 - Do not breathe dust/fume/gas/mist/vapors/spray
	P264 - Wash skin thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product
	P271 - Use only outdoors or in a well-ventilated area
	P273 - Avoid release to the environment
	P280 - Wear protective gloves/protective clothing/eye protection/face protection
	P301+P310 - If swallowed: Immediately call a poison center/doctor/
	P302+P352 - If on skin: Wash with plenty of soap and water
	P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
	P308+P313 - If exposed or concerned: Get medical advice/attention
	P311 - Call a POISON CENTER or doctor/physician
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell
	P314 - Get medical advice/attention if you feel unwell
	P321 - Specific treatment (see supplemental first aid instructions on this label)
	P330 - Rinse mouth
	P332+P313 - If skin irritation occurs: Get medical advice/attention
	P337+P313 - If eye irritation persists: Get medical advice/attention
	P361 - Take off immediately all contaminated clothing
	P362+P364 - Take off contaminated clothing and wash it before reuse
	P363 - Wash contaminated clothing before reuse
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
	P391 - Collect spillage
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed
	P403+P235 - Store in a well-ventilated place. Keep cool
	P405 - Store locked up
	P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
Other hazards not contributing to the	: Lachrymator.

### classification 2.4. Unknown acute toxicity (GHS US)

Not applicable

	Product identifier           (CAS No) 107-05-1	<b>%</b> <= 100	Classification (GHS-US)
Allyl chloride (Main constituent)	(CAS No) 107-05-1	<= 100	
			Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Muta. 2, H341 Carc. 2, H351 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 1, H400
ull text of H-phrases: see section 16			
2. Mixture			

# Allyl chloride Safety Data Sheet according to Federal Register / Vo

First-aid	d measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid	d measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, it present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid	d measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2.	Most important symptoms and effe	cts, both acute and delayed
Sympto	ms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.
4.3.	Indication of any immediate medica	al attention and special treatment needed

### Treat symptomatically.

SECT	ION 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable extinguishing media		: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2.	Special hazards arising from the su	bstance or mixture	
Fire hazard		Thermal decomposition generates: Carbon oxides. Hydrogen chloride.	
Explosi	on hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.	
5.3.	Advice for firefighters		
0	ting instructions ion during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>	

SECT	ON 6: Accidental release meas	ures		
6.1.	Personal precautions, protective equ	lipment and emergency procedures		
General measures		Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.		
6.1.1.	For non-emergency personnel			
Emergency procedures		: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2.	For emergency responders			
Protective equipment :		: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emerge	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2.	Environmental precautions			
Avoid re	lease to the environment. Notify authorities	es if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up				
For containment :		: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up :		: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4.	Reference to other sections			
No addi	tional information available			
SECT	ON 7: Handling and storage			
7.1.	Precautions for safe handling			
Addition	al hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precaut	ions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, well-ventilated area.

**SECTION 8: Exposure controls/personal protection** 

8.1. Control parameters					
Allyl chloride (107-05-1)					
ACGIH	ACGIH TWA (ppm)	1 ppm			
ACGIH	ACGIH STEL (ppm)	2 ppm			
ACGIH	Remark (ACGIH)	Eye & URT irr; liver & kidney dam			
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>			
OSHA	OSHA PEL (TWA) (ppm)	1 ppm			

8.2.	Exposure controls		
Appro	priate engineering controls	:	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released. Gas detectors should be used when toxic gases may be released.
Hand	protection	:	Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye p	rotection	:	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin a	and body protection	:	Wear suitable protective clothing.
Respi	ratory protection	:	In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other	information	:	Safety shoes. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
PH	: No data available		
Melting point	: -130 °C		
Freezing point	: No data available		
Boiling point	: 44 - 46 °C		
Flash point	: -28 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
√apor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 0.939 g/ml (@ 20 °C)		
Molecular mass	: 76.525 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
05/20/2010	EN (English LIS)	SDS ID: 1200510	4/0

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>0 0</b> <i>i</i>	
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4135 (@ 20 °C)

SECTION 10: Stability	I and reactivity
SECTION 10. SIAOIIIN	

10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

vapors may form explosive mixture with air.

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Bases. Finely divided metals (Al, Mg, Zn). Lewis-acid. Strong acids. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:vapour: Toxic if inhaled.		
Allyl chloride (107-05-1)			
ATE US (oral)	100.000 mg/kg body weight		
ATE US (dermal)	300.000 mg/kg body weight		
ATE US (vapors)	3.000 mg/l/4h		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Suspected of causing genetic defects.		
Carcinogenicity	: Suspected of causing cancer.		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	: Not classified		

SECTION 12: Ecological information
12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration 13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN1100 Allyl chloride, 3, I
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	<ul> <li>: UN1100</li> <li>: Allyl chloride</li> <li>: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120</li> <li>: 3 - Flammable liquid 6.1 - Poison</li> </ul>
Packing group (DOT) Dangerous for the environment Marine pollutant	: I - Great Danger : Yes : Yes
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	: 201 : 243
DOT Special Provisions (49 CFR 172.102)	<ul> <li>T14 - 6 6 mm Prohibited 178.275(g)(3).</li> <li>TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.</li> <li>TP13 - Self-contained breathing apparatus must be provided when this hazardous material is transported by sea.</li> </ul>
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: None : Forbidden
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: E - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.

### TDG

No additional information available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea	
UN-No. (IMDG)	: 1100
Proper Shipping Name (IMDG)	: ALLYL CHLORIDE
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: I - substances presenting high danger
Air transport	
UN-No. (IATA)	: 1100
Proper Shipping Name (IATA)	: Allyl chloride
Class (IATA)	: 3 - Flammable Liquids
Dealing group (IATA)	
Packing group (IATA)	: I - Great Danger

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Allyl chloride	CAS No 107-05-1	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text	of H-phrases:		
	Acute Tox. 3 (Dermal)		Acute toxicity (dermal) Category 3
	Acute Tox. 3 (Inhalation:vapour)		Acute toxicity (inhalation:vapour) Category 3
	Acute Tox. 3 (Oral)		Acute toxicity (oral) Category 3
	Aquatic Acute 1		Hazardous to the aquatic environment - Acute Hazard Category 1
	Carc. 2		Carcinogenicity Category 2
_	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A
	Flam. Liq. 2		Flammable liquids Category 2
_	Muta. 2		Germ cell mutagenicity Category 2
	Skin Irrit. 2		Skin corrosion/irritation Category 2
	STOT RE 1		Specific target organ toxicity (repeated exposure) Category 1
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3
	H225		Highly flammable liquid and vapor
_	H301		Toxic if swallowed
_	H311		Toxic in contact with skin
_	H315		Causes skin irritation
_	H319		Causes serious eye irritation
	H331		Toxic if inhaled
_	H335		May cause respiratory irritation
_	H341		Suspected of causing genetic defects
	H351		Suspected of causing cancer
	H372		Causes damage to organs through prolonged or repeated exposure
	H400		Very toxic to aquatic life
NFPA he	ealth hazard		cause serious temporary or th prompt medical attention was
NFPA fir	PA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.		t can be ignited under almost all
NFPA re	PA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.		
HMIS III	Rating		
Health			or injury likely unless prompt action is taken and medical treatment is
		* - Chronic (long-term) h	ealth effects may result from repeated overexposure
Flammat	bility	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)	
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (	(GHS HazCom 2012)		

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.