

(E)-1,2-Dichloropropene Safety Data Sheet 1300518 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/16/2016 Version: 1.0

Substance name: (E)-1,2-DichloropropeneCAS No: 7069-38-7Product code: 1300-5-18Formula: C3144Cl2Other means of identification: MFCD00040138 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture: Laboratory chemicals Mandacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309P.O. Box 309 Alachua, FL 28615 - United States of America T (386) 462-0788 - F (386) 462-7097 mfo/@synquestlabs.comImage and the supplier of the substance or mixture 1.4. Emergency telephone number Emergency number: (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) Identification Stort SE 3 — H335 - May cause respiratory irritation Stort SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 3 — H335 - May cause respiratory irritation STOT SE 1 = L206 - Flammable liquid and vapor H312	
Substance name : (E)-1,2-Dichloropropene CAS No : 7069-38-7 Product code : 1300-5-18 Formula : C3H4Cl2 Other means of identification : MFCD00040138 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynCuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-0797 info@synquestlabs.com : www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(S) Identification 2.1. Classification of the substance or mixture Classification (GHS-US) Film. Lig. 3 M + 1226 - Flammable liquid and vapour Accute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Int. 2 H315 - Causes skin irritation STOT SE 3 H335 - May cause respiratory irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Signal word (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	
CAS No : 7069-38-7 Product code : 1300-5-18 Formula : C3H4Cl2 Other means of identification : MFCD00040138 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynCluest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-7087 - F (386) 462-7097 info@synquestlabs.com : www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Fiam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes skin irritation Full text of H-phrases: see section 16 2.2. Label elements CHSOT Classificating Hazard pictograms (CHS-US) Flazard pictograms (CHS-US) Flazard statements (GHS-US) Flazard statements (GHS-US) Flazard statements (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Kertice Causes skin irritation H315 - Causes scin irritation H326 - Harmful if swallowed H315 - Causes scin irritation H326 - Harmful if swallowed H315 - Causes scin irritation H327 - H329 CHSOT : Warning Hazard statements (GHS-US) Hazard statements (GHS-US)	
Product code: 1300-5-18Formula: C3H4Cl2Other means of identification: MFCD0040138 1.2. Relevant identified uses of the substance or mixture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheetSynOuest Laboratories, Inc. P.O. Box 309 Machachur, P.2 2615 - United States of America T (386) 462-0788 - F (386) 462-0797 info@synquestlabs.com 1.4. Emergency telephone numberEmergency number: (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 21.1. Classification of the substance or mixture Classification (GHS-US) Fam. Liq. 3 SynDie State see section 16 2.2. Label elements 2.3. Label see section 16 2.4. Label see section 16 2.2. Label elementsGHS-US is blacking Hazard pictograms (GHS-US)Fignal word (GHS-US)Fignal word (GHS-US)Kazard statements (GHS-US)Kazard statements (GHS-US)Classification (GHS-US)Signal word (GHS-US)Kazard statements (GHS-US) <tr< td=""><td></td></tr<>	
Formula :: C3H4Cl2 Other means of identification :: MFCD00040138 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture :: Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynOuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number :: (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(S) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Flam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irnt. 2 H315 - Causes serious eye irritation Eye Irnt 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation Eye Irnt 2A H319 - Causes serious eye irritation Eye Irnt 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation Eye Irnt 2A H319 - Causes serious eye irritation H319 - Causes serious eye irritation H326 - Marva Cause respiratory irritation H335 - May cause respirat	
Other means of identification : MFCD00040138 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. PO. Box 300 Alachua, FL 32615 - United States of America T (386) 462-0786 - F (386) 462-7097 info@synquestlabs.com 1.4. Emergency telephone number Emergency number Classification of the substance or mixture Classification of the substance or mixture Classification (GHS-US) Film. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Ora) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation FUI text of H-phrases: see section 16 E 2.2. Label elements GHS-US GHS-US labeling : Hazard pictograms (GHS-US) : Warning </td <td></td>	
1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture	
Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Film. Liq. 3 H 4226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irft. 2 H315 - Causes skin irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Flazzer d (GHS-US) Hazard statements (GHS-US) Label Label La	
Use of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL. United States of America T (386) 462-0788 - F (386) 462-7097 inf0@synQuestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Film. Liq, 3 H 226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irft, 2 H315 - Causes skin irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) Label Label La	
Manufacture of substances Scientific research and development 1.3. Details of the supplier of the safety data sheet SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification Classification of the substance or mixture Classification (GHS-US) File Market Biology and Vapour Acute Tox. 4 (Ora) Alachua, H 326 - Flammable liquid and vapour Acute Tox. 4 (Ora) America H315 - Causes skin irritation STOT SE 3 H335 - May cause respiratory irritation STOT SE 3 H345 - Causes skin irritation STOT SE 3 H345 - Causes skin irritation STOT SE 3 H345 - May cause respiratory irritation STOT SE 3 H345 - May cause respiratory irritation Figure With the Hybrases: see section 16 Electron Store State State Babeling Hazard pictograms (GHS-US) : Warning Hazard statements (GHS-US) : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes seriou sey initation H319 - Causes seriou sey initation H319 - Causes seriory sey initatio	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL, 22615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Flam. Liq, 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes serious eye irritation Eye Irrit. 2A H319 - Causes serious eye irritation FUI text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) HAZA HAZA HAZA HAZA HAZA HAZA HAZA HAZA	
P ¹ O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-7078 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Classification (GHS-US) Flam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes skin irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) : Warning Hazard pictograms (GHS-US) : Warning Hazard statements (GHS-US) : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes scious eye irritation Full text of H-phrases: See section 16	
Emergency number: (844) 523-4086 (3E Company - Account 10069)SECTION 2: Hazard(s) identification2.1. Classification of the substance or mixtureClassification (GHS-US)Flam. Liq. 3H226 - Flammable liquid and vapour Acute Tox. 4 (Ora)Kin Irrit. 2H315 - Causes skin irritation Eye Irrit. 2AEye Irrit. 2AH319 - Causes serious eye irritation STOT SE 3Full text of H-phrases: see section 162.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)Signal word (GHS-US):Hazard statements (GHS-US) </td <td></td>	
SECTION 2: Hazard(s) identification2.1.Classification of the substance or mixtureClassification (GHS-US)Flam. Liq. 3H226 - Flammable liquid and vapourAcute Tox. 4 (Oral)H302 - Harmful if swallowedSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritationSTOT SE 3H335 - May cause respiratory irritationFull text of H-phrases: see section 162.2.Label elementsGHS-US labelingHazard pictograms (GHS-US)Signal word (GHS-US)Hazard statements (GHS-US)	
2.1. Classification of the substance or mixture Classification (GHS-US) Flam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 Exercise 2.2. Label elements GHS-US labeling Exercise Hazard pictograms (GHS-US) : Signal word (GHS-US) : Hazard statements (GHS-US) : <td></td>	
2.1. Classification of the substance or mixture Classification (GHS-US) Flam. Liq. 3 H226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory irritation Full text of H-phrases: see section 16 Exercise 2.2. Label elements GHS-US labeling Exercise Hazard pictograms (GHS-US) : Signal word (GHS-US) : Hazard statements (GHS-US) : <td></td>	
Flam. Liq. 3H226 - Flammable liquid and vapour Acute Tox. 4 (Oral)H302 - Harmful if swallowed Skin Irrit. 2Skin Irrit. 2H315 - Causes skin irritation Eye Irrit. 2AH319 - Causes serious eye irritation STOT SE 3Full text of H-phrases: see section 162.2. Label elementsGHS-US labeling Hazard pictograms (GHS-US): WarningSignal word (GHS-US): WarningH226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritationSignal word (GHS-US): WarningH226 - Flammable liquid and vapor H315 - Causes skin irritation GHS-USH355 - May cause respiratory irritation Full text of H-phrases: see section 162.2. Label elementsGHS-US labeling Hazard pictograms (GHS-US): WarningHazard statements (GHS-US): WarningH226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
Flam. Liq. 3 Acute Tox. 4 (Oral)H226 - Flammable liquid and vapour H302 - Harmful if swallowed Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A STOT SE 3 H335 - May cause respiratory irritationFull text of H-phrases: see section 16 2.2. Label elementsGHS-US labeling Hazard pictograms (GHS-US): Warning Hazard statements (GHS-US): WarningH226 - Flammable liquid and vapour Acute Tox. 4 (Oral) H335 - Causes skin irritation H335 - May cause respiratory irritationSignal word (GHS-US)Signal word (GHS-US): Warning Hazard statements (GHS-US)Hazard statements (GHS-US): H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
GHS-US labeling Hazard pictograms (GHS-US) : Image: Comparison of the system of the	
Hazard pictograms (GHS-US) :	
Signal word (GHS-US) : Warning Hazard statements (GHS-US) : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
Hazard statements (GHS-US) : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation	
 Precautionary statements (GHS-US) P210 - Keep away from heat/sparks/open flames/hot surfaces. N P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P261 - Avoid breathing fumes, mist, spray, vapors P264 - Wash skin thoroughly after handling P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection P301+P312 - If swallowed: Call a POISON CENTER or doctor/ p P302+P352 - If on skin: Wash with plenty of soap and water 	nt

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name
ubstance type
1. Substance
ECTION 3: Composition/information
ot applicable
4. Unknown acute toxicity (GHS US)
o additional information available
3. Other hazards

Name	Product identifier	%	Classification (GHS-US)
(E)-1,2-Dichloropropene (Main constituent)	(CAS No) 7069-38-7	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of H-phrases: see section 16

3.2.	Mixture		
Not ap	plicable		
SECT	ION 4: First aid measures		
4.1.	Description of first aid measures		
First-ai	d measures general	:	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-ai	d measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-ai	d measures after skin contact	:	Wash with plenty of soap and water. Get immediate medical advice/attention.
First-ai	d measures after eye contact	:	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-ai	d measures after ingestion	:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2.	Most important symptoms and effects	s,	both acute and delayed
Sympto	ome/injurioe		The most important known symptoms and offects are described in the labelling (see section

Symptoms/injuries : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECT	ION 5: Firefighting measures			
5.1.	Extinguishing media			
Suitable	e extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry appropriate for surrounding fire.	powder. Water spray. Use extinguishing media	а
5.2.	Special hazards arising from the su	Ibstance or mixture		
Fire ha	zard	: Thermal decomposition generates: Carbon	oxides. Hydrogen chloride.	
Explosi	on hazard	: Risk of explosion if heated under confineme containers. May form flammable/explosive v		
5.3.	Advice for firefighters			
Firefigh	ting instructions	: In case of fire: Evacuate area. Fight fire rem	notely due to the risk of explosion.	
12/06/20	016	EN (English US)	SDS ID: 1300518	2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing
······································	apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source or ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify aut	norities if product enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers
	should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
rialia proteotion	5

- : Wear suitable protective clothing.
 - : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
 - : Safety shoes. 29 CFR 1910.136: Foot Protection.

Eye protection

Skin and body protection

Respiratory protection

Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 75 - 76 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Molecular mass	: 110.97 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	y .	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
The product is stable at normal handling and s	torage conditions.	
10.3. Possibility of hazardous reactions	;	
May polymerize.		
10.4. Conditions to avoid		

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity : Oral: Harmful if swallowed.		
(E)-1,2-Dichloropropene (7069-38-7)		
ATE US (oral)	500.000 mg/kg body weight	
Skin corrosion/irritation	Causes skin irritation.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ON 12: Ecological information
12.1.	Toxicity
No addit	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addit	tional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT) In accordance with DOT Transport document description	: UN1993 Flammable liquids, n.o.s., 3, III
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Symbols	: G - Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All companents of this product are listed, or exc	luded from listing, on the United States Environmental Protection Agency Taxis

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	CAS No 7069-38-7	100%
--	------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 3	Flammable liquids Category 3
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H226	Flammable liquid and vapor
	H302	Harmful if swallowed
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA f	nealth hazard ire hazard	 : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
temperatures a		: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS I	II Rating	
Health		: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flamma	nability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambie temperatures before ignition will occur. Includes liquids having a flash point at or above 100 but below 200 F. (Classes II & IIIA)	
		: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.