

Safety Data Sheet 1300743 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/31/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 3-Chloro-2,3,3-trifluoropropene
CAS No	: 2802-72-4
Product code	: 1300-7-43
Formula	: C3H2CIF3
Synonyms	: 3-Chloro-2,3,3-trifluoroprop-1-ene; HCFC-1233yf
Other means of identification	: MFCD30481004
1.2. Relevant identified uses of the sub-	stance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety	data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>m</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	nixture
Simple Asphy Liquefied gas STOT SE 3H380 - May displace oxygen a H280 - Contains gas under pr H335 - May cause respiratoryFull text of H-phrases: see section 16	essure; may explode if heated
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS04 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated H335 - May cause respiratory irritation H380 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, gas, mist, spray, vapors P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P410+P403 - Protect from sunlight. Store in a well-ventilated place P501 - Dispose of contents/container to an approved waste disposal plant
2.3. Other hazards	
Other hazards not contributing to the classification	: May cause frostbite.
2.4. Unknown acute toxicity (GHS US)	
Not applicable	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/informatic	on on in	gredients		
3.1. Substance				
Substance type	: Mono	p-constituent		
Name		Product identifier	%	Classification (GHS-US)
3-Chloro-2,3,3-trifluoropropene (Main constituent)		(CAS No) 2802-72-4	<= 100	Simple Asphy, H380 Liquefied gas, H280 STOT SE 3, H335
Full text of H-phrases: see section 16				
B.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measures				
irst-aid measures general	where	se of accident or if you feel unwell, seek e possible). Move the affected personnel	away from the	contaminated area.
First-aid measures after inhalation		ove person to fresh air and keep comfort ration. Get immediate medical advice/att		ng. If not breathing, give artificial
First-aid measures after skin contact		n with plenty of soap and water. Get med		
First-aid measures after eye contact	thoro	ove contact lenses, if present and easy to ughly with water for at least 15 minutes.	Get medical ad	lvice/attention.
First-aid measures after ingestion	give a	to its physical form, exposure to this cher anything by mouth to an unconscious per e/attention.		
4.2. Most important symptoms and effe				
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describ	bed in the labelling (see section
Symptoms/injuries after inhalation	,	cause drowsiness or dizziness.		
Symptoms/injuries after skin contact		Contact with the liquid the may cause cold burns/frostbite.		
Symptoms/injuries after eye contact		t contact with the liquefied gas may caus stbite from rapid liquid evaporation.	se severe and p	oossibly permanent eye injury due
4.3. Indication of any immediate medica	l attentio	n and special treatment needed		
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry popriate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the su	bstance	or mixture		
Fire hazard		nal decomposition generates: Carbon ox	kides. Hydroger	n chloride. Hydrogen fluoride.
Explosion hazard	: Conta	ains gas under pressure; may explode if sed containers.		
5.3. Advice for firefighters				
Firefighting instructions	: In cas	se of fire: Evacuate area. Fight fire remo	tely due to the i	risk of explosion.
Protection during firefighting		r gas tight chemically protective clothing ratus. For further information refer to sec		
SECTION 6: Accidental release mea				
6.1. Personal precautions, protective eq				lation May any a first the
General measures		uate unnecessary personnel. Ensure ade sing oxygen available for breathing. Do n		
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suitab	le protective eq	uipment may intervene.
6.1.2. For emergency responders				
Protective equipment		ot attempt to take action without suitable to section 8: "Exposure controls/persona		pment. For further information
Emergency procedures		vapor heavier than air. May accumulate i		ces, particularly at or below ground

level.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.		

Storage area

Incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

: Refer to Section 10 on Incompatible Materials.

: Store in dry, cool, well-ventilated area.

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Gas Color : No data available Odor : No data available Odor threshold : No data available pН : No data available : -143.7 °C Melting point Freezing point : No data available Boiling point : 11.9 °C : No data available Flash point Relative evaporation rate (butyl acetate=1) : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 130.496 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Finely o	divided metals (Al, Mg, Zn). Strong oxidizing agents.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity	 Not classified
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Aspiration hazard	 May cause respiratory irritation. Not classified Not classified
Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact	 May cause drowsiness or dizziness. Contact with the liquid the may cause cold burns/frostbite. Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN3163 Liquefied gas, n.o.s., 2.2
UN-No.(DOT)	: UN3163
Proper Shipping Name (DOT)	: Liquefied gas, n.o.s.
Transport hazard class(es) (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
	2
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 304
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in accordance with the requirements of 173.313 of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.

TDG

No additional information available

Transport by sea

UN-No. (IMDG)	: 3163
Proper Shipping Name (IMDG)	: LIQUEFIED GAS, N.O.S.
Class (IMDG)	: 2 - Gases

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport	
UN-No. (IATA)	: 3163
Proper Shipping Name (IATA)	: Liquefied gas, n.o.s.
Class (IATA)	: 2

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Chloro-2,3,3-trifluoropropene CAS No 2802-72-4 100%	3-Chloro-2.3.3-thluoropropene	CAS NU 2002-12-4	100%
---	-------------------------------	------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Liquefied gas	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H335	May cause respiratory irritation
H380	May displace oxygen and cause rapid suffocation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.