

Safety Data Sheet 1400110 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 1.0

Date of issue: 04/26/2021

I.1. Identification	
Product form	: Substance
Substance name	: Cyclohexa-1,3-diene
CAS No	: 592-57-4
Product code	: 1400-1-10
Formula	: C6H8
Synonyms	: 1,2-Dihydrobenzene
Other means of identification	: MFCD00001532
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309	
Alachua, FL 32615 - United States of Ameri	ica
T (386) 462-0788 - F (386) 462-7097 info@synguestlabs.com - www.synguestlab	ps.com
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
<u> </u>	· · · · · · · · · · · · · · · · · · ·
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	e or mixture
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye	irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	n irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements	n irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	n irritation bry irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	n irritation bry irritation : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n irritation my irritation my irritation my irritation from the second sec
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	n irritation my irritation my irritation my irritation irritation my irritation irr

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0					
		lense P312 P321 P332 P337 P362 P370 P403 P403 P405	 +P351+P338 - If in eyes: Rinse cautious es, if present and easy to do. Continue ring - Call a POISON CENTER or doctor/phy - Specific treatment (see supplemental f +P313 - If skin irritation occurs: Get med +P313 - If eye irritation persists: Get med +P364 - Take off contaminated clothing a +P378 - In case of fire: Use dry sand, dry +P235 - Store in a well-ventilated place. +P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap 	sing vsician if you fee irst aid instruction ical advice/atter dical advice/atter and wash it befor y chemical or all Keep container Keep cool	el unwell ons on this label) ttion ntion ore reuse cohol-resistant foam to extinguish tightly closed
2.3.	Other hazards				
Other ha	azards not contributing to the ation	: In us	e may form flammable/explosive vapor-a	ir mixture.	
2.4.	Unknown acute toxicity (GHS US)				
Not app	licable				
SECTI	ON 3: Composition/information	n on in	gredients		
3.1.	Substance				
Substan	ce type	: Mono	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
	exa-1,3-diene nstituent)		(CAS No) 592-57-4	<= 100	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not app	licable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	measures general	wher	se of accident or if you feel unwell, seek e possible). Move the affected personnel	away from the	contaminated area.
First-aid	measures after inhalation		ove person to fresh air and keep comforta ration. Get medical advice/attention.	able for breathir	ng. If not breathing, give artificial
	measures after skin contact		n with plenty of soap and water. Get med		
	measures after eye contact	prese	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	medical advice/	/attention.
First-aid	measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		unconscious person. Rinse
4.2.	Most important symptoms and effect	t <mark>s, both</mark>	acute and delayed		
Symptor	ns/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
4.3.	Indication of any immediate medical	attentio	n and special treatment needed		
Treat sy	mptomatically.				
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
	extinguishing media	: Dry r	oowder. Use extinguishing media appropr	iate for surround	ding fire.
	ble extinguishing media		ot use a solid water stream as it may sca		0
5.2.	Special hazards arising from the sub	stance	or mixture		
Fire haz			mal decomposition generates: Carbon ox	ides.	
	n hazard	: Risk	of explosion if heated under confinement ainers. May form flammable/explosive va	. Use water spra	ay or fog for cooling exposed
5.3.	Advice for firefighters		· · ·		
	ing instructions	: In ca	se of fire: Evacuate area. Fight fire remot	ely due to the ri	sk of explosion.
-	on during firefighting	: Wea	r gas tight chemically protective clothing i ratus. For further information refer to sec	n combination v	vith self contained breathing
04/26/202	21	EN (En	glish US)	SDS ID: 1400110	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures			
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	 Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. 			
6.1.1. For non-emergency personnel				
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.			
6.2. Environmental precautions				
Avoid release to the environment. Notify authorities	es if product enters sewers or public waters.			
6.3. Methods and material for containme	nt and cleaning up			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.			
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.			
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".			
6.4. Reference to other sections				
No additional information available				
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.			
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.			
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including	7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.			
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.			
Incompatible materials	: Refer to Section 10 on Incompatible Materials.			
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator			
Storage area	: Store in dry, well-ventilated area.			

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Ddor	: No data available
Odor threshold	: No data available
ъН	: No data available
Melting point	: -89 °C
Freezing point	: No data available
Boiling point	: 79 - 80 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Dxidizing properties	: No data available
/apor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.844 g/ml (@ 20 °C)
Molecular mass	: 80.1277 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
/iscosity	: No data available
Viscosity, kinematic	: No data available
/iscosity, dynamic	: No data available
0.0 Other information	
9.2. Other information	
	: 1.4852 (@ 20 °C)
Refractive index	
Refractive index SECTION 10: Stability and reactivit	
Refractive index SECTION 10: Stability and reactivit 10.1. Reactivity	
Refractive index SECTION 10: Stability and reactivit 10.1. Reactivity	
Refractive index SECTION 10: Stability and reactivit 10.1. Reactivity No additional information available	
Refractive index SECTION 10: Stability and reactivit 10.1. Reactivity No additional information available 10.2. Chemical stability	y
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize.	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and stability 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame.	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and stability 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. 10.2. Chemical stability The product is stable at normal handling and st 10.3. 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Strong oxidizing agents.	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. 10.2. Chemical stability The product is stable at normal handling and st 10.3. 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. Strong oxidizing agents.	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, ha	y torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and stability 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, having, see Section 5.	torage conditions. Stabilized product: BHT.
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and stability 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Jnder normal conditions of storage and use, having, see Section 5.	torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case of
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, having see Section 5. SECTION 11: Toxicological information	torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case of ation
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, having, see Section 5. SECTION 11: Toxicological information	torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case of ation
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and stability 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, hat fire, see Section 5. SECTION 11: Toxicological information	torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case of ation
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, hat fire, see Section 5. SECTION 11: Toxicological information on toxicological effect Acute toxicity	y torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case of ation ts
Refractive index SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. Chemical stability The product is stable at normal handling and st 10.3. Possibility of hazardous reactions May polymerize. 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials Strong oxidizing agents. 10.6. Hazardous decomposition product Under normal conditions of storage and use, ha fire, see Section 5. SECTION 11: Toxicological informat 11.1. Information on toxicological effect	y torage conditions. Stabilized product: BHT. ts azardous decomposition products should not be produced. Hazardous decomposition products in case o ation is : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

: UN3295 Hydrocarbons, liquid, n.o.s., 3, II

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : UN3295
- : Hydrocarbons, liquid, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : II Medium Danger
- : 202
- : 242

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 144 - If transported as a residue in an underground storage tank (UST), as defined in 40 CFR 280.12, that has been cleaned and purged or rendered inert according to the American Petroleum Institute (API) Standard 1604 (IBR, see 171.7 of this subchapter), then the tank and this material are not subject to any other requirements of this subchapter. However, sediments remaining in the tank that meet the definition for a hazardous material are subject to the applicable regulations of this subchapter. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG No additional information available	
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 3295 HYDROCARBONS, LIQUID, N.O.S. 3 - Flammable liquids II - substances presenting medium danger
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 3295 Hydrocarbons, liquid, n.o.s. 3 - Flammable Liquids II - Medium Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Cyclohexa-1,3-diene	CAS No 592-57-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full tex	t of H-phrases:	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Flam. Liq. 2	Flammable liquids Category 2
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H225	Highly flammable liquid and vapor
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
NFPA f	nealth hazard ïre hazard	 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. 3 - Liquids and solids that can be ignited under almost all ambient conditions.
NFPA r	reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS I	II Rating	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flamma	ability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physica	al	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.