

1,4-Difluorobenzene Safety Data Sheet 1600304 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/07/2016 Version: 1.0

SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Substance name	: 1,4-Difluorobenzene			
CAS No	540-36-3			
Product code	: 1600-3-04			
Formula	: C6H4F2			
Other means of identification	: MFCD00000344			
1.2. Relevant identified uses of the subs	stance or mixture and uses advised aga	inst		
Use of the substance/mixture		liiot		
	Manufacture of substances Scientific research and development			
1.3. Details of the supplier of the safety	data sheet			
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>n</u>			
1.4. Emergency telephone number				
Emergency number	: (844) 523-4086 (3E Company - Accou	int 10069)		
SECTION 2: Hazard(s) identification				
2.1. Classification of the substance or n	nixture			
Classification (GHS-US)				
Flam. Liq. 2H225 - Highly flammAcute Tox. 4 (Inhalation)H332 - Harmful if inSkin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes seriSTOT SE 3H335 - May cause rFull text of H-phrases: see section 16	irritation ous eye irritation			
2.2. Label elements				
GHS-US labeling				
Hazard pictograms (GHS-US)	GHS02 GHS07			
Signal word (GHS-US)	: Danger			
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and va H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritatior			
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat/sparks/o P233 - Keep container tightly closed P240 - Ground/bond container and rec P241 - Use explosion-proof electrical/ P242 - Use only non-sparking tools P243 - Take precautionary measures P261 - Avoid breathing fumes, mist, s P264 - Wash skin thoroughly after har P271 - Use only outdoors or in a well- P280 - Wear protective gloves/protect P302+P352 - If on skin: Wash with ple</li> </ul>	pen flames/hot surfaces. No smoking ceiving equipment ventilating/lighting equipment against static discharge pray, vapors ndling ventilated area ive clothing/eye protection/face protection		
12/06/2016	EN (English US)	SDS ID: 1600304 Page 1		

1,4-Difluorobenzene Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P305- lenses P312 P321 P332- P336- P370- P370- P403- P403- P403- P405	P340 - If inhaled: Remove person to fre P351+P338 - If in eyes: Rinse cautious s, if present and easy to do. Continue rin - Call a POISON CENTER or doctor/phy - Specific treatment (see supplemental f -P313 - If skin irritation occurs: Get med -P313 - If skin erritation persists: Get med -P364 - Take off contaminated clothing a -P378 - In case of fire: Use dry sand, dr -P233 - Store in a well-ventilated place. -P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap	ly with water for sing vsician if you fee irst aid instruction ical advice/atter dical advice/atter and wash it befor y chemical or allo Keep container Keep cool	several minutes. Remove contact el unwell ons on this label) ntion ntion ore reuse cohol-resistant foam to extinguish tightly closed
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS U	S)			
Not applicable				
SECTION 3: Composition/information	ation on ing	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
1,4-Difluorobenzene (Main constituent)		(CAS No) 540-36-3	<= 100	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general		: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation	respir	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
First-aid measures after skin contact		with plenty of soap and water. Get imm		
First-aid measures after eye contact	prese	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion	mouth	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and				
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
4.3. Indication of any immediate me	dical attention	n and special treatment needed		
Treat symptomatically.				
<b>SECTION 5: Firefighting measure</b>	es			
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the	e substance c	or mixture		
Fire hazard		nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.
Explosion hazard		f explosion if heated under confinement ners. May form flammable/explosive va		ay or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In cas	e of fire: Evacuate area. Fight fire remot	ely due to the ri	sk of explosion.
Protection during firefighting	: Wear	gas tight chemically protective clothing i atus. For further information refer to sec	n combination v	vith self contained breathing
12/06/2016	EN (Eng	lish US)	SDS ID: 1600304	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.		
6.3. Methods and material for containment	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monda	
<b>SECTION 9: Physical and chemica</b>	I properties
9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: -23.7 °C
Freezing point	: No data available
Boiling point	: 87 - 88 °C
Flash point	: 2 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.1725 g/ml (@ 17.5 °C)
Molecular mass	: 114.09 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.4422 (@ 17.5 °C)
SECTION 10: Stability and reactivi	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	storage conditions
	-
10.3. Possibility of hazardous reactions No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition produc	ts
Under normal conditions of storage and use, h fire, see Section 5.	nazardous decomposition products should not be produced. Hazardous decomposition products in case o
SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effect	its
Acute toxicity	: Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
12/06/2016	EN (English US) SDS ID: 1600304 4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information			
12.1. Toxicity			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN1993 Flammable liquids, n.o.s., 3, II
- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : II Medium Danger
- : 202
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal		
	TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F). TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L		
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		
Other information	: No supplementary information available.		
TDG			
No additional information available			
Transport by sea			
UN-No. (IMDG)	: 1993		
Proper Shipping Name (IMDG)	FLAMMABLE LIQUID, N.O.S.		
Class (IMDG)	3 - Flammable liquids		
Packing group (IMDG)	II - substances presenting medium danger		
Air transport			
UN-No. (IATA)	: 1993		
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.		
Class (IATA)	: 3 - Flammable Liquids		
Packing group (IATA)			
SECTION 15: Regulatory information			
15.1. US Federal regulations			
All components of this product are listed, or exclusion Substances Control Act (TSCA) inventory exception	uded from listing, on the United States Environmental Protection Agency Toxic for:		
1,4-Difluorobenzene	CAS No 540-36-3 100%		
	chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 nents of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986		
15.2. International regulations			
13.2. International regulations			

CANADA	
1,4-Difluorobenzene (540-36-3)	
WHMIS Classification	Class B Division 2 - Flammable Liquid

#### **EU-Regulations**

No additional information available

#### National regulations

#### 1,4-Difluorobenzene (540-36-3)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

Full text of H-phrases:

i un tox	Acute Tox. 4 (Inhalation)		Acute toxicity (inhalation) Category 4	
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A	
	Flam. Liq. 2		Flammable liquids Category 2	
	Skin Irrit. 2		Skin corrosion/irritation Category 2	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H225		Highly flammable liquid and vapor	
	H315		Causes skin irritation	
	H319		Causes serious eye irritation	
	H332		Harmful if inhaled	
	H335		May cause respiratory irritation	
NFPA f	nealth hazard ire hazard eactivity	residual injury even thoug given. : 3 - Liquids and solids that ambient conditions.	cause serious temporary or gh prompt medical attention was t can be ignited under almost all under fire exposure conditions, water.	
HMIS I	I Rating			
Health	<ul> <li>3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment given</li> </ul>		or injury likely unless prompt action is taken and medical treatment is	
Flamma	ability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)		
Physica	al		0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.