

4,4'-Dihydrooctafluorobiphenyl Safety Data Sheet 1600314 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/06/2016 Version: 1.0

SECTION 4. Identification	
SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4,4'-Dihydrooctafluorobiphenyl
CAS No	: 3883-86-1
Product code	: 1600-3-14
Formula	: C12H2F8
Synonyms	: 1,2,4,5-Tetrafluoro-3-(2,3,5,6-tetrafluorophenyl)benzene
Other means of identification	: MFCD00000312
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Amer T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab 1.4. Emergency telephone number	<u>bs.com</u>
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Skin Irrit. 2 H315 - Causes skin irritation	
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	e irritation
Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements	e irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	e irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	 a irritation ory irritation : irritation : irritation : irritation : GHS07 : Warning : H315 - Causes skin irritation H319 - Causes serious eye irritation
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	e irritation bry irritation : : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other hazards				
	ional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not app	icable				
SECTI	ON 3: Composition/informati	on on in	gredients		
3.1.	Substance				
Substan	ce type	: Mono	-constituent		
Name			Product identifier	%	Classification (GHS-US)
4,4'-Dih (Main co	ydrooctafluorobiphenyl nstituent)		(CAS No) 3883-86-1	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16				
3.2.	Mixture				
Not app	licable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
First-aid	measures general		e of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid	measures after inhalation		ve person to fresh air and keep comforta ation. Get medical advice/attention.	able for breathir	ng. If not breathing, give artificial
	measures after skin contact		with plenty of soap and water. Get med		
	measures after eye contact	prese	diately flush eyes thoroughly with water int and easy to do. Continue rinsing. Get	medical advice	/attention.
First-aid	measures after ingestion		DT induce vomiting. Never give anything out with water. Get medical advice/atte		i unconscious person. Rinse
4.2.	Most important symptoms and effe	ects, both a	acute and delayed		
Symptor	ns/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describ	ed in the labelling (see section
4.3.	Indication of any immediate medic	al attentio	n and special treatment needed		
Treat sy	mptomatically.				
SECTI	ON 5: Firefighting measures				
5.1.	Extinguishing media				
Suitable	extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2.	Special hazards arising from the s	ubstance o	or mixture		
Fire haz	ard	: Thern	nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.
Explosic	n hazard		mixed with air and exposed to an ignitic de if confined.	n source, dust i	may burn in the open air or
5.3.	Advice for firefighters				
	ing instructions		e of fire: Evacuate area. Fight fire remot	•	
Protectio	on during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec		
SECTI	ON 6: Accidental release me	asur <u>es</u>			
6.1.	Personal precautions, protective e		and emergency procedures		
	measures		ate unnecessary personnel. Ensure ade	equate air ventila	ation. Do not breathe dust.
6.1.1.	For non-emergency personnel				
Emerge	ncy procedures	: Only o	qualified personnel equipped with suitabl	e protective equ	uipment may intervene.
6.1.2.	For emergency responders				
	ve equipment		t attempt to take action without suitable o section 8: "Exposure controls/persona		oment. For further information
Emerge	ncy procedures	: Avoid	raising dust. When mixed with air and e een air or explode if confined. Eliminate e	xposed to an ig	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: When mixed with air and exposed to an ignition source, dust may burn in the open air or explode if confined.		
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includ	ling any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.		
Incompatible materials	Incompatible materials : Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

8.1. Control parameters

No additional information available

	8.2. Exposure controls	
	Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
	Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
	Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection		: Wear suitable protective clothing.
	Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
	Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 84 - 88 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 298.13 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No add	itional information available
10.4.	Conditions to avoid
Keep a	way from heat, sparks and flame.
10.5.	Incompatible materials
Strong	oxidizing agents.
10.6.	Hazardous decomposition products
Under r	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological informatic	n		
12.1.	Toxicity			
No add	tional information available			
12.2.	Persistence and degradability			
No add	tional information available			
12.3.	Bioaccumulative potential			
No add	tional information available			
12/06/20	16	EN (English US)	SDS ID: 1600314	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility in soil 12.4.

No additional information available

Other adverse effects 12.5.

No additional information available

SECTION 13: Disposal consideration	
13.1. Waste treatment methods	15
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3152 Polyhalogenated biphenyls, solid, 9, II
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	 : UN3152 : Polyhalogenated biphenyls, solid : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140 : 9 - Class 9 (Miscellaneous dangerous materials)
Packing group (DOT) Marine pollutant	: II - Medium Danger : Yes (IMDG only)
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102)	 204 241 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail	: 155
(49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 95 - Stow "separated from" foodstuffs
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3152
Proper Shipping Name (IMDG)	: POLYHALOGENATED BIPHENYLS, SOLID
Class (IMDG)	: 9 - Miscellaneous dangerous compounds
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
JN-No. (IATA)	: 3152
Proper Shipping Name (IATA)	: Polyhalogenated biphenyls, solid
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information 15.1. US Federal regulations

4,4'-Dihydrooctafluorobiphenyl (3883-86-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

4,4'-Dihydrooctafluorobiphenyl (3883-86-1)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

4,4'-Dihydrooctafluorobiphenyl (3883-86-1)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.