

Safety Data Sheet 1600319 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 09/11/2019 Version: 1.0

| SECTION 1: Identification | | | |
|---|---|---|---|
| 1.1. Identification | | | |
| Product form | : Substance | | |
| Substance name | : 2-Fluorobiphenyl | | |
| CAS No | : 321-60-8 | | |
| Product code | : 1600-3-19 | | |
| Formula | : C12H9F | | |
| Synonyms | : 1-Fluoro-2-phenylbenzene | | |
| Other means of identification | : MFCD00000317 | | |
| 1.2. Relevant identified uses of the sub | | ed against | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and develop | • | |
| 1.3. Details of the supplier of the safety | / data sheet | | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | <u>om</u> | | |
| 1.4. Emergency telephone number | | | |
| Emergency number | : (844) 523-4086 (3E Company - | Account 10069) | |
| SECTION 2: Hazard(s) identification | 1 | | |
| 2.1. Classification of the substance or l | mixture | | |
| Classification (GHS-US) | | | |
| Skin Irrit. 2H315 - Causes skin irritaEye Dam. 1H318 - Causes serious eSTOT SE 3H335 - May cause respinAquatic Acute 1H400 - Very toxic to aquAquatic Chronic 1H410 - Very toxic to aquFull text of H-phrases: see section 16 | eye damage ratory irritation | | |
| 2.2. Label elements | | | |
| GHS-US labeling | | | |
| Hazard pictograms (GHS-US) | GHS05 GHS07 | GHS09 | |
| Signal word (GHS-US) | : Danger | | |
| Hazard statements (GHS-US) | H302 - Harmful if swallowed H315 - Causes skin irritation H318 - Causes serious eye dar H335 - May cause respiratory in H410 - Very toxic to aquatic life | ritation | |
| Precautionary statements (GHS-US) | P261 - Avoid breathing dust, m P264 - Wash skin thoroughly at P270 - Do not eat, drink or smo P271 - Use only outdoors or in P273 - Avoid release to the env P280 - Wear protective gloves/ P301+P312 - If swallowed: Call P302+P352 - If on skin: Wash v P304+P340 - If inhaled: Remov P305+P351+P338 - If in eyes: lenses, if present and easy to descent the second Part of the second second second second second second P305+P351+P338 - If in eyes: | st, spray ter handling ke when using this product a well-ventilated area ironment protective clothing/eye protection/face protect a POISON CENTER or doctor/ physician if y vith plenty of soap and water e person to fresh air and keep comfortable for Rinse cautiously with water for several minute o. Continue rinsing | rou feel unwell or breathing es. Remove contact |
| 09/11/2019 | EN (English US) | SDS ID: 1600319 | Page 1 |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| according to Federal Register / Vol. 77, No. 58 / Mono | lay, March 26, | 2012 / Rules and Regulations | | |
|--|--|--|---|--|
| | P321 P330 P332 P362 P391 P403 P405 | Immediately call a POISON CENTER of Specific treatment (see supplemental f - Rinse mouth +P313 - If skin irritation occurs: Get med +P364 - Take off contaminated clothing a - Collect spillage +P233 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap | irst aid instruction ical advice/atten and wash it befo Keep container | ons on this label) tion re reuse tightly closed |
| 2.3. Other hazards | | | | |
| No additional information available | | | | |
| 2.4. Unknown acute toxicity (GHS US |) | | | |
| Not applicable | | | | |
| SECTION 3: Composition/information | tion on in | aredients | | |
| 3.1. Substance | | <u>g. exilence</u> | | |
| Substance type | : Mono | p-constituent | | |
| | | | | |
| Name 2-Fluorobiphenyl (Main constituent) | | Product identifier (CAS No) 321-60-8 | % <= 100 | Classification (GHS-US) Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measures | | | | |
| First-aid measures general | | se of accident or if you feel unwell, seek | | |
| First-aid measures after inhalation | : Remo | e possible). Move the affected personnel ove person to fresh air and keep comforta ration. Get immediate medical advice/atte | able for breathin | |
| First-aid measures after skin contact | | with plenty of soap and water. Get imme | | dvice/attention. |
| First-aid measures after eye contact | | ediately flush eyes thoroughly with water tent and easy to do. Continue rinsing. Get | | |
| First-aid measures after ingestion | | OT induce vomiting. Never give anything h out with water. Get immediate medical | | |
| 4.2. Most important symptoms and ef | fects, both | acute and delayed | | |
| Symptoms/injuries | | nost important known symptoms and effe and/or in section 11. | ects are describe | ed in the labelling (see section |
| 4.3. Indication of any immediate med | ical attentio | n and special treatment needed | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measures | \$ | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | | nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire. | owder. Water sp | ray. Use extinguishing media |
| 5.2. Special hazards arising from the | substance | or mixture | | |
| Fire hazard | | nal decomposition generates: Carbon ox | ides. Hydrogen | fluoride. |
| 5.3. Advice for firefighters | | | | |
| Firefighting instructions | | se of fire: Evacuate area. | | |
| Protection during firefighting | | gas tight chemically protective clothing i ratus. For further information refer to sec | | |
| SECTION 6: Accidental release me | easures | | | |
| 6.1. Personal precautions, protective | | | | |
| General measures | : Evac | uate unnecessary personnel. Ensure ade | equate air ventila | ation. Do not breathe dust. |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.1. | For non-emergency personnel | |
|---------|---------------------------------------|---|
| Emerge | ency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. |
| 6.1.2. | For emergency responders | |
| Protect | ive equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. | Environmental precautions | |
| Avoid r | elease to the environment. Notify aut | horities if product enters sewers or public waters. |
| 6.3. | Methods and material for contai | nment and cleaning up |
| For cor | tainment | : Stop leak if safe to do so. |
| Method | ls for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. |
| | nformation | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |

Reference to other sections 6.4. No additional information available

| SECTION 7: Handling and storage | |
|---|--|
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | ng any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and | d chemical properties |
|---|-----------------------|
| Physical state | : Solid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : 72 - 74 °C |
| Freezing point | : No data available |
| Boiling point | : 248 °C |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| | |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Explosion limits | : No data available |
|---------------------------------|---------------------|
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Specific gravity / density | : 1.245 g/ml |
| Molecular mass | : 172.1983 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| | |

9.2. **Other information**

No additional information available

| SECT | TON 10: Stability and reactivity |
|---------|--|
| 10.1. | Reactivity |
| No add | litional information available |
| 10.2. | Chemical stability |
| The pro | oduct is stable at normal handling and storage conditions. |
| 10.3. | Possibility of hazardous reactions |
| No add | litional information available |
| 10.4. | Conditions to avoid |
| Keep a | way from heat, sparks and flame. |
| 10.5. | Incompatible materials |
| Strong | acids. Strong bases. Strong oxidizing agents. |
| 10.6. | Hazardous decomposition products |
| Under | normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of |

fire, see Section 5.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

| Acute toxicity | : Oral: Harmful if swallowed. |
|--|-------------------------------------|
| 2-Fluorobiphenyl (321-60-8) | |
| ATE US (oral) | 500.000 mg/kg body weight |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECT | ION 12: Ecological information |
|---------|--------------------------------|
| 12.1. | Toxicity |
| No addi | itional information available |
| 12.2. | Persistence and degradability |
| No addi | itional information available |
| 12.3. | Bioaccumulative potential |
| No addi | itional information available |
| 12.4. | Mobility in soil |
| No addi | itional information available |
| 12.5. | Other adverse effects |
| No addi | itional information available |

| SECTION 13: Disposal considerations | | | |
|-------------------------------------|---|--|--|
| 13.1. Waste treatment methods | | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | | |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | | |
| Additional information | : Recycle the material as far as possible. | | |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Dangerous for the environment Marine pollutant

| DOT Packaging Non Bulk (49 CFR 173.xxx) |
|---|
| DOT Packaging Bulk (49 CFR 173.xxx) |
| DOT Symbols |

: UN3077 Environmentally hazardous substances, solid, n.o.s., 9, III

- : UN3077
- : Environmentally hazardous substances, solid, n.o.s.
- : 9 Class 9 Miscellaneous hazardous material 49 CFR 173.140
- : 9 Class 9 (Miscellaneous dangerous materials)



- : III Minor Danger
- : Yes



- : 213
- : 240
- : G Identifies PSN requiring a technical name

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT Special Provisions (49 CFR 172.102) | 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this or uphotenet, or any hazard place or defined in Dert 172 of this authority if it is | | |
|--|---|--|--|
| | 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, | | |
| | transit or destination. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. A112 - Notwithstanding the quantity limits shown in Column (9A) and (9B) for this entry, the following IBCs are authorized for transportation aboard passenger and cargo-only aircraft. Each IBC may not exceed a maximum net quantity of 1,000 kg: | | |
| | a. Metal: 11A, 11B, 11N, 21A, 21B and 21N | | |
| | b. Rigid plastics: 11H1, 11H2, 21H1 and 21H2 c. Composite with plastic inner receptacle: 11HZ1, 11HZ2, 21HZ1 and 21HZ2 d. Fiberboard: 11G | | |
| | e. Wooden: 11C, 11D and 11F (with inner liners) f. Flexible: 13H2, 13H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13M1 and 13M2 (flexible IBCs must be sift-proof and water resistant or must be fitted with a sift-proof and water resistant liner). B54 - Open-top, sift-proof rail cars are also authorized. | | |
| | IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). | | |
| | IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. N20 - A 5M1 multi-wall paper bag is authorized if transported in a closed transport vehicle. T1 - 1.5 178.274(d)(2) Normal | | |
| | TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more | | |
| | stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter. | | |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 155 | | |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : No limit | | |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : No limit | | |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. | | |
| Other information | : No supplementary information available. | | |
| TDG | | | |
| No additional information available | | | |
| Transport by sea | | | |
| UN-No. (IMDG) | : 3077 | | |
| Proper Shipping Name (IMDG) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | | |
| Class (IMDG) | : 9 - Miscellaneous dangerous compounds | | |
| Packing group (IMDG) | : III - substances presenting low danger | | |
| Air transport | | | |
| UN-No. (IATA) | : 3077 | | |
| Proper Shipping Name (IATA) | : Environmentally hazardous substance, solid, n.o.s. | | |
| Class (IATA) | : 9 - Miscellaneous Dangerous Goods | | |
| Packing group (IATA) | | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 2-Fluorobiphenyl | CAS No 321-60-8 | 100% |
|------------------|-----------------|------|
| | | |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| Acute toxicity (oral) Category 4 |
|--|
| Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Serious eye damage/eye irritation Category 1 |
| Skin corrosion/irritation Category 2 |
| Specific target organ toxicity (single exposure) Category 3 |
| Harmful if swallowed |
| Causes skin irritation |
| Causes serious eye damage |
| May cause respiratory irritation |
| Very toxic to aquatic life |
| Very toxic to aquatic life with long lasting effects |
| |

NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. NFPA fire hazard : 1 - Must be preheated before ignition can occur. 0 NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. HMIS III Rating : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is Health given Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT Physical react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.