

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 1600324 Issue date: 5/15/2023 Version: 1.0

## **SECTION 1: Identification**

1.1. Identification	
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	<ul> <li>Substance</li> <li>2,4-Difluorobiphenyl</li> <li>37847-52-2</li> <li>1600-3-24</li> <li>C12H8F2</li> <li>1,1'-Biphenyl, 2,4-difluoro-</li> <li>MFCD00042515</li> </ul>
1.2. Recommended use and restrictions on	i use
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Supplier	
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)

## SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification		
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3,	H335	May cause respiratory irritation
Respiratory tract irritation		
Hazardous to the aquatic environment – Acute Hazard Category 1	H400	Very toxic to aquatic life
Hazardous to the aquatic environment – Chronic Hazard Category 1	H410	Very toxic to aquatic life with long lasting effects
Full text of H statements : see section 16		

2.2. GHS Label elements, including precautionary statements

:

#### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US) Warning
H315 - Causes skin irritation
H319 - Causes serious eye irritation

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)	<ul> <li>H335 - May cause respiratory irritation</li> <li>H410 - Very toxic to aquatic life with long lasting effects</li> <li>P261 - Avoid breathing dust, mist, spray.</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwell</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P391 - Collect spillage.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>
-----------------------------------	---

2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
2,4-Difluorobiphenyl (Main constituent)	CAS-No.: 37847-52-2		Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.</li> <li>Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.</li> </ul>
4.2. Most important symptoms and effects (a	cute and delayed)
Symptoms/effects	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media :	Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Specific hazards arising from the chemical		
Fire hazard :	Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.	
5.3. Special protective equipment and precautions for fire-fighters		
	In case of fire: Evacuate area. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

For containment: Stop leak if safe to do so.Methods for cleaning up: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dusOther information: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

## 6.4. Reference to other sections

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures Storage conditions Incompatible materials Storage area	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>Store in dry, cool, well-ventilated area.</li> </ul>

## **SECTION 8: Exposure controls/personal protection**

2,4-Difluorobiphenyl (37847-52-2)
No additional information available
8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

## 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

#### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

#### Personal protective equipment symbol(s):



#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: 61 – 63 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Molecular mass	: 190.19 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

**10.2. Chemical stability** 

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

**10.4. Conditions to avoid** 

Keep away from heat, sparks and flame.

**10.5. Incompatible materials** 

Strong oxidizing agents.

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 11: Toxicological information**

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2. and/or in section 11.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

**12.5. Other adverse effects** 

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods Product/Packaging disposal recommendations Additional information

- Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
   Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Recycle the material as far as possible.

SECTION 14: Transport inf	ormation	
14.1. UN number		
DOT NA No	: UN3152	
UN-No. (TDG) UN-No. (IMDG)	: UN3152 : 3152	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA)	: 3152
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Polyhalogenated biphenyls, solid</li> <li>POLYHALOGENATED BIPHENYLS, SOLID</li> <li>POLYHALOGENATED BIPHENYLS, SOLID</li> <li>Polyhalogenated biphenyls, solid</li> </ul>

## 14.3. Transport hazard class(es)

### DOT

Transport hazard class(es) (DOT) Hazard labels (DOT)



: 9 : 9

### TDG

Transport hazard class(es) (TDG) Hazard labels (TDG)

### IMDG

Transport hazard class(es) (IMDG) Hazard labels (IMDG)



## ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)



14.4. Packing group			
Packing group (DOT) Packing group (TDG)	: II : II		
Packing group (IMDG)	: 11		
Packing group (IATA)	: 11		
14.5. Environmental hazards			
Dangerous for the environment	: Yes		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Marine pollutant	: Yes
	× ×
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102)	<ul> <li>UN3152</li> <li>IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).</li> <li>IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.</li> <li>IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner.</li> <li>T3 - 2.65 178.274(d)(2) Normal 178.275(d)(2)</li> <li>TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in</li> </ul>
DOT Deduction Functions (40 OFD 172 mm)	accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx)	: 155 : 204
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
DOT Vessel Stowage Other	passenger vessel. : 95 - Stow "separated from" foodstuffs
TDG	
UN-No. (TDG)	: UN3152
Explosive Limit and Limited Quantity Index	: 1 kg
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger	: 100 kg
Carrying Railway Vehicle Index	
Emergency Response Guide (ERG) Number	: 171
IMDG	
Special provision (IMDG)	: 203, 305, 958
Limited quantities (IMDG)	: 1 kg
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P906
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B4, B21
Tank instructions (IMDG)	: T3

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) Segregation (IMDG) Properties and observations (IMDG)	<ul> <li>TP33</li> <li>F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE</li> <li>S-A - SPILLAGE SCHEDULE Alfa - TOXIC SUBSTANCES</li> <li>A</li> <li>SG50</li> <li>Solid with a perceptible odour. Melting point of solids varies from 2°C to 164°C. Harmful by ingestion or by skin contact. This entry covers articles, such as rags, cotton waste, clothing or sawdust, containing polyhalogenated biphenyls or polyhalogenated terphenyls where no free visible liquid is present.</li> </ul>
IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	<ul> <li>E2</li> <li>Forbidden</li> <li>Forbidden</li> <li>956</li> <li>100kg</li> <li>956</li> <li>200kg</li> <li>A11, A95</li> <li>9L</li> </ul>

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### **15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

2,4-Difluorobiphenyl	CAS-No. 37847-52-2	100%

## **15.2. International regulations**

#### CANADA

No additional information available

#### **EU-Regulations**

2,4-Difluorobiphenyl (37847-52-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

2,4-Difluorobiphenyl (37847-52-2)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phr	ases		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
H400	Very toxic to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
NFPA health hazar NFPA fire hazard NFPA reactivity	<ul> <li>d : 3 - Materials that, under emergency conditions, can cause serious or permanent injury.</li> <li>: 1 - Materials that must be preheated before ignition can occur.</li> <li>: 0 - Material that in themselves are normally stable, even under fire conditions.</li> </ul>		
Hazard Rating Health Flammability Physical	<ul> <li>2 Moderate Hazard - Temporary or minor injury may occur</li> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> <li>0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.</li> </ul>		

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.