

Safety Data Sheet 1600901 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 1.0

Date of issue: 12/12/2017

1.1. Identification	
Product form	: Substance
Substance name	: Bromobenzene
CAS No	: 108-86-1
Product code	: 1600-9-01
Formula	: C6H5Br
Synonyms	: Benzene, bromo- / Monobromobenzene / Phenyl bromide
Other means of identification	: MFCD00000055
	substance or mixture and uses advised against
	<u> </u>
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	iety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	ion
2.1. Classification of the substance of	or mixture
Classification (GHS-US)	
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes serious	itation s eye irritation
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Chronic 2H411 - Toxic to aquatic	itation s eye irritation
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 16	itation s eye irritation piratory irritation
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 162.2.Label elements	itation s eye irritation piratory irritation
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 16	itation s eye irritation piratory irritation c life with long lasting effects
Skin Irrit. 2 H315 - Causes skin irri   Eye Irrit. 2A H319 - Causes serious   STOT SE 3 H335 - May cause resp   Aquatic Chronic 2 H411 - Toxic to aquatic   Full text of H-phrases: see section 16   2.2. Label elements   GHS-US labeling   Hazard pictograms (GHS-US)	itation s eye irritation piratory irritation c life with long lasting effects : : : : : : : : : : : : : :
Skin Irrit. 2H315 - Causes skin irriEye Irrit. 2AH319 - Causes seriousSTOT SE 3H335 - May cause respAquatic Chronic 2H411 - Toxic to aquaticFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	itation s eye irritation piratory irritation c life with long lasting effects
Skin Irrit. 2 H315 - Causes skin irri   Eye Irrit. 2A H319 - Causes serious   STOT SE 3 H335 - May cause resp   Aquatic Chronic 2 H411 - Toxic to aquatic   Full text of H-phrases: see section 16   2.2. Label elements   GHS-US labeling   Hazard pictograms (GHS-US)   Signal word (GHS-US)	itation s eye irritation piratory irritation c life with long lasting effects

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P309 lense P312 P332 P333 P332 P332 P352 P362 P400 P400 P400 P400	4+P340 - If inhaled: Remove person to fre 5+P351+P338 - If in eyes: Rinse cautious es, if present and easy to do. Continue rin 2 - Call a POISON CENTER or doctor/phy 1 - Specific treatment (see supplemental 2+P313 - If skin irritation occurs: Get med 2+P364 - Take off contaminated clothing a 0+P378 - In case of fire: Use dry sand, dry 3+P233 - Store in a well-ventilated place. 3+P235 - Store in a well-ventilated place. 5 - Store locked up 1 - Dispose of contents/container to an ap	ly with water for ising /sician if you fee irst aid instructionical advice/atter dical advice/atter and wash it befor y chemical or allo Keep container Keep cool	several minutes. Remove contact el unwell ons on this label) ution ntion re reuse cohol-resistant foam to extinguish tightly closed
2.3.	Other hazards				
No addit	tional information available				
2.4.	Unknown acute toxicity (GHS U	S)			
Not appl	licable				
SECTI	ON 3: Composition/information	ation on ir	ngredients		
3.1.	Substance				
Substan	ice type	: Mon	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
Bromob (Main cor	penzene		(CAS No) 108-86-1	<= 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Chronic 2, H411
Full text	of H-phrases: see section 16				
3.2.	Mixture				
lot appl	licable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measure	S			
First-aid	measures general		se of accident or if you feel unwell, seek re possible). Move the affected personnel		
	measures after inhalation	resp	ove person to fresh air and keep comfort iration. Get medical advice/attention.		
	measures after skin contact		h with plenty of soap and water. Get med		
	measures after eye contact	pres	ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get	medical advice/	attention.
First-aid	measures after ingestion		IOT induce vomiting. Never give anything th out with water. Get medical advice/atte		unconscious person. Rinse
4.2.	Most important symptoms and e				
Symptor	ms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
<mark>4.3.</mark> Treat sv	Indication of any immediate me mptomatically.	dical attentio	on and special treatment needed		
	ON 5: Firefighting measure	S			
5.1.	Extinguishing media				
Suitable	extinguishing media		hol resistant foam. Carbon dioxide. Dry poppiate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2.	Special hazards arising from the	e substance	or mixture		
Fire haza			mal decomposition generates: Carbon ox	ides. Hydrogen	bromide.
Explosio	on hazard	: Risk	of explosion if heated under confinement ainers. May form flammable/explosive va	. Use water spra	
5.3.	Advice for firefighters				
- irefight	ing instructions	: In ca	se of fire: Evacuate area. Fight fire remot	ely due to the ri	sk of explosion.
-	on during firefighting	: Wea	r gas tight chemically protective clothing i aratus. For further information refer to sec	n combination v	vith self contained breathing
12/13/201	17	EN (Er	iglish US)	SDS ID: 1600901	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measure			
6.1. Personal precautions, protective equipment and emergency procedures General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,			
	vapor or spray.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.		
6.2. Environmental precautions			
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.		
6.3. Methods and material for containment	nt and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	g any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical p	roperties		
9.1. Information on basic physical and ch	emical properties		
Physical state	: Liquid		
Appearance	: Colorless liquid.		
Color	: Colorless		
Odor	: pleasant		
Odor threshold	: No data available		
рН	: No data available		
	: -31 °C		
Freezing point	: No data available		
Boiling point	: 155 - 156 °C		
Flash point	: 51 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: 10 mm Hg (at 40 °C)		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 1.492 g/ml		
Molecular mass	: 157.008 g/mol		
Solubility	: Water: 450 mg/l (at 30 °C)		
Log Pow	: 3		
Auto-ignition temperature	: 565 °C		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
Refractive index	: 1.559		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
No additional information available			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
No additional information available			
10.5. Incompatible materials			
No additional information available			
10.6. Hazardous decomposition products			
No additional information available			
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Bromobenzene (108-86-1)			
LD50 oral rat	2383 mg/kg		
12/13/2017	EN (English US)	SDS ID: 1600901	4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bromobenzene (108-86-1)	
ATE US (oral)	2383.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION	ON 12: Ecological information		
12.1.	Toxicity		
No additi	onal information available		
12.2.	Persistence and degradability		
No additi	onal information available		
12.3.	Bioaccumulative potential		
Bromo	benzene (108-86-1)		
Log Po	w	3	
12.4.	Mobility in soil		
No additi	onal information available		
40.5			
12.5.	Other adverse effects		
No additi	onal information available		

No additional information available

SECTION 13: Disposal considerations
-------------------------------------

13.1. Waste treatment methods

No additional information available

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) Marine pollutant

DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)

- : UN2514 Bromobenzene, 3, III
- : UN2514
- : Bromobenzene
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : III Minor Danger
- : Yes (IMDG only)



EN (English US)

: 242

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, I	March 26, 2012 / Rules and Regulations
DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49	
CFR 175.75)	. 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 130
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 2514
Proper Shipping Name (IMDG)	: BROMOBENZENE
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2514
Proper Shipping Name (IATA)	: Bromobenzene
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
<b>SECTION 15: Regulatory information</b>	
15.1. US Federal regulations	
Bromobenzene (108-86-1)	
Listed on the United States TSCA (Toxic Substa	inces Control Act) inventory
15.2. International regulations	
CANADA	
Bromobenzene (108-86-1)	
Listed on the Canadian DSL (Domestic Sustanc	es List)
EU-Regulations No additional information available	
National regulations	
Bromobenzene (108-86-1)	
Listed on the AICS (Australian Inventory of Cher Listed on IECSC (Inventory of Existing Chemica Listed on the Japanese ENCS (Existing & New 0 Listed on the Japanese ISHL (Industrial Safety a	Il Substances Produced or Imported in China) Chemical Substances) inventory

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations	
Bromobenzene (108-86-1)	
State or local regulations	U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

#### Full text of H-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
	* - Chronic (long-term) health effects may result from repeated overexposure
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.