

Safety Data Sheet 1600B04 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/20/2017 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 1-Bromo-4-fluorobenzene
CAS No	: 460-00-4
Product code	: 1600-B-04
Formula	: C6H4BrF
Synonyms	: 4-Bromofluorobenzene
Other means of identification	: MFCD00000342
	substance or mixture and uses advised against
1.2. Relevant identified uses of the substance/mixture	Laboratory chemicals     Manufacture of substances     Scientific research and development
1.3. Details of the supplier of the sa	fety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	(044) 522 4096 (2E Company Account 10000)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	ion
2.1. Classification of the substance	
Classification (GHS-US)	
Acute Tox. 4 (Inhalation:vapour) H332 - 1 Skin Irrit. 2 H315 - 0	Flammable liquid and vapour Harmful if inhaled Causes skin irritation
Acute Tox. 4 (Inhalation:vapour)       H332 - I         Skin Irrit. 2       H315 - 0         Eye Irrit. 2A       H319 - 0         STOT SE 3       H335 - 1         Full text of H-phrases: see section 16	Harmful if inhaled
Acute Tox. 4 (Inhalation:vapour)H332 - ISkin Irrit. 2H315 - 0Eye Irrit. 2AH319 - 0STOT SE 3H335 - IFull text of H-phrases: see section 162.2.Label elements	Harmful if inhaled Causes skin irritation Causes serious eye irritation
Acute Tox. 4 (Inhalation:vapour)       H332 - I         Skin Irrit. 2       H315 - 0         Eye Irrit. 2A       H319 - 0         STOT SE 3       H335 - 1         Full text of H-phrases: see section 16	Harmful if inhaled Causes skin irritation Causes serious eye irritation
Acute Tox. 4 (Inhalation:vapour)H332 - ISkin Irrit. 2H315 - 0Eye Irrit. 2AH319 - 0STOT SE 3H335 - IFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	Harmful if inhaled Causes skin irritation Causes serious eye irritation
Acute Tox. 4 (Inhalation:vapour)H332 - ISkin Irrit. 2H315 - 0Eye Irrit. 2AH319 - 0STOT SE 3H335 - IFull text of H-phrases: see section 162.2.Label elementsGHS-US labeling	Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause respiratory irritation
Acute Tox. 4 (Inhalation:vapour) H332 - I Skin Irrit. 2 H315 - 0 Eye Irrit. 2A H319 - 0 STOT SE 3 H335 - I Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US)	Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause respiratory irritation
Acute Tox. 4 (Inhalation:vapour)       H332 - I         Skin Irrit. 2       H315 - 0         Eye Irrit. 2A       H319 - 0         STOT SE 3       H335 - I         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Signal word (GHS-US)	Harmful if inhaled Causes skin irritation Causes serious eye irritation May cause respiratory irritation : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards	skin v P304 P305 lense P312 P321 P332 P337 P362 P370 P403 P403 P403	vith water/shower +P340 - If inhaled: Remove pers +P351+P338 - If in eyes: Rinse s, if present and easy to do. Con - Call a POISON CENTER or d - Specific treatment (see supple +P313 - If skin irritation occurs: +P313 - If eye irritation persists: +P364 - Take off contaminated	cautiously with water ntinue rinsing octor/physician if you emental first aid instru Get medical advice/at Get medical advice/at clothing and wash it b sand, dry chemical or d place. Keep cool	for several minutes. Remove contact feel unwell ctions on this label) ttention attention before reuse alcohol-resistant foam to extinguish her tightly closed
No additional information available 2.4. Unknown acute toxicity (GHS US	3)			
2.4. Unknown acute toxicity (GHS US Not applicable	5)			
	tion on in	aradianta		
SECTION 3: Composition/informa 3.1. Substance	ation on in	greatents		
3.1. Substance Substance type	Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
1-Bromo-4-fluorobenzene		(CAS No) 460-00-4	<b>7</b> 0 <= 100	Classification (GHS-US) Flam. Liq. 3, H226
(Main constituent)				Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16		·		
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				· · · · · · · · · · · ·
First-aid measures general First-aid measures after inhalation	where	se of accident or if you feel unwere possible). Move the affected p	ersonnel away from th	
	respir	ation. Get medical advice/attent	ion.	
First-aid measures after skin contact		with plenty of soap and water.		
First-aid measures after eye contact	prese	nt and easy to do. Continue rins	sing. Get medical advi	
First-aid measures after ingestion		OT induce vomiting. Never give n out with water. Get medical ad		an unconscious person. Rinse
4.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms ind/or in section 11.	and effects are desc	ribed in the labelling (see section
4.3. Indication of any immediate med	dical attentio	n and special treatment neede	ed	
Treat symptomatically.				
SECTION 5: Firefighting measure	S			
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxid priate for surrounding fire.	le. Dry powder. Water	r spray. Use extinguishing media
5.2. Special hazards arising from the	substance o	or mixture		
Fire hazard		nal decomposition generates: C	arbon oxides. Hydrog	en bromide. Hydrogen fluoride.
Explosion hazard		of explosion if heated under con iners. May form flammable/expl		spray or fog for cooling exposed e.
5.3. Advice for firefighters				
Firefighting instructions	: In cas	se of fire: Evacuate area. Fight f	ire remotely due to the	e risk of explosion.
12/20/2017	EN /En	nlich LIS)	SDS ID: 1600	B04 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidenta	
6.1. Personal precaution	ons, protective equipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergend	y personnel
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency res	sponders
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	<ul> <li>Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source o ignition.</li> </ul>
6.2. Environmental pre	cautions
Avoid release to the environm	ent. Notify authorities if product enters sewers or public waters.
6.3. Methods and mate	rial for containment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other	sections
No additional information avai	lable
SECTION 7: Handling	and storage
7.1. Precautions for sa	fe handling
Additional hazards when proc	essed : Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for saf	e storage, including any incompatibilities
echnical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
ncompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure 8.1. Control parameter No additional information avail	

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers
should be available in the immediate vicinity of any potential exposure.
: Protective gloves. 29 CFR 1910.138: Hand Protection.
: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
: Wear suitable protective clothing.
: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical			
9.1. Information on basic physical and			
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: -17.4 °C		
Freezing point	: No data available		
Boiling point	: 151 - 152 °C		
Flash point	: 53 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 1.593 g/ml (@ 25 °C)		
Molecular mass	: 175.00 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information			
Refractive index	: 1.53 (@ 20 °C)		
	. 1.33 (@ 20 0)		
SECTION 10: Stability and reactivit	<b>y</b>		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and s	torage conditions.		
10.3. Possibility of hazardous reactions			
No additional information available			
Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong oxidizing agents.			
10.6. Hazardous decomposition produc			
Under normal conditions of storage and use, h fire, see Section 5.	azardous decomposition product	s should not be produced. Hazardous decomposition	on products in case
SECTION 11: Toxicological information	ation		
11.1. Information on toxicological effect			
Acute toxicity	: Inhalation:vapour: Harmful	if inhaled.	
1-Bromo-4-fluorobenzene (460-00-4)			
LD50 oral rat	2700 mg/kg		
12/20/2017	EN (English US)	SDS ID: 1600B04	4/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	1-Bromo-4-fluorobenzene (460-00-4)		
LC50 inhalation rat (mg/l)	18 g/m <sup>3</sup> (Exposure time: 4 h)		
ATE US (oral)	2700.000 mg/kg body weight		
ATE US (vapors)	18.000 mg/l/4h		
ATE US (dust, mist)	18.000 mg/l/4h		
kin corrosion/irritation	: Causes skin irritation.		
erious eye damage/irritation	: Causes serious eye irritation.		
espiratory or skin sensitization	: Not classified		
erm cell mutagenicity	: Not classified		
arcinogenicity	: Not classified		
eproductive toxicity	: Not classified		
pecific target organ toxicity (single exposure)	: May cause respiratory irritation.		
pecific target organ toxicity (repeated kposure)	: Not classified		
spiration hazard	: Not classified		

12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT	
Transport document description	: UN1993 Flammable liquids, n.o.s., 3, III
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols



- : III Minor Danger
- : 203
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L		
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.		
Other information	: No supplementary information available.		
<b>TDG</b> No additional information available			
Transport by sea			
UN-No. (IMDG)	: 1993		
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.		
Class (IMDG)	: 3 - Flammable liquids		
Packing group (IMDG)	: III - substances presenting low danger		
Air transport			
UN-No. (IATA)	: 1993		
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.		
Class (IATA)	: 3 - Flammable Liquids		
Packing group (IATA)	: III - Minor Danger		
<b>SECTION 15: Regulatory information</b>			
15.1. US Federal regulations			
1-Bromo-4-fluorobenzene (460-00-4)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
EPA TSCA Regulatory Flag	SP		

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

#### CANADA

### 1-Bromo-4-fluorobenzene (460-00-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

**EU-Regulations** 

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### National regulations

#### 1-Bromo-4-fluorobenzene (460-00-4)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

#### Full text of H-phrases:

Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.