

Safety Data Sheet 1600DX2 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/12/2017 Revision date: 05/14/2019 Version: 1.1

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Substance name	: 4-Chlorobromobenzene	
CAS No	: 106-39-8	
Product code	: 1600-D-X2	
Formula	: C6H4BrCl	
Synonyms	: 1-Bromo-4-chlorobenzene	
Other means of identification	: MFCD0000600	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Use of the substance/mixture	: Laboratory chemicals	
	Manufacture of substances Scientific research and development	
1.3. Details of the supplier of the	he safety data sheet	
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of A T (386) 462-0788 - F (386) 462-7097	America	
info@synquestlabs.com - www.synque	estlabs.com	
1.4. Emergency telephone num	nber	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
Eye Irrit. 2A H319 - Causes serious	s eye irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp	s eye irritation piratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements	s eye irritation piratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s eye irritation piratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	s eye irritation piratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	s eye irritation spiratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements	s eye irritation spiratory irritation	
Eye Irrit. 2A H319 - Causes serious STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	s eye irritation spiratory irritation :	ontact

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Other hazards				
No additi	ional information available				
2.4.	Unknown acute toxicity (GHS US)				
Not appli	icable				
SECTI	ON 3: Composition/informati	on on i	ngredients		
3.1.	Substance				
Substand	ce type	: Mor	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
4-Chloro (Main con	bbromobenzene Istituent)		(CAS No) 106-39-8	<= 100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text	of H-phrases: see section 16		·		·
3.2.	Mixture				
Not appli	icable				
SECTI	ON 4: First aid measures				
4.1.	Description of first aid measures				
-irst-aid	measures general		ase of accident or if you feel unwell, seek re possible). Move the affected personne		
First-aid	measures after inhalation		nove person to fresh air and keep comfort iration. Get immediate medical advice/att		ng. If not breathing, give artificial
First-aid	measures after skin contact	: Was	sh with plenty of soap and water. Get imm	ediate medical a	advice/attention.
First-aid	measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid	measures after ingestion		NOT induce vomiting. Never give anything th out with water. Get immediate medical		•
1.2.	Most important symptoms and effe	ects, both	acute and delayed		
	Most important symptoms and effe	: The	acute and delayed most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Symptom		: The 2.2)	most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Sympton 4.3.	ns/injuries	: The 2.2)	most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Symptom <mark>4.3.</mark> Freat syr	Indication of any immediate medic nptomatically.	: The 2.2)	most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Sympton 4.3. Treat syr SECTI	Indication of any immediate medic nptomatically. ON 5: Firefighting measures	: The 2.2)	most important known symptoms and eff and/or in section 11.	ects are describ	ed in the labelling (see section
Sympton 1.3. Freat syr SECTI 5.1.	Indication of any immediate medic nptomatically.	: The 2.2) al attenti : Alco	most important known symptoms and eff and/or in section 11.		
Sympton I.3. Freat syr SECTIO 5.1. Suitable	Indication of any immediate medic nptomatically. ON 5: Firefighting measures Extinguishing media	: The 2.2) al attenti : Alcc app	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.		
Sympton 4.3. Treat syr SECTI 5.1. Suitable 5.2.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st	: The 2.2) al attenti : Alcc app ubstance	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
Sympton 4.3. Freat syr SECTIO 5.1. Suitable 5.2. Fire haza	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st	: The 2.2) al attenti : Alcc app ubstance	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
Sympton 4.3. Freat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard	: The 2.2) al attenti : Alcc app ubstance : The	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
Symptom 4.3. Freat syr SECTI(5.1. Suitable 5.2. Fire haza 5.3. Firefighti	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters	: The 2.2) al attenti : Alcc app ubstance : The : In c	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon or	owder. Water sp ides. Hydrogen	bray. Use extinguishing media bromide. Hydrogen chloride.
Sympton 4.3. Treat syr SECTI(5.1. Suitable 5.2. Fire haza 5.3. Firefighti	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions	: The 2.2) al attenti : Alcc app ubstance : The : In c : Wea	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon ov ase of fire: Evacuate area.	owder. Water sp ides. Hydrogen in combination v	bray. Use extinguishing media bromide. Hydrogen chloride.
Symptom 4.3. Freat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting	: The 2.2) al attenti : Alcc app ubstance : The : In c : Wea app	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon ov ase of fire: Evacuate area. ar gas tight chemically protective clothing	owder. Water sp ides. Hydrogen in combination v	bray. Use extinguishing media bromide. Hydrogen chloride.
Sympton 4.3. Freat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting ON 6: Accidental release mea	: The 2.2) al attenti : Alcc app ubstance : The : In c : Wea app asures	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon ov ase of fire: Evacuate area. ar gas tight chemically protective clothing aratus. For further information refer to sec	owder. Water sp ides. Hydrogen in combination v	bray. Use extinguishing media bromide. Hydrogen chloride.
Sympton 4.3. Treat syr SECTIO 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTIO 5.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting	: The 2.2) al attenti : Alcc app ubstance : The : In c. : Wea app asures quipmen	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon ov ase of fire: Evacuate area. ar gas tight chemically protective clothing aratus. For further information refer to sec	owder. Water sp tides. Hydrogen in combination v tion 8: "Exposu	bray. Use extinguishing media bromide. Hydrogen chloride. with self contained breathing re controls/personal protection".
Symptom 4.3. Freat syr SECTION 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTION 5.1. General I	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting ON 6: Accidental release measures Personal precautions, protective e	: The 2.2) al attenti : Alcc app ubstance : The : In c. : Wea app asures quipmen	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. e or mixture rmal decomposition generates: Carbon on ase of fire: Evacuate area. ar gas tight chemically protective clothing aratus. For further information refer to sec t and emergency procedures	owder. Water sp tides. Hydrogen in combination v tion 8: "Exposu	bray. Use extinguishing media bromide. Hydrogen chloride. with self contained breathing re controls/personal protection".
Sympton 4.3. Treat syr SECTION 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTION 6.1. General I 5.1.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting ON 6: Accidental release measures	: The 2.2) al attenti : Alcc app ubstance : The : In c. : Wea app asures quipmen : Eva	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. e or mixture rmal decomposition generates: Carbon on ase of fire: Evacuate area. ar gas tight chemically protective clothing aratus. For further information refer to sec t and emergency procedures	owder. Water sp tides. Hydrogen in combination v tion 8: "Exposur equate air ventil	bray. Use extinguishing media bromide. Hydrogen chloride. with self contained breathing re controls/personal protection".
4.3. Treat syr SECTION 5.1. Suitable 5.2. Fire haza 5.3. Firefighti Protectio SECTION 6.1. General I 6.1.1.	Indication of any immediate medic mptomatically. ON 5: Firefighting measures Extinguishing media extinguishing media Special hazards arising from the st ard Advice for firefighters ng instructions in during firefighting ON 6: Accidental release measures Personal precautions, protective e measures For non-emergency personnel	: The 2.2) al attenti : Alcc app ubstance : The : In c. : Wea app asures quipmen : Eva	most important known symptoms and eff and/or in section 11. on and special treatment needed whol resistant foam. Carbon dioxide. Dry p ropriate for surrounding fire. or mixture rmal decomposition generates: Carbon or ase of fire: Evacuate area. ar gas tight chemically protective clothing aratus. For further information refer to sec t and emergency procedures cuate unnecessary personnel. Ensure add	owder. Water sp tides. Hydrogen in combination v tion 8: "Exposur equate air ventil	bray. Use extinguishing media bromide. Hydrogen chloride. with self contained breathing re controls/personal protection".

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3.	Methods and material for contain	ment and cleaning up
For co	ntainment	: Stop leak if safe to do so.
Metho	ds for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.
Other	nformation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No add	ditional information available	
SEC	FION 7: Handling and storage	
7.1.	Precautions for safe handling	

Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, mist, spray. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

Storage area	: Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	I chemical properties
Physical state	: Solid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: 63 - 67 °C
Freezing point	: No data available
Boiling point	: 196 °C
Flash point	: > 100 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.6349 g/ml (@ 20 °C)

Safety Data Sheet

Salety Data Sheet according to Federal Register / Vol. 77, No. 58 /	Monday, March 26, 2012 / Rules and Regulations
Molecular mass	: 191.453 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.5776 (@ 20 °C)
SECTION 10: Stability and read	tivity
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling	and storage conditions.
10.3. Possibility of hazardous read	tions
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	
Strong oxidizing agents.	
10.6. Hazardous decomposition pr	roducts
Under normal conditions of storage and u fire, see Section 5.	use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of
SECTION 11: Toxicological infe	
11.1. Information on toxicological	effects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

earoniogeniony	
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified

SECT	ON 12: Ecological information
12.1.	Toxicity
No addit	tional information available
12.2.	Persistence and degradability
No addit	tional information available
12.3.	Bioaccumulative potential
No addit	tional information available
12.4.	Mobility in soil
No addit	tional information available

Aspiration hazard

: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	۱۹ <u>ــــــــــــــــــــــــــــــــــــ</u>
13.1. Waste treatment methods	
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Transport document description	: UN2811 Toxic solids, organic, n.o.s., 6.1, III
JN-No.(DOT)	: UN2811
Proper Shipping Name (DOT)	: Toxic solids, organic, n.o.s.
ransport hazard class(es) (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
lazard labels (DOT)	: 6.1 - Poison
	6
Packing group (DOT)	: III - Minor Danger
OT Packaging Non Bulk (49 CFR 173.xxx)	: 213
OT Packaging Bulk (49 CFR 173.xxx)	: 240
OT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	: 100 kg
OOT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 200 kg
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
ſDG	
lo additional information available	
Fransport by sea	

05/14/2019

: 2811

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IMDG)	: TOXIC SOLID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 2811
Proper Shipping Name (IATA)	: Toxic solid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

15.1. US Federal regulations

4-Chlorobromobenzene (106-39-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

4-Chlorobromobenzene (106-39-8)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

4-Chlorobromobenzene (106-39-8)	
Listed on the AICS (Australian Inventory of Chemical Substances)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Revision date

: 05/14/2019

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.