



SynQuest Laboratories, Inc.

PO Box 309, Alachua, FL 32616-0309

Tel. 386/462-0788; FAX 386/462-7097

Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: September 16, 2014

Date printed: September 16, 2014

SECTION 1. ----- CHEMICAL IDENTIFICATION-----

CATALOG #: 1700-1-90B

NAME: TOLUENE-D8 >99.50 ATOM % D

SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS NUMBER: 2037-26-5

MDL NUMBER: MFCD00044638

MOLECULAR FORMULA: C₇H₈

MOLECULAR WEIGHT: 100.19

SECTION 3. ----- HAZARDS IDENTIFICATION -----

LABEL PRECAUTIONARY STATEMENTS

HIGHLY FLAMMABLE LIQUID AND VAPOR.

MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.

CAUSES SKIN IRRITATION.

CAUSES SERIOUS EYE IRRITATION.

HARMFUL IF INHALED.

MAY CAUSE DROWSINESS OR DIZZINESS.

SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.

MAY CAUSE DAMAGE TO ORGANS.

TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

SECTION 4. ----- FIRST-AID MEASURES-----

ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

DERMAL EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER.

EYE EXPOSURE

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES.

SECTION 5. ----- FIRE FIGHTING MEASURES -----

FLASH POINT

4 °C

EXTINGUISHING MEDIA

SUITABLE: FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

SPECIFIC HAZARD(S): FLAMMABLE LIQUID. VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: IRRITANT.

SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA. SHUT OFF ALL SOURCES OF IGNITION.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

COVER WITH DRY-LIME, SAND, OR SODA ASH. PLACE IN COVERED CONTAINERS USING NON-SPARKING TOOLS AND TRANSPORT OUTDOORS. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. ----- HANDLING AND STORAGE-----

HANDLING

USER EXPOSURE: DO NOT BREATHE VAPOR. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. STORE IN A COOL DRY PLACE.

SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. MECHANICAL EXHAUST REQUIRED. USE NONSPARKING TOOLS.

PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----

APPEARANCE AND ODOR

COLORLESS LIQUID

PHYSICAL PROPERTIES

BOILING POINT: 110°C
DENSITY: 0.943 g/mL @ 25 °C
REFRACTIVE INDEX: 1.494 @ 20 °C

SECTION 10. -----STABILITY AND REACTIVITY -----

STABILITY

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE.

SECTION 11. ----- TOXICOLOGICAL INFORMATION -----

ACUTE TOXICITY

LD50 ORAL - RAT - > 5,580 mg/kg
LC50 INHALATION - RAT - 4 H - 12,500 - 28,800 mg/m³
LD50 DERMAL - RABBIT - 12,196 mg/kg

SKIN CORROSION/IRRITATION

SKIN - RABBIT

RESULT: SKIN IRRITATION - 24 H

SERIOUS EYE DAMAGE/EYE IRRITATION

EYES - RABBIT

RESULT: SEVERE EYE IRRITATION - 24 H

REPRODUCTIVE TOXICITY

DAMAGE TO FETUS POSSIBLE
SUSPECTED HUMAN REPRODUCTIVE TOXICANT
EXPERIMENTS HAVE SHOWN REPRODUCTIVE TOXICITY EFFECTS IN MALE AND FEMALE
LABORATORY ANIMALS.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

MAY CAUSE DROWSINESS OR DIZZINESS.
MAY CAUSE DAMAGE TO ORGANS.

ADDITIONAL INFORMATION

LUNG IRRITATION, CHEST PAIN, PULMONARY EDEMA, INHALATION STUDIES ON TOLUENE
HAVE DEMONSTRATED THE DEVELOPMENT OF INFLAMMATORY AND ULCEROUS LESIONS
OF THE PENIS, PREPUCE, AND SCROTUM IN ANIMALS.
STOMACH - IRREGULARITIES - BASED ON HUMAN EVIDENCE

SECTION 12. ----- ECOLOGICAL INFORMATION -----

AN ENVIRONMENTAL HAZARD CANNOT BE EXCLUDED IN THE EVENT OF
UNPROFESSIONAL HANDLING OR DISPOSAL. TOXIC TO AQUATIC LIFE.

SECTION 13. ----- DISPOSAL CONSIDERATIONS -----

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION
BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND
SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS
HIGHLY FLAMMABLE. OBSERVE ALL FEDERAL, STATE, AND LOCAL
ENVIRONMENTAL REGULATIONS.

SECTION 14. ----- TRANSPORT INFORMATION -----

UN NUMBER: 1294 CLASS: 3 PACKING GROUP: II

SECTION 15. ----- REGULATORY INFORMATION -----

EU ADDITIONAL CLASSIFICATION
SYMBOL OF DANGER: F, Xn
INDICATION OF DANGER: FLAMMABLE, HARMFUL.
RISK STATEMENTS: R11,R36/37/38,R48/20,R63,R65,R67
SAFETY STATEMENTS: S23,S24/25,S26,S36/37/39,S45,S46,S62
UNITED STATES REGULATORY INFORMATION
TSCA: NOT LISTED ON TSCA INVENTORY; FOR R&D USE ONLY

SECTION 16. ----- OTHER INFORMATION-----

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO
BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL
NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING
OR FROM CONTACT WITH THE ABOVE PRODUCT.