

1-(1-Chloro-2,2-difluoroethyl)benzene Safety Data Sheet 1700731 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/12/2018 Version: 1.0

| SECTION 1: Identification | |
|---|--|
| .1. Identification | |
| | . Substance |
| Product form Substance name | : Substance |
| | : 1-(1-Chloro-2,2-difluoroethyl)benzene |
| CAS No | : 345-62-0 |
| Product code | : 1700-7-31 |
| Formula | : C8H7CIF2 |
| synonyms | : (1-Chloro-2,2-difluoroethyl)benzene |
| Other means of identification | : MFCD20624274 |
| .2. Relevant identified uses of the s | substance or mixture and uses advised against |
| Jse of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and development |
| .3. Details of the supplier of the sat | fety data sheet |
| SynQuest Laboratories, Inc. Ρ.Ο. Box 309 Alachua, FL 32615 - United States of Americ Γ (386) 462-0788 - F (386) 462-7097 nfo@synquestlabs.com - www.synquestlabs | |
| I.4. Emergency telephone number | |
| Emergency number | : (844) 523-4086 (3E Company - Account 10069) |
| Classification (GHS-US) Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator | irritation |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 | irritation |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements | irritation |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 | irritation |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | irritation ry irritation : GHS07 : Warning |
| Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye i STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | irritation ry irritation |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 0.0 Other berend | | | | | |
|---|--|---|--------------------|---|------|
| 2.3. Other hazards | | | | | |
| No additional information available | | | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | | | |
| Not applicable | | | | | |
| SECTION 3: Composition/information | n on in | gredients | | | |
| 3.1. Substance | | | | | |
| Substance type | : Mono | constituent | | | |
| Name | | Product identifier | % | Classification (GHS-US) | |
| 1-(1-Chloro-2,2-difluoroethyl)benzene (Main constituent) | | (CAS No) 345-62-0 | <= 100 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 | |
| Full text of H-phrases: see section 16 | | - | | • | |
| 3.2. Mixture | | | | | |
| Not applicable | | | | | |
| SECTION 4: First aid measures | | | | | |
| 4.1. Description of first aid measures | | | | | |
| First-aid measures general | | se of accident or if you feel unwell, seek e possible). Move the affected personnel | | | |
| First-aid measures after inhalation | | ove person to fresh air and keep comfort ation. Get immediate medical advice/atte | | g. If not breathing, give artific | ial |
| First-aid measures after skin contact | | with plenty of soap and water. Get med | | | |
| First-aid measures after eye contact | | ove contact lenses, if present and easy to ughly with water for at least 15 minutes. | | | S |
| First-aid measures after ingestion | First-aid measures after ingestion : Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention. | | | | |
| 4.2. Most important symptoms and effect | s, both | acute and delayed | | | |
| Symptoms/injuries | | nost important known symptoms and effe ind/or in section 11. | ects are describe | ed in the labelling (see section | n |
| Symptoms/injuries after inhalation | : May o | cause drowsiness or dizziness. | | | |
| Symptoms/injuries after skin contact | toms/injuries after skin contact : Contact with the liquid the may cause cold burns/frostbite. | | | | |
| Symptoms/injuries after eye contact | | t contact with the liquefied gas may caus stbite from rapid liquid evaporation. | e severe and po | ossibly permanent eye injury o | due |
| 4.3. Indication of any immediate medical | attentio | n and special treatment needed | | | |
| No additional information available | | | | | |
| SECTION 5: Firefighting measures | | | | | |
| 5.1. Extinguishing media | | | | | |
| Suitable extinguishing media | | ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire. | owder. Water sp | oray. Use extinguishing media | l |
| 5.2. Special hazards arising from the sub | stance | or mixture | | | |
| Fire hazard | : Therr | nal decomposition generates: Carbon ox | ides. Hydrogen | chloride. Hydrogen fluoride. | |
| Explosion hazard | | of explosion if heated under confinement iners. | . Use water spra | ay or fog for cooling exposed | |
| 5.3. Advice for firefighters | | | | | |
| Firefighting instructions | : In cas | se of fire: Evacuate area. Fight fire remot | tely due to the ri | sk of explosion. | |
| Protection during firefighting | | gas tight chemically protective clothing i ratus. For further information refer to sec | | | ו". |
| SECTION 6: Accidental release meas | ures | <u></u> | | | |
| 6.1. Personal precautions, protective equ | | and emergency procedures | | | |
| General measures | : Evac | uate unnecessary personnel. Ensure ade or spray. | equate air ventila | ation. Do not breathe gas, fun | nes, |
| 6.1.1. For non-emergency personnel | | | | | |
| Emergency procedures | : Only | qualified personnel equipped with suitab | le protective equ | uipment may intervene. | |
| 03/13/2018 | EN (Eng | glish US) | SDS ID: 1700731 | | 2/6 |

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.2. For emergency responders | |
|--|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify authorities | es if product enters sewers or public waters. |
| 6.3. Methods and material for containme | nt and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including | ng any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |
| | |

| SECTION 8: Ex | posure controls | personal | protection |
|---------------|-----------------|----------|------------|
| | | | |

8.1. **Control parameters**

0.0

No additional information available

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand protection | : Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye protection | : Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other information | : Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and | d chemical properties |
|---|---------------------------|
| Physical state | : Liquid |
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 89 - 90 °C (@ 25 mm Hg) |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | - |
|---------------------------------|---------------------|
| Flammability (solid, gas) | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Molecular mass | : 176.591 g/mol |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| 9.2. Other information | |
| | |

Refractive index

: 1.495 (@ 25 °C)

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

SECTION 10: Stability and reactivity

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity | : Not classified |
|--|--|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : May cause drowsiness or dizziness. |
| Symptoms/injuries after skin contact | : Contact with the liquid the may cause cold burns/frostbite. |
| Symptoms/injuries after eye contact | : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation. |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| J | |
|----------|-------------------------------|
| SECTI | ON 12: Ecological information |
| 12.1. | Toxicity |
| No addit | ional information available |
| 12.2. | Persistence and degradability |
| No addit | ional information available |
| 12.3. | Bioaccumulative potential |
| No addit | ional information available |
| 12.4. | Mobility in soil |
| No addit | ional information available |
| 12.5. | Other adverse effects |
| No addit | ional information available |

| SECTION 13: Disposal consideration | ins |
|------------------------------------|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| | |

Department of Transportation (DOT)

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 1-(1-Chloro-2,2-difluoroethyl)benzene | CAS No 345-62-0 | 100% |
|---------------------------------------|-----------------|------|
| | - | |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A | |
|---|--|--|
| | , | |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 | |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 | |
| H315 | Causes skin irritation | |
| H319 | Causes serious eye irritation | |
| H335 | May cause respiratory irritation | |
| NFPA health hazard | : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. | |
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. | |
| NFPA reactivity | O - Normally stable, even under fire exposure conditions, and are not reactive with water. | |
| HMIS III Rating | | |
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur | |
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquid solids and semi solids having a flash point above 200 F. (Class IIIB) | |
| Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, a react with water, polymerize, decompose, condense, or self-react. Non-Explosives. | | |

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.