

4,4'-Difluorobenzhydryl chloride, technical grade Safety Data Sheet 17007X6T according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 03/28/2018 Version: 1.0

SECTION 1: Identification						
1.1. Identification						
Product form	: Substance					
Substance name	: 4,4'-Difluorobenzhydryl chloride,	technical grade				
CAS No	: 27064-94-4					
Product code	: 1700-7-X6T					
Formula	: C13H9CIF2					
Synonyms	: Chlorobis(4-fluorophenyl)methar	e				
Other means of identification	: MFCD00044329					
1.2. Relevant identified uses of the subs	stance or mixture and uses advise	l against				
Use of the substance/mixture	: Laboratory chemicals					
	Manufacture of substances Scientific research and developn	ient				
1.3. Details of the supplier of the safety	data sheet					
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	<u>n</u>					
Emergency number	: (844) 523-4086 (3E Company - /	Account 10069)				
SECTION 2: Hazard(s) identification						
2.1. Classification of the substance or m						
	IIXture					
Classification (GHS-US)						
Eye Dam. 1 H318 - Causes serious eye dar						
Full text of H-phrases: see section 16						
2.2. Label elements						
GHS-US labeling						
Hazard pictograms (GHS-US)						
	GHS05 GHS07					
Signal word (GHS-US)	: Danger					
Hazard statements (GHS-US)	: H314 - Causes severe skin burn H335 - May cause respiratory irr					
Precautionary statements (GHS-US)	P301+P330+P331 - If swallowed P303+P361+P353 - If on skin (o skin with water/shower P304+P340 - If inhaled: Remove P305+P351+P338 - If in eyes: R lenses, if present and easy to do P310 - Immediately call a POISO P321 - Specific treatment (see s P363 - Wash contaminated cloth	er handling well-ventilated area otective clothing/eye protection/face protection : rinse mouth. Do NOT induce vomiting hair): Take off immediately all contaminated clo person to fresh air and keep comfortable for br nse cautiously with water for several minutes. F Continue rinsing N CENTER or doctor/ physician upplemental first aid instructions on this label)	eathing			
	EN (English US)					

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P501 - Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards	. Look-	umotor		
Other hazards not contributing to the classification	: Lachr	ງເກລເບເ.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on on in	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
4,4'-Difluorobenzhydryl chloride, technical grade		(CAS No) 27064-94-4	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318
(Main constituent)				STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: In cas	e of accident or if you feel unwell, seek	medical advice i	mmediately (show the label
		possible). Move the affected personnel		,
First-aid measures after inhalation		ve person to fresh air and keep comfort ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact	media	with plenty of soap and water. Remove al advice/attention.		-
First-aid measures after eye contact	prese	diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get	immediate med	ical advice/attention.
First-aid measures after ingestion		OT induce vomiting. Never give anything out with water. Get immediate medical		
4.2. Most important symptoms and effe	ects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe nd/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		ial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medic	al attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the su	ubstance o	or mixture		
Fire hazard		nal decomposition generates: Carbon ox		
Explosion hazard	: Risk o conta	of explosion if heated under confinement iners.	. Use water spra	ay or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions		e of fire: Evacuate area. Fight fire remot		•
Protection during firefighting		gas tight chemically protective clothing i atus. For further information refer to sec		
SECTION 6: Accidental release mea	asures			
6.1. Personal precautions, protective e				
General measures		ate unnecessary personnel. Ensure ade or spray.	equate air ventila	ation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suitab	e protective equ	ipment may intervene.
10/01/2018	EN (Eng	lish US)	SDS ID: 17007X61	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-		
6.1.2.	For emergency responders	
Protectiv	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergen	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2.	Environmental precautions	
Avoid rel	ease to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3.	Methods and material for containme	ent and cleaning up
For conta	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other info	ormation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No additi	ional information available	
SECTIO	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precautio	ons for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal
		protective equipment. Avoid contact with skin and eyes.
Hygiene	measures	 protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
	measures Conditions for safe storage, includi	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.		: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Technica	Conditions for safe storage, includi	 Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. ng any incompatibilities
7.2. Technica Storage o	Conditions for safe storage, includinal measures	 Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. ng any incompatibilities Comply with applicable regulations.

N 8: Exposur e controis/personal pr 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 126 - 128 °C (@ 1 mm Hg)
Flash point	: 113 °C
Relative evaporation rate (butyl acetate=1)	: No data available

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.28 g/ml (@ 25 °C)
Molecular mass	: 238.66 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2 Other information	

Other information 9.2.

Refractive index

: 1.557 (@ 20 °C)

SECT	FION 10: Stability and reactivity			
10.1.	Reactivity			
No addi	ditional information available			
10.2.	Chemical stability			
The pro	oduct is stable at normal handling and storage of	conditions.		
10.3.	Possibility of hazardous reactions			
	ditional information available			
10.4.	Conditions to avoid			
Keep av	away from heat, sparks and flame.			
10.5.	Incompatible materials			
Strong	oxidizing agents.			
10.6.	Hazardous decomposition products			
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.				
SECT	FION 11: Toxicological information			
11.1.	Information on toxicological effects			
Acute to	toxicity · N	Not classified		

Acute toxicity	:	Not classified	
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.	
Serious eye damage/irritation	:	Causes serious eye damage.	
Respiratory or skin sensitization	:	Not classified	
Germ cell mutagenicity	:	Not classified	
Carcinogenicity	:	Not classified	
Reproductive toxicity	:	Not classified	
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	:	Not classified	
Aspiration hazard	:	Not classified	
Symptoms/injuries after inhalation	:	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, II
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : II Medium Danger
- : 202
- : 242
- : G Identifies PSN requiring a technical name
- : B2 MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.

TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.

TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail : 1 L (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

4,4'-Difluorobenzhydryl chloride, technical grade CAS No 27064-94-4 100%	Substances Control Act (TSCA) Inventory except for.		
	4,4'-Difluorobenzhydryl chloride, technical grade	CAS No 27064-94-4	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

	Eye Dam. 1	Serious eye damage/eye irritation Category 1
	Skin Corr. 1B	Skin corrosion/irritation Category 1B
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.