

Safety Data Sheet 17009X0 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/21/2016 Version: 1.0

I.1. Identification	
Product form	: Substance
Substance name	: 3,5-Dimethylbenzyl bromide
CAS No	: 27129-86-8
Product code	: 1700-9-X0
Formula	: C9H11Br
Synonyms	: 1-(Bromomethyl)-3,5-dimethylbenzene; 5-(Bromomethyl)-m-xylene; alpha-Bromomesitylene
Other means of identification	: MFCD00013539
.2. Relevant identified uses of the s	substance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc.	
P.O. Box 309	
Alachua, FL 32615 - United States of Americ Γ (386) 462-0788 - F (386) 462-7097	ia di seconda di second
nfo@synquestlabs.com - www.synquestlabs	s.com
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
ECTION 2: Hazard(s) identification	on
.1. Classification of the substance of	or mixture
Classification (GHS-US)	
Skin Corr. 1B H314 - Causes severe skin	burns and eve damage
Eye Dam. 1 H318 - Causes serious eye	
STOT SE 3 H335 - May cause respirate	pry irritation
ull text of H-phrases: see section 16	
un text of 11-prilases. See Section 10	
2.2. Label elements	
2.2. Label elements GHS-US labeling	
.2. Label elements HS-US labeling	
.2. Label elements HS-US labeling	
.2. Label elements HS-US labeling lazard pictograms (GHS-US)	: GHS05 GHS07 GHS07
.2. Label elements HS-US labeling lazard pictograms (GHS-US)	: Danger
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Danger</li> <li>H314 - Causes severe skin burns and eye damage</li> <li>H335 - May cause respiratory irritation</li> </ul>
2.2. Label elements GHS-US labeling	: Danger : H314 - Causes severe skin burns and eye damage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

# **3,5-Dimethylbenzyl bromide** Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	y, March 26,	2012 / Rules and Regulations		
2.3. Other hazards				
Other hazards not contributing to the classification	: Lach	rymator.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/informati</b>	on on in	gredients		
3.1. Substance				
Substance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
3,5-Dimethylbenzyl bromide (Main constituent)		(CAS No) 27129-86-8	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comforta ration. Get immediate medical advice/atte		ng. If not breathing, give artificial
First-aid measures after skin contact		with plenty of soap and water. Remove cal advice/attention.	contaminated o	clothing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get immediate medical		
4.2. Most important symptoms and effe	ects, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation		rial is destructive to tissue of the mucuou ness of breath, headache, nausea.	s membranes a	and upper respiratory tract. Cough,
4.3. Indication of any immediate medic	al attentio	n and special treatment needed		
Treat symptomatically.				
<b>SECTION 5: Firefighting measures</b>				
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the s	ubstance	or mixture		
Fire hazard	: Therr	nal decomposition generates: Carbon ox	ides. Hydrogen	bromide.
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area.		
Protection during firefighting		gas tight chemically protective clothing i ratus. For further information refer to sec		
SECTION 6: Accidental release me	asures			
6.1. Personal precautions, protective e	quipment	and emergency procedures		
General measures		uate unnecessary personnel. Ensure ade he gas, fumes, vapor or spray.	equate air ventil	ation. Do not breathe dust. Do not
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suitable	e protective eq	uipment may intervene.
6.1.2. For emergency responders				
Protective equipment		ot attempt to take action without suitable to section 8: "Exposure controls/persona		oment. For further information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions	
	y authorities if product enters sewers or public waters.
	ontainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	\$
No additional information available	
SECTION 7: Handling and sto	prage
7.1. Precautions for safe handli	ng
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
	<ul><li>Keep container closed when not in use.</li><li>Refer to Section 10 on Incompatible Materials.</li></ul>

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

# **SECTION 9: Physical and chemical properties**

- 40 °C data available 9 - 110 °C (@ 14 mm Hg) data available data available data available data available data available
data available 9 - 110 °C (@ 14 mm Hg) data available data available
data available 9 - 110 °C (@ 14 mm Hg) data available
data available 9 - 110 °C (@ 14 mm Hg)
data available
- 40 °C
data available
data available
data available
data available
v melting solid.
id

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 199.09 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity					
10.1.	0.1. Reactivity					
No add	itional information available					
10.2.	. Chemical stability					
The pro	duct is stable at normal handling and storage conditions.					
10.3.	Possibility of hazardous reactions					
No add	itional information available					
10.4.	Conditions to avoid					
Keep a	way from heat, sparks and flame.					
10.5.	Incompatible materials					
Alcohol	s. Amines. Bases. Oxidizing agents.					
10.0	Herereleus desembersitien preducts					

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTI	SECTION 11: Toxicological information			
11.1.	Information on toxicological effects			

Acute toxicity	Not classified	
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitization	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
Specific target organ toxicity (single exposure)	May cause respiratory irritation.	
Specific target organ toxicity (repeated exposure)	Not classified	
Aspiration hazard	Not classified	
Symptoms/injuries after inhalation	Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Co shortness of breath, headache, nausea.	ugh,

SECTIO	DN 12: Ecological information
12.1.	Toxicity
No additio	onal information available
12.2.	Persistence and degradability
No additio	onal information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential		
No addi	itional information available		
12.4.	Mobility in soil		
No addi	itional information available		
12.5.	Other adverse effects		
No addi	itional information available		

# **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1

Waste treatment methods Waste disposal recommendations

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Additional information
- Recycle the material as far as possible.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, II
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: 212

: 240

: II - Medium Danger

- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : G Identifies PSN requiring a technical name

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle. IP4 - Flexible, fiberboard or wooden IBCs must be sift-proof and water-resistant or be fitted with a sift-proof and water-resistant liner. T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 15 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 50 kg CFR 175.75)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
JN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
JN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: II - Medium Danger

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) inventory except for:		
3,5-Dimethylbenzyl bromide	CAS No 27129-86-8	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### **15.2. International regulations**

**CANADA** 

No additional information available

**EU-Regulations** 

No additional information available

### **National regulations**

3,5-Dimethylbenzyl bromide (27129-86-8)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on NZIoC (New Zealand Inventory of Chemicals)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

# **SECTION 16: Other information**

### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given	
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.