

Safety Data Sheet 17009X1

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/12/2018 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 4-Bromo-2-methylbenzyl bromide
CAS No	: 156001-49-9
Product code	: 1700-9-X1
Formula	: C8H8Br2
Synonyms	: 5-Bromo-2-(bromomethyl)toluene; 4-Bromo-1-(bromomethyl)-2-methylbenzene
Other means of identification	: MFCD12025011
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the s	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ame T (386) 462-0788 - F (386) 462-7097 nfo@synquestlabs.com - www.synquestla	<u>bs.com</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
Classification (GHS-US)Skin Corr. 1BH314 - Causes severe slEye Dam. 1H318 - Causes serious eSTOT SE 3H335 - May cause respired	ye damage
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS05 CHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P260 - Do not breathe dust, mist, spray P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant

4-Bromo-2-methylbenzyl bromide Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ac

	aicii 20,			
2.3. Other hazards				
Other hazards not contributing to the : Lachrymator. classification				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on in	gredients		
3.1. Substance				
Substance type :	Mono	constituent		
Name		Product identifier	%	Classification (GHS-US)
4-Bromo-2-methylbenzyl bromide (Main constituent)	(CAS No) 156001-49-9 <= 100 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335			
Full text of H-phrases: see section 16				·
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general :		e of accident or if you feel unwell, seek r possible). Move the affected personnel		
First-aid measures after inhalation :		ve person to fresh air and keep comforta ation. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact :		with plenty of soap and water. Remove al advice/attention.	contaminated cl	othing and shoes. Get immediate
First-aid measures after eye contact :		diately flush eyes thoroughly with water f nt and easy to do. Continue rinsing. Get		
First-aid measures after ingestion :		DT induce vomiting. Never give anything out with water. Get immediate medical a		
4.2. Most important symptoms and effects	, both a	acute and delayed		
Symptoms/injuries :		nost important known symptoms and effe nd/or in section 11.	cts are describe	ed in the labelling (see section
Symptoms/injuries after inhalation :		al is destructive to tissue of the mucuous less of breath, headache, nausea.	s membranes a	nd upper respiratory tract. Cough,
4.3. Indication of any immediate medical a	ttentio	and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	ray. Use extinguishing media
5.2. Special hazards arising from the subs	tance o	or mixture		
Fire hazard :	Thern	nal decomposition generates: Carbon oxi	des. Hydrogen	bromide.
5.3. Advice for firefighters				
Firefighting instructions : In case of fire: Evacuate area.				
Protection during firefighting :		gas tight chemically protective clothing in		
	appar	atus. For further information refer to sect	ion 8: "Exposur	e controls/personal protection".
SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equi		and emergency procedures		
General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust.				
6.1.1. For non-emergency personnel				
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.				
6.1.2. For emergency responders				
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containme	ent and cleaning up		
For containment	: Stop leak if safe to do so.		
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties	
Physical state	: Solid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: 44 - 45 °C	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 110 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20 °C	: No data available
Molecular mass	: 263.957 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTIC	DN 10: Stability and reactivity	
10.1.	Reactivity	
No additic	onal information available	
10.2.	Chemical stability	
The produ	uct is stable at normal handling and storage conditions.	
10.3.	Possibility of hazardous reactions	
No additional information available		
10.4.	Conditions to avoid	
Keep awa	ay from heat, sparks and flame.	
10.5.	Incompatible materials	
Strong oxidizing agents.		

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1. Information on toxicological effect	S			
Acute toxicity	: Not classified			
Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
Serious eye damage/irritation	: Causes serious eye damage.			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			

Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available

Symptoms/injuries after inhalation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mobility in soil 12.4.

No additional information available

12.5. Other adverse effects

No additional information available

Waste treatment methods : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Waste disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions. Additional information : Recycle the material as far as possible. SECTION 14: Transport information : Recycle the material as far as possible. Department of Transport and the content description : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III UN-No.(DOT) : UN3261 Proper Shipping Name (DOT) : Corrosive solid, acidic, organic, n.o.s. Transport dazard class(es) (DOT) : 8 - Corrosive Hazard labels (DOT) : 8 - Corrosive DOT Packaging Non Bulk (49 CFR 173.xxx) : 240 DOT Special Provisions (49 CFR 173.xxx) : 240 DOT Special Provisions (49 CFR 172.102) : B8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H, 11H, 21H, 21H, 21H, 21H, 21H, 21H,	SECTION 13: Disposal consideration	5
Department of Transportation (DOT) In accordance with DOT Transport document description : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III UN-No (DOT) :: UN3261 Proper Shipping Name (DOT) :: Corrosive solid, acidic, organic, n.o.s. Transport hazard class(se) (DOT) :: 8 - Class 8 - Corrosive material 49 CFR 173.136 Hazard labels (DOT) :: 8 - Corrosive Packing group (DOT) :: III - Minor Danger DOT Packaging Bulk (49 CFR 173.xxx) :: 243 DOT Symbols :: G - Identifies PSN requiring a technical name DOT Symbols :: G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) :: IB8 - Authorized IBCs: Metal (114, 118, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 23H1H2, and 31H2); Corposite (11H2, 11H2, 21H2, 21H21, 11H22, 21H21, 11H2, 21H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13H3 or 13M2). IP3 - Flexible IBCS must be slipproof and water-resistant iner. :1 - 1.1 F18, 274(0/(2) Normal	Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Department of Transport document description : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III UN-No.(DOT) :: UN3261 Proper Shipping Name (DDT) :: Corrosive solid, acidic, organic, n.o.s. Transport accadicase(se) (DDT) ::: Corrosive solid, acidic, organic, n.o.s. Transport hazard class(se) (DDT) ::: Corrosive material 49 CFR 173.136 Hazard labels (DOT) ::: Corrosive Packing group (DOT) ::: UII - Minor Danger DOT Packaging Bulk (49 CFR 173.xxx) :: 240 DOT Symbols ::: G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.toz) ::: B8 - Authorized IBCs::: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 23H1 and 31H2; Corposite (11H21, 11H22, 21H21, and 21H22; Silterboard (11G); Wooden (11C, 11D and 11F); Feable (15H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13H3 or 13M2); III - 15, 17K, 17K, 274(J(2) Normal	SECTION 14: Transport information	
In accordance with DOT Transport document description I UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III UN-No.(DOT) I UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III Proper Shipping Name (DOT) I Class 8 - Corrosive material 49 CFR 173.136 Transport hazard class(es) (DOT) 8 - Class 8 - Corrosive material 49 CFR 173.136 Hazard labels (DOT) 8 - Class 8 - Corrosive Packing group (DOT) 10 - Minor Danger DOT Packaging Bulk (49 CFR 173.xxx) 2 213 DOT Special Provisions (49 CFR 172.102) 10 - Minor Danger DOT Special Provisions (49 CFR 172.102) 10 - Minor 20 - Min		
Transport document description: UN3261 Corrosive solid, acidic, organic, n.o.s., 8, IIIUN-No.(DOT): UN3261Proper Shipping Name (DOT): Corrosive solid, acidic, organic, n.o.s.Transport hazard class(es) (DOT): 8 - Class & - Corrosive material 49 CFR 173.136Hazard labels (DOT): 8 - Class & - CorrosivePacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 213DOT Packaging Bulk (49 CFR 173.xxx): G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): IB - Authorized IECs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H, 11HZ, 21H, 21H, 21H, 21H, 21H, 21H, 21H, 21H		
UN-No.(DOT) : UN3261 Proper Shipping Name (DOT) : Corrosive solid, acidic, organic, n.o.s. Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136 Hazard labels (DOT) : 8 - Corrosive Packing group (DOT) : III - Minor Danger DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 111A, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H, 11H, 21H, 21H, 21H, 21H, 21H, 21H,		. UN2261 Corrective colid condia erronte n.e. e. 9. III
Proper Shipping Name (DOT) : Corrosive solid, acidic, organic, n.o.s. Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136 Hazard labels (DOT) : 8 - Corrosive Packing group (DOT) : III - Minor Danger DOT Packaging Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Special Provisions (49 CFR 172.102) : IB - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1, and 31H2); Composite (11E21, 11H22, 21H21, 21H22, 31H21, and and 11E); Flexible (13H1, 13H2, 13H4, 13H4, 13H5, 13L4, 13L4, 13L4, 13L4, 13H4, 13H5, 13L4, 13L4, 13L4, 13L4, 13L4, 13L4, 13L4, 13L4, 13H2, 13H2, 15H3, 13L4, 13L4, 13H2, 15H3, 13L4, 13H2, 15H3, 13L4, 13H2, 15H3, 13L4, 13	Transport document description	. UN3261 CONSIVE SOIId, actor, organic, n.o.s., 8, in
Transport hazard class(es) (DOT): 8 - Class 8 - Corrosive material 49 CFR 173.136Hazard labels (DOT): 8 - CorrosivePacking group (DOT): III - Minor DangerDOT Packaging Non Bulk (49 CFR 173.xxx): 213DOT Packaging Bulk (49 CFR 173.xxx): 240DOT Symbols: G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): B - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22; Fiberboard (11G); Wooden (11C, (11D and 11F); Flexible (13H1, 13H2, 13H4, 13H5, 13L, 13L, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant in rm. TT 1 - 1.5 178.274(0)(2) Normal	UN-No.(DOT)	: UN3261
Hazard labels (DOT) : 8 - Corrosive Packing group (DOT) : III - Minor Danger DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Special Provisions (49 CFR 173.xxx) : 240 DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (1H21, 11H2, 21H21, 21H21, 21H21, 21H21, 21H21, 21H21, 21H22, 31H21 and 31H2); Composite (1H21, 11H22, 21H21, 21H22, 31H21 and 31H2); Nooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sith-proof and water-resistant or must be fitted with a sith-proof and water-resistant liner. T1 - 1.5 178.274(0)(2) Normal	Proper Shipping Name (DOT)	: Corrosive solid, acidic, organic, n.o.s.
Packing group (DOT) : III - Minor Danger DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Symbols : G. I dentifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : BB Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Fiexible (13H1, 13H2, 13H3, 13H4 13H5, 13L1, 13L2, 13L3, 13M1 or 13M2). IP3 - Flexible IBCs must be sitt-proof and water-resistant or must be fitted with a sitt-proof and water-resistant infer. T. 1 - 1 5 178.274(d)(2) Normal	Transport hazard class(es) (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H1, 21H1, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal	Hazard labels (DOT)	: 8 - Corrosive
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H1, 21H1, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal		
DOT Packaging Non Bulk (49 CFR 173.xxx): 213DOT Packaging Bulk (49 CFR 173.xxx): 240DOT Symbols: G - Identifies PSN requiring a technical nameDOT Special Provisions (49 CFR 172.102): IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).IP3 - Flexible IBCS< must be sift-proof and water-resistant timer. T1 - 1.5 178.274(d)(2) Normal		8
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H1, 21H1, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs: must be sift-proof and water-resistant iner. T1 - 1.5 178.274(d)(2) Normal		
DOT Packaging Bulk (49 CFR 173.xxx) : 240 DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : B8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31H22); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCS must be sith-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal		0
DOT Symbols : G - Identifies PSN requiring a technical name DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 12H2, 31H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H2); Fiberobard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant iner. T1 - 1.5 178.274(d)(2) Normal		
DOT Special Provisions (49 CFR 172.102) : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 23, 11H1 and 31H2); Composite (11H21, 11H22, 21H21, 21H22, 31H21 and 31H2); Tiberboard (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant iner. T1 - 1.5 178.274(d)(2) Normal	· ·	
 plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H2, 13H1, 13H2, 13H3, 13H2, 13H1, 13H2, 13H3, 13H2, 13H1, 13H2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal	,	
DOT Quantity Limitations Passenger aircraft/rail : 25 kg (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49) : 100 kg CFR 175.75) CFR 175.75) : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.		 plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal
(49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 100 kg CFR 175.75) DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
CFR 175.75) DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 25 kg
passenger vessel.		: 100 kg
	DOT Vessel Stowage Location	
	Other information	
	TDG	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Packing group (IMDG)	 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. 8 - Corrosive substances III - substances presenting low danger
Air transport UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Bromo-2-methylbenzyl bromide	CAS No 156001-49-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	

NFPA health hazard

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

NFPA fire hazard NFPA reactivity

- : 0 Materials that will not burn.
- : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.