

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 1700B17 Issue date: 4/11/2023 Version: 1.0

| SECTION 1: Identification | | |
|--|--|--|
| 1.1. Identification | | |
| Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification | Substance 1-Bromo-4-(difluoromethyl)be 51776-71-7 1700-B-17 C7H5BrF2 4-Bromo-alpha,alpha-difluoro MFCD06657964 | enzene otoluene; 4-Bromo-1-(difluoromethyl)benzene |
| 1.2. Recommended use and restrictions of | n use | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and devel | opment |
| 1.3. Supplier | | |
| SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | | |
| 1.4. Emergency telephone number | | |
| Emergency number | : (844) 523-4086 (3E Compan | y - Account 10069) |
| SECTION 2: Hazard(s) identification | | |
| 2.1. Classification of the substance or mix | ture | |
| GHS US classification | | |
| Flammable liquids Category 4 Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 4 | H227 H302 H312 | Combustible liquid Harmful if swallowed Harmful in contact with skin |

| Acute toxicity (dermal) Category 4 | H312 |
|--|--------|
| Skin corrosion/irritation Category 2 | H315 |
| Serious eye damage/eye irritation Category 2A | H319 |
| Specific target organ toxicity – Single exposure, Category 3, | H335 |
| Respiratory tract irritation | |
| Hazardous to the aquatic environment – Acute Hazard Category 2 | H401 |
| Hazardous to the aquatic environment - Chronic Hazard Category 2 | 2 H411 |
| Full text of H statements : see section 16 | |
| | |

Harmful in contact with skin Causes skin irritation Causes serious eye irritation May cause respiratory irritation Toxic to aquatic life Toxic to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US)



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Hazard statements (GHS US) | : H227 - Combustible liquid |
|-----------------------------------|---|
| | H302+H312 - Harmful if swallowed or in contact with skin |
| | H315 - Causes skin irritation |
| | H319 - Causes serious eye irritation |
| | H335 - May cause respiratory irritation |
| | H411 - Toxic to aquatic life with long lasting effects |
| Precautionary statements (GHS US) | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |
| | smoking. |
| | P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. |
| | P264 - Wash skin thoroughly after handling |
| | P270 - Do not eat, drink or smoke when using this product. |
| | P271 - Use only outdoors or in a well-ventilated area. |
| | P273 - Avoid release to the environment. |
| | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| | P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell |
| | P302+P352 - If on skin: Wash with plenty of soap and water |
| | P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses, if present and easy to do. Continue rinsing. |
| | P312 - Call a POISON CENTER or doctor/physician if you feel unwell |
| | P321 - Specific treatment (see supplemental first aid instructions on this label) |
| | P322 - Specific treatment (see supplemental first aid instruction on this label) |
| | P330 - Rinse mouth. |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| | P362+P364 - Take off contaminated clothing and wash it before reuse. |
| | P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish |
| | P391 - Collect spillage. |
| | P403+P233 - Store in a well-ventilated place. Keep container tightly closed. |
| | P403+P235 - Store in a well-ventilated place. Keep cool. |
| | P405 - Store locked up. |
| | P501 - Dispose of contents/container to an approved waste disposal plant |

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|---|---------------------|---|---|
| 1-Bromo-4-(difluoromethyl)benzene (Main constituent) | CAS-No.: 51776-71-7 | | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 |

Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Not applicable

| SECTION 4: First-aid measures | |
|---|---|
| 4.1. Description of first aid measures | |
| | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get immediate medical advice/attention. |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. |
| 4.2. Most important symptoms and effects (a | acute and delayed) |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 |

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

| SECTION 5: Fire-fighting measures | |
|---|---|
| 5.1. Suitable (and unsuitable) extinguishing | media |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. |
| 5.2. Specific hazards arising from the chemi | ical |
| Fire hazard Explosion hazard | Thermal decomposition generates: Carbon oxides. Hydrogen bromide. Hydrogen fluoride. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. |
| 5.3. Special protective equipment and preca | nutions for fire-fighters |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| 6.1. Personal precautions, protective equipn | nent and emergency procedures | |
| onni oroonai procaatono, procoatro oquipi | | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. **6.2. Environmental precautions** Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. For containment Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosionproof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available

| SECTION 7: Handling and storage | |
|--|---|
| 7.1. Precautions for safe handling | |
| Precautions for safe handling Hygiene measures | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, including a | any incompatibilities |
| Technical measures Storage conditions Incompatible materials Storage area Special rules on packaging | Comply with applicable regulations. Keep container closed when not in use. Keep contents under inert gas. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. Do not store in glass. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | | Liquid |
|---|---|----------------------|
| Color | | No data available |
| Odor | | No data available |
| Odor threshold | : | No data available |
| pH | | No data available |
| Melting point | : | No data available |
| Freezing point | : | No data available |
| Boiling point | : | 100 °C (@ 53 mm Hg) |
| Flash point | | 87 ℃ |
| Relative evaporation rate (butyl acetate=1) | | No data available |
| Flammability (solid, gas) | | No data available |
| | : | No data available |
| Vapor pressure | | No data available |
| Relative vapor density at 20 °C | · | |
| Relative density | : | No data available |
| Density | ÷ | 1.604 g/ml (@ 25 °C) |
| Molecular mass | • | 207.015 g/mol |
| Solubility | : | No data available |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity, kinematic | : | No data available |
| Viscosity, dynamic | : | No data available |
| Explosion limits | : | No data available |
| Explosive properties | : | No data available |
| Oxidizing properties | : | No data available |
| | | |

9.2. Other information

Refractive index

: 1.514 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability The product is stable at normal handling and storage conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. Conditions to avoid Keep away from heat, sparks and flame. 10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| Acute toxicity (oral) | : Harmful if swallowed. |
|-----------------------------------|---|
| Acute toxicity (dermal) | : Harmful in contact with skin. |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2 and/or in section 11. |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available
12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

2.2)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

| 13.1. Disposal methods | |
|--|--|
| Waste treatment methods Product/Packaging disposal recommendations Additional information | Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. |
| SECTION 14: Transport information | |
| 14.1. UN number | |
| DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA) | : NA1993 : Not applicable : 1993 : 1993 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Combustible liquid, n.o.s. Not applicable FLAMMABLE LIQUID, N.O.S. Flammable liquid, n.o.s. |
| 14.3. Transport hazard class(es) | |
| DOT Transport hazard class(es) (DOT) | : Combustible liquid |
| TDG Transport hazard class(es) (TDG) | : Not applicable |
| IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG) | : 3 : 3 |
| IATA Transport hazard class(es) (IATA) | : 3 |
| Hazard labels (IATA) | : 3 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 14.4. Packing group | |
|--|---|
| Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) | : III : Not applicable : III : III |
| 14.5. Environmental hazards | |
| Dangerous for the environment Marine pollutant | : Yes : Yes |
| Other information | : No supplementary information available. |
| 14.6. Special precautions for user | |
| 14.6. Special precautions for user DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location | NA1993 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal |
| TDG No data available IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) | : 223, 274, 955 : 5 L : E1 : LP01, P001 : IBC03 : T4 |

Tank special provisions (IMDG)

: TP1, TP29

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) | : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS : S-E - SPILLAGE SCHEDULE Echo - FLAMMABLE LIQUIDS, FLOATING ON WATER : A |
|---|---|
| ΙΑΤΑ | |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provision (IATA) | : A3 |
| ERG code (IATA) | : 3L |
| | |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for: | | | | |
|---|--------------------|------|--|--|
| 1-Bromo-4-(difluoromethyl)benzene | CAS-No. 51776-71-7 | 100% | | |
| 15.2. International regulations | | | | |
| CANADA | | | | |
| lo additional information available | | | | |
| EU-Regulations | | | | |
| lo additional information available | | | | |
| lational regulations | | | | |
| lo additional information available | | | | |
| 5.3. US State regulations | | | | |

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | |
|------------------------|----------------------------------|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases | | | |
|--|--|--|--|
| H401 | Toxic to aquatic life | | |
| H411 | Toxic to aquatic life with long lasting effects | | |
| NFPA health haz NFPA fire hazard NFPA reactivity | permanent injury. | | |
| Hazard Rating Health Flammability Physical | 2 Moderate Hazard - Temporary or minor injury may occur 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. | | |

Safety Data Sheet (SDS), USA

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.