

2,3,4-Trifluorobenzyl bromide Safety Data Sheet 1700B53 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 01/08/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	2,3,4-Trifluorobenzyl bromide
CAS No	: 157911-55-2
Product code	: 1700-B-53
Formula	: C7H4BrF3
Other means of identification	: MFCD00061233
	. MFCD00081233
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safety of	data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com 1.4. Emergency telephone number	<u>n</u>
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
Classification (GHS-US)	
Flam. Liq. 4H227 - Combustible liquidSkin Corr. 1AH314 - Causes severe skin burnEye Dam. 1H318 - Causes serious eye danSTOT SE 3H335 - May cause respiratory inFull text of H-phrases: see section 16	nage
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking</li> <li>P260 - Do not breathe fumes, mist, spray, vapors</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a POISON CENTER or doctor/ physician</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P363 - Wash contaminated clothing before reuse</li> <li>P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	······································				
		P405	+P235 - Store in a well-ventilated place. - Store locked up - Dispose of contents/container to an ap		isposal plant
2.3.	Other hazards				
Other h		Lach	rymator.		
2.4.	Unknown acute toxicity (GHS US)				
Not app					
		on in	aradianta		
	ION 3: Composition/information		greatents		
3.1.	Substance				
Substa	nce type :	WONG	p-constituent		<u></u>
Name			Product identifier	%	Classification (GHS-US)
	Trifluorobenzyl bromide onstituent)		(CAS No) 157911-55-2	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full tex	t of H-phrases: see section 16				
3.2.	Mixture				
Not app	blicable				
SECT	ION 4: First aid measures				
4.1.	Description of first aid measures				
First-ai	d measures general :		se of accident or if you feel unwell, seek a possible). Move the affected personnel		
First-ai	d measures after inhalation :	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-ai	d measures after skin contact :	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.			
First-ai	d measures after eye contact :		Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-ai	d measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2.	Most important symptoms and effects	both acute and delayed			
Sympto	oms/injuries :		The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		
Sympto	Symptoms/injuries after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			nd upper respiratory tract. Cough,	
4.3. Indication of any immediate medical attention and special treatment needed					
Treat s	ymptomatically.				
SECT	ION 5: Firefighting measures				
5.1.	Extinguishing media				
		Alcoh	ool resistant foam. Carbon diovido. Drugo	wder Water en	ray. Use extinguishing modia
Suitable	e extinguishing media .	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.			
5.2. Special hazards arising from the substance or mixture					
	Fire hazard       : Thermal decomposition generates: Carbon oxides. Hydrogen bromide. Hydrogen fluoride.				
Explosi	on hazard :	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.			
5.3.	Advice for firefighters				
-	-	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.			
Protect	ion during firefighting :		r gas tight chemically protective clothing i ratus. For further information refer to sec		
	ION 6: Accidental release measu				
6.1.	Personal precautions, protective equip				
Genera	I measures :		uate unnecessary personnel. Ensure ade r or spray.	quate air ventila	ation. Do not breathe gas, fumes,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

644		
6.1.1.	For non-emergency personnel	
⊏mergei	ncy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2.	For emergency responders	
Protectiv	/e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerge	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2.	Environmental precautions	
Avoid re	lease to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3.	Methods and material for containment	it and cleaning up
For cont	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	s for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No addit	ional information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
	· · · · ·	: Handle empty containers with care because residual vapors are flammable.
Precauti	ons for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	g any incompatibilities
Technica	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompa	tible materials	: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, cool, well-ventilated area.
SECT		nol protoction
	ON 8: Exposure controls/perso	
8.1.	Control parameters	
INO addit	ional information available	
8.2.	Exposure controls	
	iate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers
Арргорп		should be available in the immediate vicinity of any potential exposure.
Hand pr	otection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye prot	ection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
		-

Eye protection Skin and body protection Respiratory protection

Other information

: Safety shoes. 29 CFR 1910.136: Foot Protection.

: Wear suitable protective clothing.

# SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and o	hemical properties	
Physica	l state	: Liquid	
Color		: No data available	
Odor		: No data available	
Odor th	reshold	: No data available	

Protection.

: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 90 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.71 g/ml (@ 20 °C)
Molecular mass	: 225.01 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.505 (@ 20 °C)
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	storage conditions.
10.3. Possibility of hazardous reactions	S
No additional information available	
10.4. Conditions to avoid	
Keep away from heat, sparks and flame.	
10.5. Incompatible materials	

Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECT	SECTION 11: Toxicological information		
11.1.	Information on toxicological effects		
	Nicity.	· Not classified	

Acute toxicity	:	Not classified
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.
Serious eye damage/irritation	:	Causes serious eye damage.
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	May cause respiratory irritation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	ional information available
12.2.	Persistence and degradability
No addi	ional information available
12.3.	Bioaccumulative potential
No addi	ional information available
12.4.	Mobility in soil
No addi	ional information available
12.5.	Other adverse effects
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.	
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Additional information	: Recycle the material as far as possible.	

# **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136

: 8 - Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>o o , ,</b>	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) Inventory exception.		
2,3,4-Trifluorobenzyl bromide	CAS No 157911-55-2	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# 15.2. International regulations

#### **CANADA**

No additional information available

### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

# 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### SECTION 16: Other information

### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.