

2,4,5-Trifluorobenzyl bromide Safety Data Sheet 1700B55 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 01/08/2015 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: 2,4,5-Trifluorobenzyl bromide
CAS No	: 157911-56-3
Product code	: 1700-B-55
Formula	: C7H4BrF3
Other means of identification	: MFCD00061209
I.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs. 1.4. Emergency telephone number	
	· (844) 522 4086 (25 Company Account 10060)
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance o	r mixture
Classification (GHS-US)	
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16	damage
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	damage
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	damage ry irritation
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage ry irritation : : : Danger
Eye Dam. 1H318 - Causes serious eyeSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 162.2.Label elements	damage ry irritation
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirator Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	damage ry irritation : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P405 - Store locked up	ell-ventilated place. Keep coo s/container to an approved w	
2.3. Other hazards			
Other hazards not contributing to the classification	: Lachrymator.		
2.4. Unknown acute toxicity (GHS L	IS)		
Not applicable			
SECTION 3: Composition/inform	ation on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
2,4,5-Trifluorobenzyl bromide	(CAS No) 157911-56-3		Flam. Liq. 4, H227
(Main constituent)			Skin Corr. 1Á, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measure	2 8		
First-aid measures general		ou feel unwell, seek medical a affected personnel away fro	advice immediately (show the label m the contaminated area.
First-aid measures after inhalation		ir and keep comfortable for b e medical advice/attention.	reathing. If not breathing, give artificial
First-aid measures after skin contact	: Wash with plenty of soap medical advice/attention.	and water. Remove contamin	ated clothing and shoes. Get immediate
First-aid measures after eye contact		proughly with water for at leas ontinue rinsing. Get immedia	st 15 minutes. Remove contact lenses, if te medical advice/attention.
First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.			
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries	: The most important known 2.2) and/or in section 11.	n symptoms and effects are d	lescribed in the labelling (see section
Symptoms/injuries after inhalation	: Material is destructive to ta shortness of breath, head		anes and upper respiratory tract. Cough,
4.3. Indication of any immediate me	edical attention and special treatr	nent needed	
Treat symptomatically.			
SECTION 5: Firefighting measure	95		
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Ca	arbon dioxide. Drv powder W	ater spray. Use extinguishing media
	appropriate for surroundin		
5.2. Special hazards arising from th	e substance or mixture		
Fire hazard		enerates: Carbon oxides. Hyc	drogen bromide. Hydrogen fluoride.
Explosion hazard		l under confinement. Use wat mable/explosive vapor-air mi	ter spray or fog for cooling exposed xture.
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate a	rea. Fight fire remotely due to	o the risk of explosion.
Protection during firefighting			ation with self contained breathing xposure controls/personal protection".
SECTION 6: Accidental release r			
	ve equipment and emergency pro		
General measures	: Evacuate unnecessary pe vapor or spray.	rsonnel. Ensure adequate air	ventilation. Do not breathe gas, fumes,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.
6.3. Methods and material for containing	nent and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.
SECTION 8: Exposure controls/per	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.

Wear suitable protective clothing.In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory

Respiratory protection Other information

- Protection. : Safety shoes. 29 CFR 1910.136: Foot Protection.
- SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and cl	hemical properties
Physical	state	: Liquid
Color		: No data available
Odor		: No data available
Odor thr	eshold	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 90 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 225.01 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.5015 (@ 20 °C)

SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. **Chemical stability** The product is stable at normal handling and storage conditions. 10.3. Possibility of hazardous reactions No additional information available 10.4. **Conditions to avoid** Keep away from heat, sparks and flame. 10.5. **Incompatible materials** Strong bases. Strong oxidizing agents. Hazardous decomposition products 10.6. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1.	Information on toxicological effects	

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
12/06/2016	EN (English US)

. Not alcosified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Aspiration hazard : Not classified
- Symptoms/injuries after inhalation
- : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information
12.1.	Toxicity
No add	itional information available
12.2.	Persistence and degradability
No add	itional information available
12.3.	Bioaccumulative potential
No add	itional information available
12.4.	Mobility in soil
No add	itional information available
12.5.	Other adverse effects

No additional information available

13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

: UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
 -,
- DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
 - 8 Corrosive



: III - Minor Danger

- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday,	March 26, 2012 / Rules and Regulations
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3265
Proper Shipping Name (IATA)	: Corrosive liquid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,4,5-Trifluorobenzyl bromide CAS No 157911-56-3 100%		CAS NU 137911-30-3	100%
---	--	--------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.