

3,4-Dichlorobenzyl bromide

Safety Data Sheet 1700DX1 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/16/2018 Revision date: 10/15/2019 Version: 1.1

1.1. Identification	
Product form	: Substance
Substance name	: 3,4-Dichlorobenzyl bromide
CAS No	: 18880-04-1
Product code	: 1700-D-X1
Formula	: C7H5BrCl2
Synonyms	: 4-(Bromomethyl)-1,2-dichlorobenzene; alpha-Bromo-3,4-dichlorotoluene; 1-Bromomethyl-3,4-
	dichlorobenzene
Other means of identification	: MFCD00041363
1.2. Relevant identified uses of the sub	bstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safet	y data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.c	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
STOT SE 3 H335 - May cause resp Full text of H-phrases: see section 16 2.2. Label elements	
GHS-US labeling	
v	
•	GHS05 GHS06 GHS07
Hazard pictograms (GHS-US)	: GHS05 CHS06 CHS07 CHS07
Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	_
Hazard pictograms (GHS-US) Signal word (GHS-US)	 Danger H301 - Toxic if swallowed H314 - Causes severe skin burns and eye damage

Safety Data Sheet

	P36 P40 P40	0 - Rinse mouth 3 - Wash contaminated clothing before r 3+P233 - Store in a well-ventilated place 5 - Store locked up 1 - Dispose of contents/container to an a	e. Keep container	
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US	6)			
Not applicable				
SECTION 3: Composition/informa	tion on i	ngredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
3,4-Dichlorobenzyl bromide (Main constituent)		(CAS No) 18880-04-1	<= 100	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures	5			
First-aid measures general		ase of accident or if you feel unwell, seel re possible). Move the affected personne		
First-aid measures after inhalation		: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
First-aid measures after skin contact		sh with plenty of soap and water. Removicilical advice/attention.	e contaminated o	clothing and shoes. Get immediate
First-aid measures after eye contact		ediately flush eyes thoroughly with wate ent and easy to do. Continue rinsing. Ge		
First-aid measures after ingestion		NOT induce vomiting. Never give anythin the out with water. Get immediate medicate		
4.2. Most important symptoms and e	ffects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and ef and/or in section 11.	fects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation		erial is destructive to tissue of the mucuc thes of breath, headache, nausea.	ous membranes a	and upper respiratory tract. Cough,
4.3. Indication of any immediate med	lical attenti	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measure	S			
5.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dioxide. Dry ropriate for surrounding fire.	powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the	substance	or mixture		
Fire hazard	: The	rmal decomposition generates: Carbon o	oxides. Hydrogen	bromide. Hydrogen chloride.
Explosion hazard		of explosion if heated under confinement ainers.	nt. Use water spr	ay or fog for cooling exposed

SECTION 6: Accidental release measures		
6.1.	Personal precautions, protective equ	ipment and emergency procedures
General	measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	6.3. Methods and material for containment and cleaning up			
For co	ntainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Metho	ds for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other	information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4.	Reference to other sections			
No add	ditional information available			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

SECTION 9. EV	posure controls/	norconal	protoction
SLUTION 0. LA	posure controls/	personal	protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Appearance	: Low melting solid.	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: 19 °C	
Freezing point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations
Boiling point	: 115 - 120 °C (@ 1 mm Hg)
Flash point	: > 110 ℃
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.65 g/ml (@ 25 °C)
Molecular mass	: 239.925 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.607 (@ 20 °C)
SECTION 10: Stability and reactivit	У
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
The product is stable at normal handling and s	torage conditions.
10.3. Possibility of hazardous reactions	
No additional information available	

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity

: Oral: Toxic if swallowed.

3,4-Dichlorobenzyl bromide (18880-04-1)			
ATE US (oral)	100.000 mg/kg body weight		
Skin corrosion/irritation	: Causes severe skin burns and eye	damage.	
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
40/45/0040	ENL/Explicit (10)	000 ID: 4300DV4	4/7

Safety Data Sheet

according to Federal Register	Vol. 77, No. 58 / Monday, March 26, 2	2012 / Rules and Regulations
-------------------------------	---------------------------------------	------------------------------

- Aspiration hazard : Not classified
 - Symptoms/injuries after inhalation

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ION 12: Ecological information		
12.1.	Toxicity		
No addi	itional information available		
12.2.	Persistence and degradability		
No additional information available			
10.0			
12.3.	Bioaccumulative potential		
No addi	itional information available		
12.4.	Mobility in soil		
No addi	itional information available		
12.5.	Other adverse effects		

No additional information available

SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.				
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.				
Additional information	: Recycle the material as far as possible.				

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

- : UN2922 Corrosive liquids, toxic, n.o.s., 8, III
- : UN2922
- : Corrosive liquids, toxic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive 6.1 - Poison
- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name
- : IB3 Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

3,4-Dichlorobenzyl bromide Safety Data Sheet

49 CFR 173.27)	ail : 5 L		
OOT Quantity Limitations Cargo aircraft only (CFR 175.75)	49 : 60 L		
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" or passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"		
Other information	: No supplementary information available.		
TDG			
No additional information available			
Transport by sea			
JN-No. (IMDG)	: 2922		
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, TOXIC, N.O.S.		
Class (IMDG)	: 8 - Corrosive substances		
Packing group (IMDG)	: III - substances presenting low danger		
Air transport			
UN-No. (IATA)	: 2922		
Proper Shipping Name (IATA)	: Corrosive liquid, toxic, n.o.s.		
Class (IATA)	: 8 - Corrosives		
Packing group (IATA)	: III - Minor Danger		
SECTION 15: Regulatory informati	on		
15.1. US Federal regulations			
	excluded from listing, on the United States Environmental Protection Agency Toxic		
Substances Control Act (TSCA) inventory ex 3,4-Dichlorobenzyl bromide	CAS No 18880-04-1 100%		
	oxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 uirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986		
15.2. International regulations			
CANADA			
No additional information available			
No additional information available EU-Regulations No additional information available			
EU-Regulations			

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

	SECT	ION 16:	Other information	
--	------	---------	-------------------	--

Revision date

: 10/15/2019

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA health hazard NFPA fire hazard NFPA reactivity	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 1 - Must be preheated before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.