

Safety Data Sheet 1700F32 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/11/2016 Version: 1.0

SECTION 1: Identification 1.1. Identification	
Product form	: Substance
Substance name	: 3-Chloro-2-fluorobenzyl bromide
CAS No	: 85070-47-9
Product code	: 1700-F-32
Formula	: C7H5BrCIF
Synonyms	: 1-(Bromomethyl)-3-chloro-2-fluorobenzene; alpha-Bromo-3-chloro-2-fluorotoluene
Other means of identification	: MFCD00042503
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the saf	iety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
2.1.Classification of the substanceClassification (GHS-US)Skin Corr. 1BH314 - Causes severe skirEye Dam. 1H318 - Causes serious eyeMuta. 2H341 - Suspected of causiSTOT SE 3H335 - May cause respirateFull text of H-phrases: see section 16	n burns and eye damage e damage ng genetic defects
2.2. Label elements	
GHS-US labeling	
	HS05 GHS07 GHS08
GHS-US labeling	: GHS05 GHS07 GHS08 GHS07 GHS08
GHS-US labeling Hazard pictograms (GHS-US)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		P403 P405	<ul> <li>Wash contaminated clothing befor</li> <li>P233 - Store in a well-ventilated plate</li> <li>Store locked up</li> <li>Dispose of contents/container to a</li> </ul>	ace. Keep contain	0,	
2.3.	Other hazards					
Other ha	azards not contributing to the ation	: Lach	rymator.			
2.4.	Unknown acute toxicity (GHS US)					
Not app	licable					
SECTI	ON 3: Composition/information	on ir	gredients			
8.1.	Substance					
Substan	ce type	: Mon	o-constituent			
Name			Product identifier	%	Classification (GHS-US)	
	o-2-fluorobenzyl bromide nstituent)		(CAS No) 85070-47-9	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 Muta. 2, H341 STOT SE 3, H335	
ull text	of H-phrases: see section 16					
.2.	Mixture					
lot app						
SECTI	ON 4: First aid measures					
.1.	Description of first aid measures					
irst-aid	measures general		se of accident or if you feel unwell, se e possible). Move the affected perso			
irst-aid	measures after inhalation		ove person to fresh air and keep com ration. Get immediate medical advice		hing. If not breathing, give artificial	
irst-aid	measures after skin contact	medi	h with plenty of soap and water. Rem cal advice/attention.		-	
irst-aid	measures after eye contact	: Immo preso	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
irst-aid	measures after ingestion		IOT induce vomiting. Never give anyt h out with water. Get immediate med			
.2.	Most important symptoms and effect	s, both	acute and delayed			
Symptor	ns/injuries		The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
Symptor	ns/injuries after inhalation		rial is destructive to tissue of the muc mess of breath, headache, nausea.	cuous membranes	s and upper respiratory tract. Cough,	
.3.	Indication of any immediate medical	attentic	on and special treatment needed			
reat sy	mptomatically.					
<b>ECT</b>	ON 5: Firefighting measures					
.1.	Extinguishing media					
Suitable	extinguishing media		nol resistant foam. Carbon dioxide. D	ry powder. Water	spray. Use extinguishing media	
.2.	Special hazards arising from the sub-	stance	or mixture			
ire haz		: Ther	mal decomposition generates: Carbo ogen fluoride.	n oxides. Hydroge	en bromide. Hydrogen chloride.	
.3.	Advice for firefighters					
irefight	ing instructions	: In ca	se of fire: Evacuate area.			
Protection	on during firefighting		r gas tight chemically protective cloth ratus. For further information refer to			
SECTI	ON 6: Accidental release meas					
6.1.	Personal precautions, protective equ	-				
General	measures		uate unnecessary personnel. Ensure the gas, fumes, vapor or spray.	adequate air ven	ntilation. Do not breathe dust. Do not	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel			
Emerge	ncy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2.	For emergency responders			
Protecti	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2.	Environmental precautions			
Avoid re	elease to the environment. Notify authori	ies if product enters sewers or public waters.		
6.3.	Methods and material for containm	ent and cleaning up		
For con	tainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Method	s for cleaning up	: Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections				
No addi	tional information available			
SECT	ION 7: Handling and storage			
7.1.	Precautions for safe handling			
Precaut	ions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene	emeasures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2.	Conditions for safe storage, includi	ng any incompatibilities		
Technic	al measures	: Comply with applicable regulations.		
Storage	conditions	: Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.		
Incompa	atible materials	: Refer to Section 10 on Incompatible Materials.		
Storage	area	: Store in dry, cool, well-ventilated area.		

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

#### **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Solid Appearance : Low melting solid. Color : No data available Odor : No data available Odor threshold : No data available pН : No data available Melting point : 36 - 40 °C : No data available Freezing point Boiling point : 126 °C (@ 15 mm Hg) Flash point : No data available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.43 g/ml (@ 25 °C)
Molecular mass	: 223.47 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.569 (@ 20 °C)

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong bases. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity	<ul> <li>Causes severe skin burns and eye damage.</li> <li>Causes serious eye damage.</li> <li>Not classified</li> <li>Suspected of causing genetic defects.</li> </ul>	
Carcinogenicity Reproductive toxicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated	<ul> <li>Not classified</li> <li>Not classified</li> <li>May cause respiratory irritation.</li> <li>Not classified</li> </ul>	
exposure) Aspiration hazard	: Not classified	
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough shortness of breath, headache, nausea.	,

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0	
SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	itional information available
12.2.	Persistence and degradability
No addi	itional information available
12.3.	Bioaccumulative potential
No addi	itional information available
12.4.	Mobility in soil
No addi	itional information available
12.5.	Other adverse effects
No addi	itional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.			
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Recycle the material as far as possible.			

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT Transport document description

#### UN-No.(DOT)

Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT)

- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 213
- : 240
- : G Identifies PSN requiring a technical name
- : IB8 Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.
  - T1 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154 DOT Quantity Limitations Passenger aircraft/rail : 25 kg (49 CFR 173.27)

12/06/2016

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 100 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger

All transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Chloro-2-fluorobenzyl bromideCAS No 85070-47-9100%
--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# 15.2. International regulations

### CANADA

No additional information available

### **EU-Regulations**

No additional information available

#### **National regulations**

3-Chloro-2-fluorobenzyl bromide (85070-47-9)	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

# **SECTION 16: Other information**

#### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Muta. 2	Germ cell mutagenicity Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	<ul> <li>1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.