

Safety Data Sheet 1800742 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/16/2018 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 4-Chloro-2-fluorobenzotrifluoride
CAS No	: 94444-59-4
Product code	: 1800-7-42
Formula	: C7H3CIF4
Synonyms	: 1-Chloro-3-fluoro-4-(trifluoromethyl)benzene
Other means of identification	: MFCD03412199
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	
SynQuest Laboratories, Inc.	arely data sheet
P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Classification (GHS-US)	
Skin Irrit. 2 H315 - Causes skin	irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause re	irritation ous eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes sericSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	irritation ous eye irritation
Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause reference Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation ous eye irritation
Skin Irrit. 2H315 - Causes skinEye Irrit. 2AH319 - Causes serioSTOT SE 3H335 - May cause referenceFull text of H-phrases: see section 162.2.Label elements	irritation ous eye irritation
Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation ous eye irritation espiratory irritation
Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause reference Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation bus eye irritation espiratory irritation : : : : : : : : : : : : : : : : : : :
Skin Irrit. 2 H315 - Causes skin Eye Irrit. 2A H319 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bus eye irritation espiratory irritation : irritation irritation : irritation irritation : irritation irritation : H226 - Flammable liquid and vapor H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet

		P303 skin P304 P305 lense P312 P321 P322 P337 P362 P370 P403 P403 P405	 P+P352 - If on skin: Wash with plenty of s P+P361+P353 - If on skin (or hair): Take of with water/shower P+P340 - If inhaled: Remove person to free for the second s	off immediately a esh air and keep ly with water for ssing ysician if you fee first aid instruction lical advice/atten dical advice/atten dical advice/atten and wash it befo y chemical or alo Keep container Keep cool	comfortable for breathing several minutes. Remove contact I unwell ons on this label) tion ntion re reuse cohol-resistant foam to extinguish tightly closed
2.3. (Other hazards				
	nal information available				
	Unknown acute toxicity (GHS US)				
Not applica	able				
SECTIO	N 3: Composition/informatic	on on ir	gredients		
3.1. 9	Substance				
Substance	e type	: Mone	o-constituent		
Name			Product identifier	%	Classification (GHS-US)
4-Chloro-2 (Main consti	2-fluorobenzotrifluoride ituent)		(CAS No) 94444-59-4	<= 100	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of	H-phrases: see section 16		•		
3.2. I	Mixture				
Not applica	able				
SECTIO	N 4: First aid measures				
4.1. I	Description of first aid measures				
First-aid m	easures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid m	easures after inhalation		ove person to fresh air and keep comfort ration. Get immediate medical advice/att		g. If not breathing, give artificial
First-aid m	easures after skin contact		h with plenty of soap and water. Get imm		
First-aid m	easures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid m	easures after ingestion		IOT induce vomiting. Never give anything h out with water. Get immediate medical		
1.2. I	Most important symptoms and effe	cts, both	acute and delayed		
Symptoms	»/injuries		most important known symptoms and eff and/or in section 11.	ects are describe	ed in the labelling (see section
4.3. I	Indication of any immediate medica	attentio	on and special treatment needed		
	ptomatically.				
	N 5: Firefighting measures				

5.1. Extinguishing media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Special hazards arising from the sub	ostance or mixture	
Fire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride.	
Explosion hazard	: Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters		
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	
Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".	
SECTION 6: Accidental release m	neasures	
6.1. Personal precautions, protective	Personal precautions, protective equipment and emergency procedures	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
Emergency procedures	. Only qualified personnel equipped with suitable protective equipment may intervene.	

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground

level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of

6.1.2. For emergency responders Protective equipment

Environmental precautions

Emergency procedures

6.2.

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

ignition.

6.3. Methods and material for containm	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources. Keep contents under inert gas.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Ex	posure controls/	personal protectio

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	
SECTION 9: Physical and chemical properties		

SECTION 9. Physical and chemical	i properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.5 g/ml (@ 20 °C)
Molecular mass	: 198.545 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity			
10.1.	Reactivity			
No add	No additional information available			
10.2.	Chemical stability			
The pro	duct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No addi	itional information available			
10.4.	Conditions to avoid			
Keep av	Keep away from heat, sparks and flame.			
10.5.	Incompatible materials			
Strong	oxidizing agents.			
10.6.	Hazardous decomposition products			
	normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of e Section 5.			
SECT	ION 11: Toxicological information			

11.1. Information on toxicological effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity	: Oral: Harmful if swallowed.		
4-Chloro-2-fluorobenzotrifluoride (94444-59-4)			
ATE US (oral)	500.000 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		

SECTION 12: Ecological information
12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects
No additional information available

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) : UN1993 Flammable liquids, n.o.s., 3, III

- : UN1993
- : Flammable liquids, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols
- : III Minor Danger : 203
- : 242
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. B52 - Notwithstanding the provisions of 173.24b of this subchapter, non-reclosing pressure relief devices are authorized on DOT 57 portable tanks. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 1993
Proper Shipping Name (IATA)	: Flammable liquid, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1. US Federal regulations	
All components of this product are listed, or exc	cluded from listing, on the United States Environmental Protection Agency Toxic

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

4-Chloro-2-fluorobenzotrifluoride	CAS No 94444-59-4	100%
-----------------------------------	-------------------	------

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:			
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A		
Flam. Liq. 3	Flammable liquids Category 3		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
STOT SE 3	Specific target organ toxicity (single exposure) Category 3		
H226	Flammable liquid and vapor		
H302	Harmful if swallowed		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
NFPA health hazard NFPA fire hazard NFPA reactivity	 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given. 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur. 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. 		
HMIS III Rating			
Health	: 2 Moderate Hazard - Temporary or minor injury may occur		
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)		
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.		

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.