

# 3-Bromo-4-fluorobenzotrifluoride

Safety Data Sheet 1800B34 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/12/2016 Version: 1.0

SECTION 1: Identification	
Product form	: Substance
Substance name	: 3-Bromo-4-fluorobenzotrifluoride
CAS No	: 68322-84-9
Product code	: 1800-B-34
ormula	: C7H3BrF4
Synonyms	: 2-Bromo-1-fluoro-4-(trifluoromethyl)benzene; 3-Bromo-alpha,alpha,alpha-4-tetrafluorotoluene
Other means of identification	: MFCD00040938
.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
.3. Details of the supplier of the safet	ty data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America Γ (386) 462-0788 - F (386) 462-7097 <u>nfo@synquestlabs.com</u> - <u>www.synquestlabs.co</u>	
.4. Emergency telephone number	
mergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificatio	n
2.1. Classification of the substance or	rmixture
Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye irri         STOT SE 3       H335 - May cause respiratory i         Full text of H-phrases: see section 16	
un tont of 11 priladed. dee declion 10	
·	
2.2. Label elements GHS-US labeling	: CHS07
2.2. Label elements	: GHS07 : Warning
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	
2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	: Warning : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		~		
	P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards		· · · · · · · · · · · · · · · · · · ·	1	-1 1
No additional information available				
2.4. Unknown acute toxicity (GHS U	5)			
Not applicable	5)			
SECTION 3: Composition/informa	ation on in	gredients		
3.1. Substance				
Substance type	: Mono	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
3-Bromo-4-fluorobenzotrifluoride (Main constituent)		(CAS No) 68322-84-9	<= 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			1	
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	c			
First-aid measures general	: In ca	se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.</li> </ul>			
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.			
First-aid measures after eye contact	<ul> <li>Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.</li> </ul>			
First-aid measures after ingestion		OT induce vomiting. Never give anything h out with water. Get medical advice/atte		n unconscious person. Rinse
4.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.			
4.3. Indication of any immediate med	dical attentio	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measure				
	-5			
5.1. Extinguishing media		al registent from Carbon disvide. Dry n	oudor Water o	nov llos outinguishing modio
Suitable extinguishing media	appro	nol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the			.,	
Fire hazard		mal decomposition generates: Carbon o		
Explosion hazard		of explosion if heated under confinemen ainers. May form flammable/explosive va		ay or tog tor cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	tely due to the r	isk of explosion.
Protection during firefighting		r gas tight chemically protective clothing ratus. For further information refer to see		
SECTION 6: Accidental release m				
6.1. Personal precautions, protective				
General measures		uate unnecessary personnel. Ensure ad r or spray.	equate air ventil	ation. Do not breathe gas, fumes,
6.1.1. For non-emergency personnel				
Emergency procedures	: Only	qualified personnel equipped with suitab	le protective eq	uipment may intervene.
12/06/2016	EN (En	glish US)	SDS ID: 1800B34	4 2/6

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2.	For emergency responders	
Protectiv	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerge	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2.	Environmental precautions	
Avoid re	elease to the environment. Notify author	es if product enters sewers or public waters.
6.3.	Methods and material for containm	nt and cleaning up
For cont	tainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	s for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other in	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No addit	tional information available	
SECT	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precauti	ions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includ	g any incompatibilities
Technic	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use.
Incompatible materials		: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 155 °C		
Flash point	: 71 °C		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.46 g/ml (@ 20 °C)
Molecular mass	: 243 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

Refractive index

: 1.461 (@ 20 °C)

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong oxidizing agents.

### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation Serious eye damage/irritation	: Causes skin irritation. : Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECT	ION 12: Ecological information		
12.1.	Toxicity		
No addi	No additional information available		
12.2.	Persistence and degradability		
No addi	tional information available		
12.3.	Bioaccumulative potential		
No additional information available			
12.4.	Mobility in soil		
No additional information available			
12.5.	Other adverse effects		
No addi	No additional information available		

SECTION 13: Disposal consideration	e
13.1. Waste treatment methods	3
Waste treatment methods Waste disposal recommendations Additional information	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> </ul>
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT) Proper Shipping Name (DOT)	: NA1993 : Combustible liquid, n.o.s.
Transport hazard class(es) (DOT) Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx)	<ul> <li>3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120</li> <li>III - Minor Danger</li> <li>203</li> </ul>
DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols	<ul> <li>241</li> <li>D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN</li> </ul>
DOT Special Provisions (49 CFR 172.102)	<ul> <li>requiring a technical name</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T1 - 1.5 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
OOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 60 L
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG No additional information available	
Transport by sea No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Air transport

### No additional information available

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

3-Bromo-4-fluorobenzotrifluoride CAS No 68322-84-9 100%		
	CAS No 68322-84-9	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

### **SECTION 16: Other information**

#### Full text of H-phrases:

Full lext of n-philases.	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
SDS US (GHS HazCom 2012)	

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.