

3-Bromopropan-1-ol Safety Data Sheet 21019X2 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/04/2018 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 3-Bromopropan-1-ol
CAS No	: 627-18-9
Product code	: 2101-9-X2
Formula	: C3H7BrO
Synonyms	: 1-Bromo-3-hydroxypropane; Trimethylene bromohydrin
Other means of identification	: MFCD00002942
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	e or mixture
Skin Irrit. 2 H315 - Causes skin Eye Dam. 1 H318 - Causes serio	irritation bus eye damage
Skin Irrit. 2H315 - Causes skinEye Dam. 1H318 - Causes serioSTOT SE 3H335 - May cause responseFull text of H-phrases: see section 16	irritation bus eye damage
Skin Irrit. 2 H315 - Causes skin Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause response Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	irritation bus eye damage
Skin Irrit. 2 H315 - Causes skin Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	irritation bus eye damage espiratory irritation
Skin Irrit. 2 H315 - Causes skin Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bus eye damage espiratory irritation : irritation irritation : irritation irritation : irritation irritation : GHS05 : GHS05 : GHS07
Skin Irrit. 2H315 - Causes skinEye Dam. 1H318 - Causes serioSTOT SE 3H335 - May cause reFull text of H-phrases: see section 16	irritation bus eye damage espiratory irritation
Skin Irrit. 2 H315 - Causes skin Eye Dam. 1 H318 - Causes serio STOT SE 3 H335 - May cause re Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	 irritation bus eye damage espiratory irritation irritation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed

- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Substance type	: Mone	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
3-Bromopropan-1-ol (Main constituent)		(CAS No) 627-18-9	<= 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personne		
First-aid measures after inhalation		ove person to fresh air and keep comfor ration. Get immediate medical advice/at		ning. If not breathing, give artificial
First-aid measures after skin contact	: Was	n with plenty of soap and water. Get imr	nediate medica	l advice/attention.
First-aid measures after eye contact		ediately flush eyes thoroughly with wate ent and easy to do. Continue rinsing. Ge		
First-aid measures after ingestion		OT induce vomiting. Never give anythin h out with water. Get immediate medica		
4.2. Most important symptoms and	effects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and ef and/or in section 11.	fects are descri	ibed in the labelling (see section
4.3. Indication of any immediate me	dical attentio	n and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting measure	es			
5.1. Extinguishing media				
Suitable extinguishing media		nol resistant foam. Carbon dioxide. Dry opriate for surrounding fire.	powder. Water	spray. Use extinguishing media
5.2. Special hazards arising from the	e substance	or mixture		
Fire hazard	: Ther	mal decomposition generates: Carbon c	oxides. Hydroge	n bromide.
Explosion hazard		of explosion if heated under confinemer ainers.	nt. Use water sp	oray or fog for cooling exposed
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	otely due to the	risk of explosion.
Protection during firefighting		r gas tight chemically protective clothing ratus. For further information refer to se		
SECTION 6: Accidental release n				
6.1. Personal precautions, protectiv				
General measures	: Evac	uate unnecessary personnel. Ensure ac	dequate air vent	tilation. Do not breathe gas, fumes,

For non-emergency personnel

vapor or spray.

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.1.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.4.0 E	
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify au	uthorities if product enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Technical measures	: Comply with applicable regulations.
roominoar measuree	
	: Keep container closed when not in use.
Storage conditions Incompatible materials	Keep container closed when not in use.Refer to Section 10 on Incompatible Materials.
Storage conditions	

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties			
9.1. Information on bas	ic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 70 - 72 °C (@ 10 mm Hg)		
Flash point	: 101 °C		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.59 g/ml
Molecular mass	: 138.991 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	

9.2. Other Informat Refractive index

: 1.4834 (@ 25 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Oral: Harmful if swallowed.

3-Bromopropan-1-ol (627-18-9)	
ATE US (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information		
12.1.	Toxicity	
No addi	tional information available	
12.2.	Persistence and degradability	
No addi	tional information available	
12.3.	Bioaccumulative potential	
No addi	tional information available	
12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Other adverse effects	
No addi	tional information available	

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

Department of Transportation (DOT)

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: F	Regulator	v information

15.1. US Federal regulations

3-Bromopropan-1-ol (627-18-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

3-Bromopropan-1-ol (627-18-9)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

3-Bromopropan-1-ol (627-18-9)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

NFPA health hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.