

1-Bromo-3-fluoropropan-2-ol Safety Data Sheet 2102BX0 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 02/23/2016 Version: 1.0

| SECTION 1: Identification | | | |
|---|---|---|---|
| 1.1. Identification | | | |
| Product form | : Substance | | |
| Substance name | : 1-Bromo-3-fluoropropan-2-ol | | |
| CAS No | : 2107-08-6 | | |
| Product code | : 2102-B-X0 | | |
| | : C3H6BrFO | | |
| Formula | | | |
| Other means of identification | : MFCD00045119 | | |
| 1.2. Relevant identified uses of the subst | ance or mixture and uses advis | ed against | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substances Scientific research and develo | pment | |
| 1.3. Details of the supplier of the safety of | lata sheet | | |
| SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com 1.4. Emergency telephone number | 1 | | |
| Emergency number | : (844) 523-4086 (3E Company | - Account 10069) | |
| | | | |
| SECTION 2: Hazard(s) identification | | | |
| 2.1. Classification of the substance or m | ixture | | |
| Classification (GHS-US) | | | |
| Flam. Liq. 4H227 - Combustible liquidSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye irritatiSTOT SE 3H335 - May cause respiratory irritFull text of H-phrases: see section 16 | | | |
| 2.2. Label elements | | | |
| GHS-US labeling | | | |
| Hazard pictograms (GHS-US) | GHS07 | | |
| Signal word (GHS-US) | : Warning | | |
| Hazard statements (GHS-US) | : H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irr H335 - May cause respiratory | | |
| Precautionary statements (GHS-US) | P261 - Avoid breathing fumes P264 - Wash skin thoroughly a P271 - Use only outdoors or ir P280 - Wear protective gloves P302+P352 - If on skin: Wash P304+P340 - If inhaled: Remo P305+P351+P338 - If in eyes: lenses, if present and easy to P312 - Call a POISON CENTE P321 - Specific treatment (see P332+P313 - If skin irritation of P337+P313 - If eye irritation p P362+P364 - Take off contam | after handling a well-ventilated area /protective clothing/eye protection/face protect with plenty of soap and water ve person to fresh air and keep comfortable for Rinse cautiously with water for several minut | or breathing es. Remove contact el) |
| 12/06/2016 | EN (English US) | SDS ID: 2102BX0 | Page 1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P403+P235 Store in a well-ventilated place. Keep cool
- P405 Store locked up
- P501 Dispose of contents/container to an approved waste disposal plant

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. **Substance**

| Substance type | : Mono | o-constituent | | |
|---|----------------|--|-----------------------------|---|
| Name | | Product identifier | % | Classification (GHS-US) |
| 1-Bromo-3-fluoropropan-2-ol (Main constituent) | | (CAS No) 2107-08-6 | <= 100 | Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Full text of H-phrases: see section 16 | | | | |
| 3.2. Mixture | | | | |
| Not applicable | | | | |
| SECTION 4: First aid measures | | | | |
| 4.1. Description of first aid measures | | | | |
| First-aid measures general | | se of accident or if you feel unwell, seek e possible). Move the affected personnel | | |
| First-aid measures after inhalation | | ove person to fresh air and keep comfort ration. Get medical advice/attention. | able for breathir | g. If not breathing, give artificial |
| First-aid measures after skin contact | : Wash | n with plenty of soap and water. Get med | ical advice/atter | ntion. |
| First-aid measures after eye contact | | ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get | | |
| First-aid measures after ingestion | : Do N mout | OT induce vomiting. Never give anything h out with water. Get medical advice/atte | y by mouth to an ention. | unconscious person. Rinse |
| 4.2. Most important symptoms and effe | cts, both | acute and delayed | | |
| Symptoms/injuries | | nost important known symptoms and effe and/or in section 11. | ects are describ | ed in the labelling (see section |
| 4.3. Indication of any immediate medica | al attentio | n and special treatment needed | | |
| Treat symptomatically. | | | | |
| SECTION 5: Firefighting measures | | | | |
| 5.1. Extinguishing media | | | | |
| Suitable extinguishing media | : Alcoh | nol resistant foam. Carbon dioxide. Dry p | owder. Water so | oray. Use extinguishing media |
| | appro | opriate for surrounding fire. | | |
| 5.2. Special hazards arising from the su | | | | |
| Fire hazard | | nal decomposition generates: Carbon ox | | |
| Explosion hazard | | of explosion if heated under confinement iners. May form flammable/explosive va | | ay or fog for cooling exposed |
| 5.3. Advice for firefighters | | | | |
| Firefighting instructions | : In ca | se of fire: Evacuate area. Fight fire remo | tely due to the ri | sk of explosion. |
| Protection during firefighting | | gas tight chemically protective clothing ratus. For further information refer to sec | | |
| SECTION 6: Accidental release mea | sures | | | |
| 6.1. Personal precautions, protective ed | | | | |
| General measures | | uate unnecessary personnel. Ensure ade r or spray. | equate air ventila | ation. Do not breathe gas, fumes, |
| 6.1.1. For non-emergency personnel | | | | |
| Emergency procedures | : Only | qualified personnel equipped with suitab | le protective equ | uipment may intervene. |

12/06/2016

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 6.1.2. For emergency responders | |
|--|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. |
| 6.2. Environmental precautions | |
| Avoid release to the environment. Notify authors | prities if product enters sewers or public waters. |
| 6.3. Methods and material for contain | ment and cleaning up |
| For containment | : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. |
| Methods for cleaning up | : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". |
| 6.4. Reference to other sections | |
| No additional information available | |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Handle empty containers with care because residual vapors are flammable. |
| Precautions for safe handling | : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 7.2. Conditions for safe storage, inclu | ding any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Keep away from ignition sources. |
| Incompatible materials | : Refer to Section 10 on Incompatible Materials. |
| Storage area | : Store in dry, cool, well-ventilated area. |

| SECT | ECTION 8: Exposure controls/personal protection | | |
|--------|---|--|--|
| 8.1. | Control parameters | | |
| No add | dditional information available | | |

| 8.2. | Exposure controls | | |
|------------|-------------------------|---|---|
| Appropria | te engineering controls | : | Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. |
| Hand prot | ection | : | Protective gloves. 29 CFR 1910.138: Hand Protection. |
| Eye prote | ction | : | Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection. |
| Skin and b | body protection | : | Wear suitable protective clothing. |
| Respirato | ry protection | : | In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection. |
| Other info | rmation | : | Safety shoes. 29 CFR 1910.136: Foot Protection. |
| | | | |

| SECTION 9: Physical and chemical properties | | | |
|---|--|--|--|
| nd chemical properties | | | |
| : Liquid | | | |
| : No data available | | | |
| : No data available | | | |
| : No data available | | | |
| : No data available | | | |
| : No data available | | | |
| : No data available | | | |
| | | | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Î | , · · · · , · · · · , · · · · , · · · · | - | |
|---|---|---|-------------------------|
| | Boiling point | : | 78 - 80 °C (@ 30 mm Hg) |
| | Flash point | • | No data available |
| | Relative evaporation rate (butyl acetate=1) | : | No data available |
| | Flammability (solid, gas) | : | No data available |
| | Explosion limits | : | No data available |
| | Explosive properties | : | No data available |
| | Oxidizing properties | : | No data available |
| | Vapor pressure | : | No data available |
| | Relative density | : | No data available |
| | Relative vapor density at 20 °C | : | No data available |
| | Molecular mass | : | 156.98 g/mol |
| | Solubility | • | No data available |
| | Log Pow | : | No data available |
| | Auto-ignition temperature | • | No data available |
| | Decomposition temperature | • | No data available |
| | Viscosity | • | No data available |
| | Viscosity, kinematic | : | No data available |
| | Viscosity, dynamic | : | No data available |
| | | | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1.ReactivityNo additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

| SECTION 11: Toxicological informati | on |
|--|----------------------------------|
| 11.1. Information on toxicological effects | |
| | |
| Acute toxicity | : Not classified |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : Not classified |

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : May cause respiratory irritation.

| Chapitia target argen taviaity (repeated | | Not alogaified |
|--|---|-----------------------------|
| Specific larger organ loxicity (single exposure) | • | way cause respiratory inita |

Specific target organ toxicity (repeated : Not classified exposure)

: Not classified

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| • | |
|---------|--------------------------------|
| SECT | ION 12: Ecological information |
| 12.1. | Toxicity |
| No addi | itional information available |
| 12.2. | Persistence and degradability |
| No addi | itional information available |
| 12.3. | Bioaccumulative potential |
| No addi | itional information available |
| 12.4. | Mobility in soil |
| No addi | itional information available |
| 12.5. | Other adverse effects |
| No addi | tional information available |

| SECTION 13: Disposal consideration | S |
|--|---|
| 13.1. Waste treatment methods | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. |
| Waste disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Additional information | : Recycle the material as far as possible. |
| SECTION 14: Transport information | · · · |
| SECTION 14. Transport mormation | |
| Department of Transportation (DOT) | |
| In accordance with DOT | |
| Transport document description | : NA1993 Combustible liquid, n.o.s., 3, III |
| UN-No.(DOT) | : NA1993 |
| Proper Shipping Name (DOT) | : Combustible liquid, n.o.s. |
| Transport hazard class(es) (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 |
| Packing group (DOT) | : III - Minor Danger |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 241 |
| DOT Symbols | : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name |
| DOT Special Provisions (49 CFR 172.102) | IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 150 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : 220 L |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Other information | : No supplementary information available. |
| TDG | |
| No additional information available | |
| | |
| Transport by sea | |
| No additional information available | |
| | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| 1-Bromo-3-fluoropropan-2-ol CAS No 2107-08-6 100% | | |
|---|------------------|------|
| | CAS No 2107-08-6 | 100% |

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

| | pillases. | |
|---|---------------------------------------|---|
| Eye | Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam | n. Liq. 4 | Flammable liquids Category 4 |
| Skin | Irrit. 2 | Skin corrosion/irritation Category 2 |
| STO | T SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H22 ⁻ | 7 | Combustible liquid |
| H31 | 5 | Causes skin irritation |
| H319 | 9 | Causes serious eye irritation |
| H33 | 5 | May cause respiratory irritation |
| NFPA health NFPA fire ha NFPA reactiv | res giv zard : 1 - ity : 0 - | Short exposure could cause serious temporary or sidual injury even though prompt medical attention was ren. Must be preheated before ignition can occur. Normally stable, even under fire exposure conditions, d are not reactive with water. |
| HMIS III Rati | ng | |
| Health | | Moderate Hazard - Temporary or minor injury may occur |
| Flammability | | Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, blids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | | Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT eact with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| SDS US (GHS | HazCom 2012) | |
| | | |

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.