

# 2-(Trifluoromethyl)propan-2-ol Safety Data Sheet 2103302 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/19/2016 Version: 1.0

1.1. Identification	
Product form	: Substance
Substance name	: 2-(Trifluoromethyl)propan-2-ol
CAS No	: 507-52-8
Product code	: 2103-3-02
Formula	: C4H7F3O
Synonyms	: 1,1,1-Trifluoro-2-methylpropan-2-ol; 2,2,2-Trifluoro-t-butanol
Other means of identification	: MFCD00014391
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the sa	afety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
Flam. Liq. 2 H225 - Highly flammable liq	
Flam. Liq. 2H225 - Highly flammable liqSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respirato	n • irritation
Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirato         Full text of H-phrases: see section 16         2.2.       Label elements	n • irritation
Flam. Liq. 2       H225 - Highly flammable liq         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirato         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	n • irritation
Flam. Liq. 2H225 - Highly flammable liqSkin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eyeSTOT SE 3H335 - May cause respiratoFull text of H-phrases: see section 162.2.Label elements	n • irritation
Flam. Liq. 2       H225 - Highly flammable liq         Skin Irrit. 2       H315 - Causes skin irritation         Eye Irrit. 2A       H319 - Causes serious eye         STOT SE 3       H335 - May cause respirato         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	n e irritation bry irritation
Flam. Liq. 2 H225 - Highly flammable liq Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 <b>2.2. Label elements</b> <b>GHS-US labeling</b> Hazard pictograms (GHS-US)	n e irritation bry irritation : : : : : : : : : : : : : : : : : : :
Flam. Liq. 2 H225 - Highly flammable liq Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	n e irritation bry irritation : : : : : : : : : : : : : : : : : : :

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	lense P312 P332 P332 P332 P332 P332 P337 P400 P400 P400	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant		
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity	(GHS US)			
Not applicable				
<b>SECTION 3: Composition/in</b>	nformation on ir	naredients		
3.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2-(Trifluoromethyl)propan-2-ol		(CAS No) 507-52-8	<b>70</b> <= 100	Flam. Liq. 2, H225
(Main constituent)				Skin Irit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 1	6			
3.2. Mixture				
Not applicable				
<b>SECTION 4: First aid meas</b>	ures			
4.1. Description of first aid n	easures			
First-aid measures general		se of accident or if you feel unwell, seek re possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comfort iration. Get medical advice/attention.	able for breathin	g. If not breathing, give artificial
First-aid measures after skin contac	: Was	h with plenty of soap and water. Get med	ical advice/atter	ition.
First-aid measures after eye contact		ediately flush eyes thoroughly with water ent and easy to do. Continue rinsing. Get		
First-aid measures after ingestion		<ul> <li>Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.</li> </ul>		
4.2. Most important symptom	ns and effects, both	acute and delayed		
Symptoms/injuries		most important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
4.3. Indication of any immed	iate medical attentio	on and special treatment needed		
Treat symptomatically.				
SECTION 5: Firefighting me	easures			
5.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dioxide. Dry p opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising	from the substance	or mixture		
Fire hazard		mal decomposition generates: Carbon o	ides. Hvdroaen	fluoride.
Explosion hazard	: Risk	of explosion if heated under confinement ainers. May form flammable/explosive va	. Use water spra	
5.3. Advice for firefighters				
Firefighting instructions	: In ca	se of fire: Evacuate area. Fight fire remo	tely due to the ri	sk of explosion.
Protection during firefighting	: Wea	r gas tight chemically protective clothing aratus. For further information refer to sec	n combination v	vith self contained breathing

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	es if product enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includin	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

#### **SECTION 8: Exposure controls/personal protection**

8.1. **Control parameters** 

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	<ul> <li>In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.</li> </ul>
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 9: Physical and chemica</b>	properties		
9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 80 - 81 °C		
Flash point	: 15 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
Relative density	: No data available		
Relative vapor density at 20 °C	: No data available		
Specific gravity / density	: 1.17 g/ml (@ 25 °C)		
Molecular mass	: 128.09 g/mol		
Solubility	: No data available		
Log Pow	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
9.2. Other information Refractive index	: 1.3335 (@ 20 °C)		
	. 1.3333 (@ 20 0)		
SECTION 10: Stability and reactivit	ay start and a start and a start and a start a		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and s	torage conditions.		
10.3. Possibility of hazardous reactions	-		
No additional information available	•		
10.4. Conditions to avoid			
Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong oxidizing agents.			
10.6. Hazardous decomposition produc	ts		
Under normal conditions of storage and use, h		I not be produced. Hazardous decompositi	ion products in case o
fire, see Section 5.			
SECTION 11: Toxicological information	ation		
11.1. Information on toxicological effec			
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Skin conosion/initiation Serious eye damage/irritation	: Causes serious eye irritation.		
12/06/2016	EN (English US)	SDS ID: 2103302	4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECT	ION 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects
No addi	tional information available

<b>SECTION 13: Disposal consideration</b>	ns
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.

#### **SECTION 14: Transport information**

#### Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) : UN1987 Alcohols, n.o.s., 3, II

: UN1987

- : Alcohols, n.o.s.
- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : 3 Flammable liquid



- : II Medium Danger
- : 202
- : 242

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	IB2 - Authorized I (31HZ1). Addition kPa at 50 C (1.1 k T7 - 4 178.274(d) TP1 - The maxim following: Degree during transport, a TP8 - A portable t the flash point of t TP28 - A portable provided the calcu	BCs: Metal (31A, 31B and 31N); hal Requirement: Only liquids wit bar at 122 F), or 130 kPa at 55 C (2) Normal	eed the degree of filling determined by the re: tr is the maximum mean bulk temperatur es celsius of the liquid during filling. sure of 1.5 bar (150 kPa) may be used when	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L			
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L			
DOT Vessel Stowage Location	passenger vessel passengers, or or passenger vessel	B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" of passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.		
Other information	: No supplementary	y information available.		
TDG				
No additional information available				
Transport by sea				
UN-No. (IMDG)	: 1987			
Proper Shipping Name (IMDG)	: ALCOHOLS, N.O	.S.		
Class (IMDG)	: 3 - Flammable liq	uids		
Packing group (IMDG)	: II - substances pr	esenting medium danger		
Air transport				
UN-No. (IATA)	: 1987			
Proper Shipping Name (IATA)	: Alcohols, n.o.s.			
Class (IATA)	: 3 - Flammable Lic	3 - Flammable Liquids		
Packing group (IATA)	: II - Medium Dange	er		
SECTION 15: Regulatory informatior				
15.1. US Federal regulations				
All components of this product are listed, or exc Substances Control Act (TSCA) inventory exce		the United States Environmenta	I Protection Agency Toxic	
2-(Trifluoromethyl)propan-2-ol		CAS No 507-52-8	100%	
This product or mixture does not contain a toxic CFR §372.38(a) subject to the reporting require and 40 CFR Part 372.				
15.2. International regulations				
CANADA No additional information available				
EU-Regulations No additional information available				
National regulations				
2-(Trifluoromethyl)propan-2-ol (507-52-8)				
Listed on the Japanese ISHL (Industrial Safety	and Health Law)			
15.3. US State regulations				
12/06/2016	EN (English US)		6/D: 2103302 6/	
		303	0/	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### SECTION 16: Other information

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	<ul> <li>given.</li> <li>3 - Liquids and solids that can be ignited under almost all ambient conditions.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	<ul> <li>3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB &amp; IC)</li> </ul>
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.