

1,1,3,3-Tetrafluorodimethyl ether Safety Data Sheet 2107303 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/20/2017 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 1,1,3,3-Tetrafluorodimethyl ether		
CAS No	: 1691-17-4		
Product code	: 2107-3-03		
Formula	: C2H2F4O		
Synonyms	: Bis(difluoromethyl) ether; 1,1'-Oxybis(difluoromethane); HFE 134		
Other means of identification	: MFCD00042097		
	bstance or mixture and uses advised against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
1.3. Details of the supplier of the safet	y data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com	<u>xom</u>		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
SECTION 2: Hazard(s) identificatio	n		
2.1. Classification of the substance or	mixture		
Classification (GHS-US)			
Skin Irrit. 2H315 - Causes skin irritationEye Irrit. 2AH319 - Causes serious eye iSTOT SE 3H336 - May cause drowsinesSTOT SE 3H335 - May cause respiratorFull text of H-phrases: see section 16	rritation ss or dizziness		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS04 GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation H336 - May cause drowsiness or dizziness H380 - May displace oxygen and cause rapid suffocation 		
Precautionary statements (GHS-US)	 P261 - Avoid breathing fumes, gas, mist, spray, vapors P264 - Wash skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P321 - Specific treatment (see supplemental first aid instructions on this label) 		
12/20/2017	EN (English US) SDS ID: 2107303 Page 1		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P410+P403 - Protect from sunlight. Store in a well-ventilated place P501 - Dispose of contents/container to an approved waste disposal plant			
2.3. Other hazards				
	: May o	cause frostbite.		
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/information	on in	gredients		
3.1. Substance		-		
Substance type	Mond	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
1,1,3,3-Tetrafluorodimethyl ether (Main constituent)		(CAS No) 1691-17-4	<= 100	Simple Asphy, H380 Liquefied gas, H280 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general		se of accident or if you feel unwell, seek e possible). Move the affected personnel		
First-aid measures after inhalation		ove person to fresh air and keep comfortaration. Get immediate medical advice/atte		g. If not breathing, give artificial
First-aid measures after skin contact	Thaw frosted parts with lukewarm water. Do no rub affected area. Get immediate medical advice/attention.			
First-aid measures after eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention.			
First-aid measures after ingestion	Due to its physical form, exposure to this chemical is not likely. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.			
4.2. Most important symptoms and effects	, both	acute and delayed		
Symptoms/injuries		nost important known symptoms and effe and/or in section 11.	ects are describe	ed in the labelling (see section
Symptoms/injuries after inhalation		cause drowsiness or dizziness.		
Symptoms/injuries after skin contact		act with the liquid the may cause cold bu		
Symptoms/injuries after eye contact	toms/injuries after eye contact : Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.			
4.3. Indication of any immediate medical a	ttentio	n and special treatment needed		
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media		ol resistant foam. Carbon dioxide. Dry popriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the subs	tance	or mixture		
		nal decomposition generates: Carbon ox		
Explosion hazard		ains gas under pressure; may explode if sed containers.	heated. Use wat	ter spray or fog for cooling
5.3. Advice for firefighters				
Firefighting instructions	In cas	se of fire: Evacuate area. Fight fire remote	ely due to the ri	sk of explosion.
12/20/2017	EN (Eng	glish US)	SDS ID: 2107303	2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. May cause suffocation by reducing oxygen available for breathing. Do not breathe gas, fumes, vapor or spray.
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorit	ties if product enters sewers or public waters.
6.3. Methods and material for containme	ent and cleaning up
For containment	: Stop leak if safe to do so.
Methods for cleaning up	: Ventilate area.
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
	· · · · · · · · · · · · · · · · · · ·
6.4. Reference to other sections	
6.4. Reference to other sections No additional information available	
No additional information available	
No additional information available SECTION 7: Handling and storage	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Safe handling of the gas receptacle	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Securely chain cylinders when in use and protect against physical damage. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Safe handling of the gas receptacle Hygiene measures	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Securely chain cylinders when in use and protect against physical damage. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Safe handling of the gas receptacle Hygiene measures 7.2. Conditions for safe storage, includi	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Securely chain cylinders when in use and protect against physical damage. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Safe handling of the gas receptacle Hygiene measures 7.2. Conditions for safe storage, includi Fechnical measures	 Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Securely chain cylinders when in use and protect against physical damage. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. ng any incompatibilities Comply with applicable regulations. Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls				
Appropriate engineering controls	should be available in the imme	vork station. Emergency eye wash fountains a ediate vicinity of any potential exposure. Syste necked for leakage. Oxygen detectors should eased.	ms under	
Hand protection	: Protective gloves. 29 CFR 1910	: Protective gloves. 29 CFR 1910.138: Hand Protection.		
Eye protection	: Chemical goggles or safety glas	Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.		
Skin and body protection	: Wear suitable protective clothin	: Wear suitable protective clothing.		
Respiratory protection	: In case of inadequate ventilatio Protection.	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.		
Thermal hazard protection	: Cold insulating gloves.	: Cold insulating gloves.		
Other information	: Safety shoes. 29 CFR 1910.13	: Safety shoes. 29 CFR 1910.136: Foot Protection.		
12/20/2017	EN (English US)	SDS ID: 2107303	3/7	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Gas			
Color	: No data available			
Odor	: No data available			
Odor threshold	: No data available			
рН	: No data available			
Melting point	: -107 °C			
Freezing point	: No data available			
Boiling point	: 4.7 °C			
Flash point	: No data available			
Relative evaporation rate (butyl acetate=1)	: No data available			
Flammability (solid, gas)	: No data available			
Explosion limits	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
Vapor pressure	: No data available			
Relative density	: No data available			
Relative vapor density at 20 °C	: No data available			
Specific gravity / density	: 1.43 g/ml (@ 20 °C)			
Molecular mass	: 118.03 g/mol			
Solubility	: No data available			
Log Pow	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Viscosity	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
9.2. Other information				
No additional information available				
SECTION 10: Stability and reactivity	SECTION 10: Stability and reactivity			
10.1. Reactivity				
No additional information available				

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.

10.5. Incompatible materials

Alkali metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information				
11.1.	Information on toxicological effects			
Acute to:	xicity	: Not classified		
Skin cori	rosion/irritation	: Causes skin irritation.		
Serious	eye damage/irritation	: Causes serious eye irritation.		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Not classifiedMay cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation Symptoms/injuries after skin contact Symptoms/injuries after eye contact	 May cause drowsiness or dizziness. Contact with the liquid the may cause cold burns/frostbite. Direct contact with the liquefied gas may cause severe and possibly permanent eye injury due to frostbite from rapid liquid evaporation.

SECTIO	ON 12: Ecological information
12.1.	Toxicity
No additi	onal information available
12.2.	Persistence and degradability
No additi	onal information available
12.3.	Bioaccumulative potential
No additi	onal information available
12.4.	Mobility in soil
No additi	onal information available
12.5.	Other adverse effects
No additi	onal information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport information			
Department of Transportation (DOT)			
In accordance with DOT			
Transport document description	: UN3163 Liquefied gas, n.o.s., 2.2		
UN-No.(DOT)	: UN3163		
Proper Shipping Name (DOT)	: Liquefied gas, n.o.s.		
Transport hazard class(es) (DOT)	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115		
Hazard labels (DOT)	: 2.2 - Non-flammable gas		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 304		
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315		
DOT Symbols	: G - Identifies PSN requiring a technical name		
DOT Special Provisions (49 CFR 172.102)	: T50 - When portable tank instruction T50 is referenced in Column (7) of the 172.101 Table, the applicable liquefied compressed gases are authorized to be transported in portable tanks in accordance with the requirements of 173.313 of this subchapter.		

DOT Packaging Exceptions (49 CFR 173.xxx)

: 306

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3163
Proper Shipping Name (IMDG)	: LIQUEFIED GAS, N.O.S.
Class (IMDG)	: 2 - Gases

Air transport	
UN-No. (IATA)	: 3163
Proper Shipping Name (IATA)	: Liquefied gas, n.o.s.
Class (IATA)	: 2

SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

1,1,3,3-Tetrafluorodimethyl ether CAS No 1691-17-4 100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Liquefied gas	Gases under pressure Liquefied gas
Simple Asphy	Simple Asphyxiant
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H380	May displace oxygen and cause rapid suffocation

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.