

# **2,2-Difluoroethyl trifluoromethyl ether** Safety Data Sheet 2107329 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/18/2016 Version: 1.0

SECTION 1: Identification	
Product form	: Substance
Substance name	: 2,2-Difluoroethyl trifluoromethyl ether
CAS No	: 84011-15-4
Product code	: 2107-3-29
Formula	: C3H3F5O
Synonyms	: 1,1-Difluoro-2-(trifluoromethoxy)ethane
Other means of identification	: MFCD02093310
	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.	
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance of	
2.1. Classification of the substance of	n mixture
STOT SE 3 H336 - May cause drowsine	ess or dizziness
STOT SE 3 H336 - May cause drowsing STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	ess or dizziness
STOT SE 3       H336 - May cause drowsing         STOT SE 3       H335 - May cause respirato         Full text of H-phrases: see section 16         2.2.       Label elements	ess or dizziness
STOT SE 3       H336 - May cause drowsing         STOT SE 3       H335 - May cause respirate         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling	ess or dizziness
STOT SE 3 H336 - May cause drowsine STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	ess or dizziness ory irritation
STOT SE 3       H336 - May cause drowsing         STOT SE 3       H335 - May cause respirate         Full text of H-phrases: see section 16         2.2.       Label elements         GHS-US labeling         Hazard pictograms (GHS-US)         Signal word (GHS-US)	ess or dizziness bry irritation : GHS07 : Warning
STOT SE 3 H336 - May cause drowsing STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16	ess or dizziness ory irritation

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P40 P40	2+P364 - Take off contaminated of 3+P233 - Store in a well-ventilate 5 - Store locked up 1 - Dispose of contents/container	d place. Keep contair	ner tightly closed
.3. Other hazards				
Other hazards not contributing to the lassification	: Risk	of explosion if heated under conf	ïnement.	
.4. Unknown acute toxicity (GHS US)				
lot applicable				
SECTION 3: Composition/information	on on i	ngredients		
a.1. Substance				
Substance type	: Mon	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2,2-Difluoroethyl trifluoromethyl ether (Main constituent)		(CAS No) 84011-15-4	<= 100	Simple Asphy, H380 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
ull text of H-phrases: see section 16			•	<u> </u>
.2. Mixture				
lot applicable				
SECTION 4: First aid measures				
.1. Description of first aid measures				
irst-aid measures general	whe	ase of accident or if you feel unwere possible). Move the affected pe	ersonnel away from th	ne contaminated area.
irst-aid measures after inhalation	resp	iration. Get medical advice/attent	ion.	hing. If not breathing, give artificial
irst-aid measures after skin contact		h with plenty of soap and water.		
irst-aid measures after eye contact	pres	ent and easy to do. Continue rins	ing. Get medical advi	
irst-aid measures after ingestion	mou	NOT induce vomiting. Never give th out with water. Get medical ad		an unconscious person. Rinse
.2. Most important symptoms and effe				
Symptoms/injuries	2.2)	and/or in section 11.	and effects are desc	ribed in the labelling (see section
Symptoms/injuries after inhalation	: May	cause drowsiness or dizziness.		
.3. Indication of any immediate medic	al attenti	on and special treatment neede	d	
reat symptomatically.				
SECTION 5: Firefighting measures				
.1. Extinguishing media				
Suitable extinguishing media		hol resistant foam. Carbon dioxid opriate for surrounding fire.	e. Dry powder. Water	spray. Use extinguishing media
.2. Special hazards arising from the s	ubstance	or mixture		
ire hazard		mal decomposition generates: Ca		
xplosion hazard		of explosion if heated under confainers.	inement. Use water s	pray or fog for cooling exposed
.3. Advice for firefighters				
irefighting instructions		ase of fire: Evacuate area. Fight fi	2	•
Protection during firefighting		ar gas tight chemically protective of aratus. For further information refe		n with self contained breathing sure controls/personal protection".
SECTION 6: Accidental release mea		(		
3.1. Personal precautions, protective e				ntilation May cause sufferentian by
General measures		cuate unnecessary personnel. En icing oxygen available for breathir		ntilation. May cause suffocation by s, fumes, vapor or spray.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containm	Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, gas, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Safe handling of the gas receptacle	: Securely chain cylinders when in use and protect against physical damage.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includir	ng any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage area	: Store in dry, cool, well-ventilated area.

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2.	Exposure controls	
Approp	priate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Systems under pressure should be regularily checked for leakage. Oxygen detectors should be used when asphyxiating gases may be released.
Hand p	protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye pr	otection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin a	nd body protection	: Wear suitable protective clothing.
Respir	atory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other i	information	: Safety shoes. 29 CFR 1910.136: Foot Protection.
SECTION 9: Physical and chemical prop		ical properties

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical a	1. Information on basic physical and chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	** · · · ·
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 26.12 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.375 g/ml (@ 23 °C)
Molecular mass	: 150.05 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2 Other information	

9.2. Other information

No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
The product is stable at normal handling and storage conditions.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Keep away from heat, sparks and flame.			
10.5. Incompatible materials			
Strong oxidizing agents.			
10.6. Hazardous decomposition products			

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information         11.1.       Information on toxicological effects			
Acute toxicity	: Not classified		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>		
Reproductive toxicity Specific target organ toxicity (single exposure)	<ul><li>Not classified</li><li>May cause drowsiness or dizziness. May cause respiratory irritation.</li></ul>		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
SECTION 12: Ecological informat	tion
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		
SECTION 14: Transport informat	ion		

#### **Department of Transportation (DOT)**

In accordance with DOT Not regulated for transport

#### TDG

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

2,2-Difluoroethyl trifluoromethyl ether

CAS No 84011-15-4

100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

CANADA

No additional information available

EU-Regulations No additional information available

National regulations No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

## **SECTION 16: Other information**

Full tex	t of H-phrases:	
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Simple Asphy	Simple Asphyxiant
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H336	May cause drowsiness or dizziness
	H380	May displace oxygen and cause rapid suffocation
NFPA health hazard NFPA fire hazard NFPA reactivity		<ul> <li>3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.</li> <li>0 - Materials that will not burn.</li> <li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li> </ul>
HMIS III Rating		
Health		: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability		: 0 Minimal Hazard - Materials that will not burn
Physical		: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.