

# **Difluoromethyl 2,2,3,3-tetrafluoropropyl ether** Safety Data Sheet 21073X3 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 02/01/2017 Version: 1.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Substance	upropropul other	
Substance name	: Difluoromethyl 2,2,3,3-tetraf		
CAS No	: 35042-99-0		
Product code	: 2107-3-X3		
Formula Other means of identification	: C4H4F6O		
	: MFCD00236119		
	ubstance or mixture and uses adv	rised against	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and deve	lopment	
1.3. Details of the supplier of the safe	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs			
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Compar	y - Account 10069)	
SECTION 2: Hazard(s) identification	on		
2.1. Classification of the substance of			
Classification (GHS-US)			
Eye Irrit. 2A H319 - Causes serious eye ir STOT SE 3 H336 - May cause drowsines STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	s or dizziness		
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS02 GHS07	>	
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	<ul> <li>H226 - Flammable liquid and H315 - Causes skin irritation H319 - Causes serious eye H335 - May cause respiratol H336 - May cause drowsine</li> </ul>	rritation y irritation	
Precautionary statements (GHS-US)	P233 - Keep container tightl P240 - Ground/bond contain P241 - Use explosion-proof P242 - Use only non-sparkir P243 - Take precautionary n P261 - Avoid breathing fume P264 - Wash skin thoroughl P271 - Use only outdoors or P280 - Wear protective glow P302+P352 - If on skin: Was	er and receiving equipment electrical/ventilating/lighting equipment g tools neasures against static discharge es, mist, spray, vapors v after handling	ction
02/01/2017	EN (English US)	SDS ID: 21073X3	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<ul> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwell</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse</li> <li>P370+P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> <li>P405 - Store locked up</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
<b>SECTION 3: Composition/information</b>	n on ing	gredients		
3.1. Substance				
Substance type	: Mono	-constituent		
Name		Product identifier	%	Classification (GHS-US)
Difluoromethyl 2,2,3,3-tetrafluoropropyl ether (Main constituent)		(CAS No) 35042-99-0	<= 100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335
Full text of H-phrases: see section 16				
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
, and the second s	where	e of accident or if you feel unwell, seek possible). Move the affected personnel	away from the	contaminated area.
	respir	ve person to fresh air and keep comfort ation. Get medical advice/attention.		
		with plenty of soap and water. Get med		
First-aid measures after eye contact	prese	diately flush eyes thoroughly with water nt and easy to do. Continue rinsing. Get	medical advice	/attention.
First-aid measures after ingestion		DT induce vomiting. Never give anything out with water. Get medical advice/atte		i unconscious person. Rinse
4.2. Most important symptoms and effect				
Symptoms/injuries	2.2) a	nost important known symptoms and effe nd/or in section 11.	ects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation	: May c	ause drowsiness or dizziness.		
<b>4.3.</b> Indication of any immediate medical a Treat symptomatically.	attentio	n and special treatment needed		
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
		ol resistant foam. Carbon dioxide. Dry po priate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
5.2. Special hazards arising from the sub-	stance o	or mixture		
		nal decomposition generates: Carbon ox	ides. Hydrogen	fluoride.
Explosion hazard		of explosion if heated under confinement iners. May form flammable/explosive va		ay or fog for cooling exposed
5.3. Advice for firefighters				

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	on during firefighting	: Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
SECTI	ON 6: Accidental release meas	sures
6.1.	Personal precautions, protective eq	uipment and emergency procedures
General	measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.
6.1.1. Emerger	For non-emergency personnel ncy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
Emerger		
6.1.2.	For emergency responders	
	e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emerger	ncy procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition.
6.2.	Environmental precautions	
Avoid re	lease to the environment. Notify authorit	ies if product enters sewers or public waters.
6.3.	Methods and material for containme	ent and cleaning up
For cont	ainment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.
Methods	for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.
Other inf	formation	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".
6.4.	Reference to other sections	
No addit	ional information available	
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
	al hazards when processed	: Handle empty containers with care because residual vapors are flammable.
	ons for safe handling	: Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.
Hygiene	measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, including	ng any incompatibilities
Technica	al measures	: Comply with applicable regulations.
Storage	conditions	: Keep container closed when not in use. Keep away from ignition sources.
Incompa	tible materials	: Refer to Section 10 on Incompatible Materials.
Storage	area	: Store in dry, cool, well-ventilated area.
SECTI	ON 8: Exposure controls/pers	onal protection
8.1.	Control parameters	
	ional information available	
8.2.	Exposure controls	
	ate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand pro	otection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye prot		: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
• •	body protection	: Wear suitable protective clothing.
	ory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory

- : In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
- : Safety shoes. 29 CFR 1910.136: Foot Protection.

Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>SECTION 9: Physical and chemical</b>	properties	
9.1. Information on basic physical and		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 69 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 1.47 g/ml (@ 20 °C)	
Molecular mass	: 182.06 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
Refractive index	: 1.299 (@ 20 °C)	
<b>SECTION 10: Stability and reactivity</b>		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
The product is stable at normal handling and sta	prage conditions.	
10.3. Possibility of hazardous reactions		
No additional information available		
10.4. Conditions to avoid		
Keep away from heat, sparks and flame.		
10.5. Incompatible materials		
Strong oxidizing agents.		
10.6. Hazardous decomposition product	s zardous decomposition products should not be produced. Hazardous decomposition proc	lucts in case of
fire, see Section 5.		
SECTION 11: Toxicological informa	ion	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.

SECTION 12: Ecological information			
12.1. Toxicity			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.5. Other adverse effects			
No additional information available			

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.		
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Additional information	: Recycle the material as far as possible.		

#### **SECTION 14: Transport information**

Department of Transportation (DOT) In accordance with DOT Transport document description	: UN3271 Ethers, n.o.s., 3, III
UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)	<ul> <li>: UN3271</li> <li>: Ethers, n.o.s.</li> <li>: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120</li> <li>: 3 - Flammable liquid</li> </ul>
	3
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	: III - Minor Danger : 203 : 242

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	<ul> <li>B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.</li> <li>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3271
Proper Shipping Name (IMDG)	: ETHERS, N.O.S.
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3271
Proper Shipping Name (IATA)	: Ethers, n.o.s.
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Minor Danger
<b>SECTION 15: Regulatory information</b>	
15.1. US Federal regulations	
All components of this product are listed, or exc Substances Control Act (TSCA) inventory except	luded from listing, on the United States Environmental Protection Agency Toxic ot for:
Difluoromethyl 2,2,3,3-tetrafluoropropyl ether	CAS No 35042-99-0 100%
	chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 ments of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

15.2. International regulations

CANADA

No additional information available

**EU-Regulations** No additional information available

**National regulations** No additional information available

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

#### SECTION 16: Other information

	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
	Flam. Liq. 3	Flammable liquids Category 3	
	Skin Irrit. 2	Skin corrosion/irritation Category 2	
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
	H226	Flammable liquid and vapor	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	
	H335	May cause respiratory irritation	
	H336	May cause drowsiness or dizziness	
	residual injury even though prompt medical attention was given.         NFPA fire hazard       : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.         NFPA reactivity       : 0 - Normally stable, even under fire exposure conditions,		
HMIS I	IRating	and are not reactive with water.	
Health		: 2 Moderate Hazard - Temporary or minor injury may occur	
Flamma	ability	<ul> <li>2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II &amp; IIIA)</li> </ul>	
Physica	al	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.