

Safety Data Sheet 2107713 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/11/2019 Version: 1.0

Date			
SECTION 1: Identification			
1.1. Identification			
Product form	: Substance		
Substance name	: 5-Chloro-1,1-difluoro-3-oxapenta	ane	
CAS No	: 1309602-55-8		
Product code	: 2107-7-13		
Formula	: C4H7CIF2O		
Other means of identification	: MFCD19442046		
	substance or mixture and uses advise	dagainst	
Use of the substance/mixture	Laboratory chemicals Manufacture of substances Scientific research and develope		
1.3. Details of the supplier of the sa	fety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Ameri T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlab	са		
1.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company -	Account 10069)	
SECTION 2: Hazard(s) identificat	ion		
2.1. Classification of the substance			
Classification (GHS-US)	or mixture		
Full text of H-phrases: see section 16 2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
Signal word (CHS US)	GHS07		
Signal word (GHS-US) Hazard statements (GHS-US)	 Warning H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irrita H335 - May cause respiratory ir 		
Precautionary statements (GHS-US)	P261 - Avoid breathing fumes, r P264 - Wash skin thoroughly aff P271 - Use only outdoors or in a P280 - Wear protective gloves/p P302+P352 - If on skin: Wash w P304+P340 - If inhaled: Removi P305+P351+P338 - If in eyes: F lenses, if present and easy to do P312 - Call a POISON CENTEF P321 - Specific treatment (see s P332+P313 - If skin irritation oc P337+P313 - If eye irritation per P362+P364 - Take off contamin	er handling a well-ventilated area protective clothing/eye protection/face pro rith plenty of soap and water e person to fresh air and keep comfortabl Rinse cautiously with water for several mi	otection le for breathing inutes. Remove contac label)
12/11/2019	EN (English US)	SDS ID: 2107713	Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P403+P233 - Store in a well-ventilated plac P403+P235 - Store in a well-ventilated plac P405 - Store locked up P501 - Dispose of contents/container to an	e. Keep cool	
Other hazards Dther hazards not contributing to the : classification :	In use may form flammable/explosive vapor	-air mixture.	
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Substance type	Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
5-Chloro-1,1-difluoro-3-oxapentane (Main constituent)	(CAS No) 1309602-55-8	<= 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
1.1. Description of first aid measures			
irst-aid measures general :	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
First-aid measures after inhalation :	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get medical advice/attention.		
	Wash with plenty of soap and water. Get medical advice/attention.		
	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion :	Do NOT induce vomiting. Never give anythi mouth out with water. Get medical advice/a		n unconscious person. Rinse
4.2. Most important symptoms and effects,	both acute and delayed		
Symptoms/injuries :	The most important known symptoms and e 2.2) and/or in section 11.	effects are describ	ed in the labelling (see section
Symptoms/injuries after inhalation :	May cause drowsiness or dizziness.		
4.3. Indication of any immediate medical at	tention and special treatment needed		
Freat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
	Alcohol resistant foam. Carbon dioxide. Dry appropriate for surrounding fire.	powder. Water s	pray. Use extinguishing media
5.2. Special hazards arising from the subst	ance or mixture		
Fire hazard :	Thermal decomposition generates: Carbon		
Explosion hazard :	Risk of explosion if heated under confineme containers.	ent. Use water spr	ay or fog for cooling exposed
5.3. Advice for firefighters			
0 0	In case of fire: Evacuate area. Fight fire ren		•
Protection during firefighting :	Wear gas tight chemically protective clothin apparatus. For further information refer to s		
······	apparatus. Foi further information feler to s	ection 6. Exposu	re controls/personal protection .

General measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3.	.3. Methods and material for containment and cleaning up		
For containment		: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up		: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other	information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4.	Reference to other sections		
No add	No additional information available		
SEC	FION 7: Handling and storage		
7.1.	Precautions for safe handling		

Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ing any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.
Storage temperature	: 2 - 8 °C Use explosion proof refrigerator
Storage area	: Store in dry, well-ventilated area.

SECTION 8: Exposure controls/personal pro	

8.1. **Control parameters**

No additional information available

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
: Protective gloves. 29 CFR 1910.138: Hand Protection.
: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
: Wear suitable protective clothing.
: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	•••
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 144.548 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. **Other information**

No additional information available

SECTION 10: Stability and reactivity

Reactivity No additional information available

10.2. **Chemical stability**

10.1.

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. **Conditions to avoid**

Keep away from heat, sparks and flame.

10.5. **Incompatible materials**

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information			
12.1.	Toxicity		
No addi	itional information available		
12.2.	Persistence and degradability		
No addi	itional information available		
12.3.	Bioaccumulative potential		
No addi	itional information available		
12.4.	Mobility in soil		
No addi	itional information available		
12.5.	Other adverse effects		
No additional information available			

SECTION 13: Disposal consideration	
13.1. Waste treatment methods	s I
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT Transport document description	: NA1993 Combustible liquid, n.o.s., 3, III
UN-No.(DOT)	: NA1993
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T1 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Other information	: No supplementary information available.
TDG	
No additional information available	
Transport by sea No additional information available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

5-Chloro-1,1-difluoro-3-oxapentane CAS No 1309602-55-8 100%		
	5-Chloro-1,1-difluoro-3-oxapentane	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

	Eye Irrit. 2A Serious eye damage/eye irritation Category 2A	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H227	Combustible liquid	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.	
NFPA fire hazard	: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	
SDS US (GHS HazCom 2012)		

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.