

Safety Data Sheet 2108224 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/21/2015 Version: 1.0

SECTION 1: Identification			
	. Output		
Product form	: Substance		
Substance name	: Galden HT230 (Average MW = 1020)		
CAS No	: 69991-67-9		
Product code	: 2108-2-24		
Formula	: Unspecified		
Synonyms	: Poly(1,1,2,3,3,3-hexafluoroprop-1-ene), oxidized; Poly(perfluoroprop-1-ene), oxidized		
Other means of identification	: MFCD00748117		
.2. Relevant identified uses of the su	ubstance or mixture and uses advised against		
Jse of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development		
.3. Details of the supplier of the safe	ety data sheet		
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of America Γ (386) 462-0788 - F (386) 462-7097 <u>nfo@synquestlabs.com</u> - <u>www.synquestlabs.</u>			
I.4. Emergency telephone number			
Emergency number	: (844) 523-4086 (3E Company - Account 10069)		
Skin Irrit. 2 H315 - Causes skin irritation Eye Irrit. 2A H319 - Causes serious eye irritation STOT SE 3 H335 - May cause respiratory			
Eye Irrit. 2A H319 - Causes serious eye irr STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16			
Eye Irrit. 2A H319 - Causes serious eye irr STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements			
Eye Irrit. 2A H319 - Causes serious eye irr STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16	rivitation		
Eye Irrit. 2A H319 - Causes serious eye irr STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US)	 ritiation :		
Eye Irrit. 2A H319 - Causes serious eye irrit STOT SE 3 H335 - May cause respiratory Full text of H-phrases: see section 16 2.2. Label elements GHS-US labeling	rivitation		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards					
No additional information available 2.4. Unknown acute toxicity (GHS US)					
2.4. Unknown acute toxicity (GHS US) Not applicable					
SECTION 3: Composition/information	on on ingred	ients			
3.1. Substance					
Substance type	: Polymer				
Name	-	duct identifier	%	Classification (GHS-US)	
Galden HT230 (Average MW = 1020) (Main constituent)	(CAS	No) 69991-67-9	100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335	
Full text of H-phrases: see section 16	•				
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measures					
First-aid measures general		ccident or if you feel unwell, seek ible). Move the affected personne			
First-aid measures after inhalation		rson to fresh air and keep comfort Get medical advice/attention.	able for breathin	g. If not breathing, give artificial	
First-aid measures after skin contact	: Wash with	plenty of soap and water. Get mee	lical advice/atter	ntion.	
First-aid measures after eye contact	present and easy to do. Continue rinsing. Get medical advice/attention.				
First-aid measures after ingestion : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get medical advice/attention.					
4.2. Most important symptoms and effects, both acute and delayed					
Symptoms/injuries		nportant known symptoms and eff in section 11.	ects are describe	ed in the labelling (see section	
4.3. Indication of any immediate medical attention and special treatment needed					
Treat symptomatically.					
SECTION 5: Firefighting measures					
SECTION 5: Firefighting measures					
SECTION 5: Firefighting measures5.1.Extinguishing mediaSuitable extinguishing media		stant foam. Carbon dioxide. Dry p for surrounding fire.	owder. Water sp	oray. Use extinguishing media	
5.1. Extinguishing media	appropriate	for surrounding fire.	owder. Water sp	oray. Use extinguishing media	
5.1. Extinguishing media Suitable extinguishing media	appropriate Ibstance or mix	for surrounding fire.			
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suitable statement of the suitable extension of the suitable extension. 	appropriate Ibstance or mix : Thermal de : Risk of expl	for surrounding fire.	kides. Hydrogen	fluoride.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard 	appropriate Ibstance or mix : Thermal de	for surrounding fire. ture composition generates: Carbon or	kides. Hydrogen	fluoride.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard 	appropriate Ibstance or mix : Thermal de : Risk of expl	for surrounding fire. ture composition generates: Carbon or	kides. Hydrogen	fluoride.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the sufficient for the sufficient of the	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo	ides. Hydrogen t. Use water spra tely due to the ri	fluoride. ay or fog for cooling exposed sk of explosion.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters 	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen	ides. Hydrogen t. Use water spra tely due to the ri in combination v	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec	ides. Hydrogen t. Use water spra tely due to the ri in combination v	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mease 6.1. Personal precautions, protective extended 	appropriate ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES quipment and e	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the su Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mean 	appropriate ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES quipment and e	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the suffice hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release mease 6.1. Personal precautions, protective extended 	appropriate abstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES cuipment and e : Evacuate u	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective extended on the surficient of the surface o	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES Quipment and e : Evacuate u vapor or sp	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection".	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1.1. For non-emergency personnel 	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES Quipment and e : Evacuate u vapor or sp : Only qualifi	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad ray. ed personnel equipped with suitab	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur equate air ventila le protective equ	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release measures 6.1. Personal precautions, protective extended on the surface of t	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES Quipment and e : Evacuate u vapor or sp : Only qualifi : Do not attention refer to sec	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad ray. ed personnel equipped with suitable ion 8: "Exposure controls/personal	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes, uipment may intervene.	
 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the surfive hazard Fire hazard Explosion hazard 5.3. Advice for firefighters Firefighting instructions Protection during firefighting SECTION 6: Accidental release meating 6.1. Personal precautions, protective explosed General measures 6.1.1. For non-emergency personnel Emergency procedures 6.1.2. For emergency responders 	appropriate Ibstance or mix : Thermal de : Risk of expl containers. : In case of fi : Wear gas ti apparatus. ISURES Quipment and e : Evacuate u vapor or sp : Only qualifi : Do not attention refer to sec	for surrounding fire. ture composition generates: Carbon or osion if heated under confinemen re: Evacuate area. Fight fire remo ght chemically protective clothing For further information refer to sec mergency procedures nnecessary personnel. Ensure ad ray. ed personnel equipped with suitable ion 8: "Exposure controls/personal	tides. Hydrogen t. Use water spra tely due to the ri in combination v tion 8: "Exposur equate air ventila le protective equip protective equip l protection".	fluoride. ay or fog for cooling exposed sk of explosion. vith self contained breathing e controls/personal protection". ation. Do not breathe gas, fumes,	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions			
Avoid release to the environment. Notify authorities if product enters sewers or public waters.			
6.3. Methods and material for containme			
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Methods for cleaning up	Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.		
Other information	For disposal of solid materials or residues refer to section 13 : "Disposal considerations".		
6.4. Reference to other sections			
No additional information available			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, includi	ng any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	Keep container closed when not in use.		
Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection
--

8.1. Control parameters

No additional information available

8.2. Exposure controls		
Appropriate engineering controls	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.	
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties		
Physical state	: Liquid		
Color	: No data available		
Odor	: No data available		
Odor threshold	: No data available		
PH	: No data available		
Melting point	: -77 °C		
Freezing point	: No data available		
Boiling point	: 230 °C		
Flash point	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Vapor pressure	: No data available		
12/06/2016	EN (English US)	SDS ID: 2108224	3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.82 g/ml (@ 25 °C)
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Refractive index	: 1.283 (@ 25 °C)

SECT	ION 10: Stability and reactivity			
10.1.	Reactivity			
No addi	No additional information available			
10.2.	Chemical stability			
The pro	duct is stable at normal handling and storage conditions.			
10.3.	Possibility of hazardous reactions			
No additional information available				
10.4.	Conditions to avoid			
Extremely high temperatures.				
10.5.	Incompatible materials			
Finely divided metals (Al, Mg, Zn).				
10.6.	Hazardous decomposition products			

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects	S Contraction of the second		
Acute toxicity	: Not classified		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological information	1		
12.1 Toxicity			

 12.1. Toxicity

 No additional information available

 12.2. Persistence and degradability

 No additional information available

 12.3. Bioaccumulative potential

 No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods Waste disposal recommendations Additional information	 Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible. 		
SECTION 14: Transport informatio	n		

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Galden HT230 (Average MW = 1020) (69991-67-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Galden HT230 (Average MW = 1020) (69991-67-9)

Listed on the Canadian DSL (Domestic Sustances List)

EU-Regulations

No additional information available

National regulations

Galden HT230 (Average MW = 1020) (69991-67-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full tex	t of H-phrases:			
	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A	
	Skin Irrit. 2		Skin corrosion/irritation Category 2	
	STOT SE 3		Specific target organ toxicity (single exposure) Category 3	
	H315		Causes skin irritation	
	H319		Causes serious eye irritation	
	H335		May cause respiratory irritation	
NFPA fire hazard : 0 - Materials that will not the state of the		given. : 0 - Materials that will not b	h prompt medical attention was burn. under fire exposure conditions,	
HMIS I	II Rating			
Health : 0 Minimal Hazard - No sig		: 0 Minimal Hazard - No si	gnificant risk to health	
Flamm	ability	: 0 Minimal Hazard - Mate	erials that will not burn	
Physical : 0 Minimal Hazard - Mater			rials that are normally stable, even under fire conditions, and will NOT ize, decompose, condense, or self-react. Non-Explosives.	

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.