

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 21093X2 Issue date: 09.04.2018 Revision date: 18.12.2023 Version: 1.1

## **SECTION 1: Identification**

1.1. Identification		
Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	<ul> <li>Substance</li> <li>1H,1H-Heptafluorobutyl epoxide</li> <li>1765-92-0</li> <li>2109-3-X2</li> <li>C6H5F7O</li> <li>1H,1H-Heptafluorobutyl epoxide</li> <li>MFCD00155825</li> </ul>	
1.2. Recommended use and restrictions on	use	
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and development	
1.3. Supplier		
SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com		
1.4. Emergency telephone number		
Emergency number	: (844) 523-4086 (3E Company - Account 10069)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mixture		
GHS US classification		

Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3,	H335	May cause respiratory irritation
Respiratory tract irritation		

·

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US) : Warning : H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation H335 - May cause respiratory irritation

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	<ul> <li>P261 - Avoid breathing fumes, mist, spray, vapors.</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a POISON CENTER or doctor/physician if you feel unwell</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>
--	---

## 2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

### SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
1H,1H-Heptafluorobutyl epoxide (Main constituent)	CAS-No.: 1765-92-0	≤ 100	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## **SECTION 4: First-aid measures**

4.1. Description of first aid measures

First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after ingestion :	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.		
4.2. Most important symptoms and effects (acute and delayed)			
Symptoms/effects :	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	media		
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.		
5.2. Specific hazards arising from the chemical			
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>		
5.3. Special protective equipment and precautions for fire-fighters			
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>		

SECTION 6: Accidental release me	easures	
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.	

**6.2. Environmental precautions** 

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	<ul> <li>Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.</li> <li>Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.</li> </ul>	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

### No additional information available

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible materials Storage temperature Storage area	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>2 - 8 °C</li> <li>Store in dry, well-ventilated area.</li> </ul>	

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

1H,1H-Heptafluorobutyl epoxide (176	§5-92-0)	
No additional information available		
8.2. Appropriate engineering controls	S	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
protective gloves. 29 CFR 1910.138: Hand F	Protection	

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

### Personal protective equipment symbol(s):



## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 108 – 109 °C (@ 720 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,4723 g/ml
Molecular mass	: 226,0921 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
0.2. Other information	

#### 9.2. Other information

Refractive index

: 1,3169

## **SECTION 10: Stability and reactivity**

10.1. Reactivity

No additional information available

#### **10.2. Chemical stability**

The product is stable at normal handling and storage conditions.

**10.3. Possibility of hazardous reactions** 

No additional information available

### **10.4. Conditions to avoid**

Keep away from heat, sparks and flame.

**10.5. Incompatible materials** 

Strong acids. Strong bases. Strong oxidizing agents.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects	а алаган алагын	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Harmful if swallowed. : Not classified : Not classified	
1H,1H-Heptafluorobutyl epoxide (1765-9	2-0)	
ATE US (oral)	500 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause respiratory irritation.	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.	

## **SECTION 12: Ecological information**

12.1	<b>NYI</b>	~itv
		JILY

### No additional information available

12.2. Persistence and degradability		
1H,1H-Heptafluorobutyl epoxide (1765-92-0)		
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic.	
12.3. Bioaccumulative potential		
1H,1H-Heptafluorobutyl epoxide (1765-92-0)		
Bioaccumulative potential	Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals that break down slowly over time. The potential hazards of PFAs are under investigation and have not been established.	

### 12.4. Mobility in soil

### No additional information available

12.5. Other adverse effects

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

:

·

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information Ecology - waste materials

- : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
- : See the EPA's Interim Guidance on PFAS Destruction and Disposal.

Dispose of contents/container in accordance with licensed collector's sorting instructions. Recycle the material as far as possible.

: This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.

### **SECTION 14: Transport information**

14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT	

No data available

TDG

No data available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### IMDG

No data available

#### ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as (TSCA) inventory, except for:	s Active on the United States Environme	ntal Protection Agency Toxic Substances Control Act
1H,1H-Heptafluorobutyl epoxide	CAS-No. 1765-92-0	100%

**15.2. International regulations** 

### CANADA

No additional information available

#### **EU-Regulations**

No additional information available

#### National regulations

1H	,1H-Heptafluorobut	vl epoxide (	(1765-92-0)	
	, III IICptulluoloput	yi cponiac		

Listed on the Japanese ISHL (Industrial Safety and Health Law)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-phrases	
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard : 3 - M	Naterials that, under emergency conditions, can cause serious or
perr	nanent injury.
	Naterials that will not burn under typical fire conditions, including
intriu san	nsically noncombustible materials such as concrete, stone, and d.
,	Naterial that in themselves are normally stable, even under fire ditions.



0

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Hazard Rating Health

nealth

## Flammability

Physical

Safety Data Sheet (SDS), USA

- : 3 Serious Hazard Major injury likely unless prompt action is taken and medical treatment is given
- : 0 Minimal Hazard Materials that will not burn
- : 0 Minimal Hazard Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.