

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 2116237 Issue date: 27.07.2017 Revision date: 18.12.2023 Version: 1.1

Substance name : Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,12,15,18-hexaoxaheneicosanoy AAS-No. : 13140-24-4 Product code : 2116-2-37 Formula : C21F42O7 Synonyms : HEPO heptamer, acid fluoride Dther means of identification : MFCD03094123 <b>1.2. Recommended use and restrictions on use</b> Jae of the substance/mixture : Laboratory chemicals Manufacture of substances Scientific research and development <b>1.3. Supplier</b> SynOuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 Juited States of America T (386) 462-0788 - F (386) 462-7097 nfo@synauestlabs.com - www.synauestlabs.com <b>1.4. Emergency telephone number</b> Emergency number : (844) 523-4086 (3E Company - Account 10069) <b>SECTION 2: Hazard(s) identification</b> <b>21. Classification</b> Acute toxicity (oral) Category 4 H302 Harmful if swallowed Acute toxicity (oral) Category 4 H312 Harmful if inhaled Skin corrosion/initation Category 1 H318 Causes serious eye damage Seroticity (ratalion) Category 1 H318 Causes serious eye damage Seroticity (ratalion) Category 1 H318 Causes serious eye damage Seroticity (ratalion) Category 1 H318 Causes serious eye damage Seroticit restriction of the substance or 3, H335 May cause respiratory irritation Seroticit (rated to read to respiratory 1 H318 Causes serious eye damage Seroticit progen toxicity - Single exposure, Category 3, H335 May cause respiratory irritation	1.1. Identification		
Manufacture of substances Scientific research and development         1.3. Supplier         SynQuest Laboratories, Inc. Inc. P.O. Box 309         Alachua, FL, Alachua, 32615         United States of America         T (386) 462-0788 - F (386) 462-7097         info@synquestlabs.com - www.synquestlabs.com         1.4. Emergency telephone number         Emergency number         Emergency number         Statesification of the substance or mixture         GHS US classification         Acute toxicity (oral) Category 4         Acute toxicity (dermal) Category 4         Acute toxicity (inhalation) Category 4         Acute toxicity (inhalation) Category 1         Stinc corrosion/irritation Category 1         Byselific target organ toxicity – Single exposure, Category 3, H335         Maute toricity tract irritation	Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification	<ul> <li>Perfluoro-2,5,8,11,14,17-h</li> <li>13140-24-4</li> <li>2116-2-37</li> <li>C21F42O7</li> <li>HFPO heptamer, acid fluo</li> </ul>	
Manufacture of substances Scientific research and development   I.3. Supplier  SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com  I.4. Emergency telephone number  Emergency number : (844) 523-4086 (3E Company - Account 10069)   SECTION 2: Hazard(s) identification  2.1. Classification of the substance or mixture  GHS US classification  Acute toxicity (oral) Category 4 H302 Harmful if swallowed Acute toxicity (oral) Category 4 H312 Harmful if incled Skin corrosion/irritation Category 1 H318 Causes serious eye damage Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage Serious eye damage/eye irritation Category 3, H335 May cause respiratory irritation	1.2. Recommended use and restrictions on	use	
P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com <b>1.4. Emergency telephone number</b> Emergency number : (844) 523-4086 (3E Company - Account 10069) SECTION 2: Hazard(s) identification <b>2.1. Classification of the substance or mixture</b> <b>GHS US classification</b> Acute toxicity (oral) Category 4 H302 Harmful if swallowed Acute toxicity (dermal) Category 4 H312 Harmful in contact with skin Acute toxicity (dermal) Category 4 H312 Harmful in contact with skin Acute toxicity (inhalation) Category 4 H312 Harmful if inhaled Skin corrosion/irritation Category 1 H314 Causes serious eye damage Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage Specific target organ toxicity – Single exposure, Category 3, H335 May cause respiratory irritation	Use of the substance/mixture	Manufacture of substance	
SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS US classification         Acute toxicity (oral) Category 4         Acute toxicity (oral) Category 4         Acute toxicity (dermal) Category 4         Acute toxicity (inhalation) Category 4         Acute toxicity (inhalation) Category 4         Acute toxicity (inhalation) Category 1B         Berious eye damage/eye irritation Category 1         Berious eye damage/eye irritation Category 1         Berious eye damage/eye irritation Category 3, H335         May cause respiratory irritation	1.3. Supplier		
Emergency number       : (844) 523-4086 (3E Company - Account 10069)         SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS US classification         Acute toxicity (oral) Category 4         H302       Harmful if swallowed         Acute toxicity (dermal) Category 4         H312       Harmful in contact with skin         Acute toxicity (inhalation) Category 4       H332         Acute toxicity (inhalation) Category 1B       H314         Causes severe skin burns and eye damage         Serious eye damage/eye irritation Category 1       H318         Causes serious eye damage/eye irritation Category 3,       H335         May cause respiratory irritation	P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097		
SECTION 2: Hazard(s) identification         2.1. Classification of the substance or mixture         GHS US classification         Acute toxicity (oral) Category 4         Acute toxicity (oral) Category 4         Acute toxicity (dermal) Category 4         Acute toxicity (inhalation) Category 4         Acute toxicity (inhalation) Category 4         Acute toxicity (inhalation) Category 1B         Berious eye damage/eye irritation Category 1         Berious eye damage/eye irritation Category 1         Berious eye damage/eye irritation Category 3         Alass         May cause respiratory irritation	1.4. Emergency telephone number		
2.1. Classification of the substance or mixture         GHS US classification         Acute toxicity (oral) Category 4       H302       Harmful if swallowed         Acute toxicity (dermal) Category 4       H312       Harmful in contact with skin         Acute toxicity (inhalation) Category 4       H332       Harmful if inhaled         Skin corrosion/irritation Category 1B       H314       Causes severe skin burns and eye damage         Serious eye damage/eye irritation Category 1       H318       Causes serious eye damage         Specific target organ toxicity – Single exposure, Category 3,       H335       May cause respiratory irritation	Emergency number	: (844) 523-4086 (3E Comp	pany - Account 10069)
GHS US classification         Acute toxicity (oral) Category 4       H302       Harmful if swallowed         Acute toxicity (dermal) Category 4       H312       Harmful in contact with skin         Acute toxicity (inhalation) Category 4       H332       Harmful if inhaled         Skin corrosion/irritation Category 1B       H314       Causes severe skin burns and eye damage         Serious eye damage/eye irritation Category 1       H318       Causes serious eye damage         Specific target organ toxicity – Single exposure, Category 3,       H335       May cause respiratory irritation         Respiratory tract irritation       Harmful irritation       Harmful irritation       Harmful irritation	SECTION 2: Hazard(s) identification		
Acute toxicity (oral) Category 4H302Harmful if swallowedAcute toxicity (dermal) Category 4H312Harmful in contact with skinAcute toxicity (inhalation) Category 4H332Harmful if inhaledSkin corrosion/irritation Category 1BH314Causes severe skin burns and eye damageSerious eye damage/eye irritation Category 1H318Causes serious eye damageSpecific target organ toxicity – Single exposure, Category 3,H335May cause respiratory irritation	2.1. Classification of the substance or mixt	ure	
Full text of H statements : see section 16	Acute toxicity (oral) Category 4 Acute toxicity (dermal) Category 4 Acute toxicity (inhalation) Category 4 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cate	H312 H332 H314 H318	Harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage Causes serious eye damage
2.2. GHS Label elements, including precautionary statements	2.2. GHS Label elements, including precaut	tionary statements	
GHS US labeling			

Signal word (GHS US)

: Danger

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (GHS US)	<ul> <li>H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled</li> <li>H314 - Causes severe skin burns and eye damage</li> <li>H335 - May cause respiratory irritation</li> </ul>
Precautionary statements (GHS US)	<ul> <li>P260 - Do not breathe dust/fume/gas/mist/vapors/spray.</li> <li>P264 - Wash skin thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P301+P312 - If swallowed: Call a POISON CENTER or doctor/ physician if you feel unwell</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352 - If on skin: Wash with plenty of soap and water</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTER or doctor/ physician</li> <li>P321 - Specific treatment (see supplemental first aid instructions on this label)</li> <li>P330 - Rinse mouth.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P363 - Wash contaminated clothing before reuse.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant</li> </ul>
2.3. Other hazards which do not result	in classification

Other hazards which do not result in classification : Contact with acids liberates toxic gas. Contact with water liberates toxic gas.

2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%	GHS US classification
Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,12,15,18- hexaoxaheneicosanoyl fluoride (Main constituent)	CAS-No.: 13140-24-4		Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

#### Not applicable

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.
First-aid measures after skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into the affected area for 1.5 hours or until further medical care is available. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention.
4.2. Most important symptoms and effects (a	acute and delayed)
Potential Adverse human health effects and symptoms Symptoms/effects	<ul> <li>Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).</li> <li>The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.</li> </ul>
Symptoms/effects after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference with various metabolic functions and organ damage (heart, liver, kidneys).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	g media	
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire.	
5.2. Specific hazards arising from the chem	nical	
Fire hazard Explosion hazard	<ul> <li>Thermal decomposition generates: Carbon oxides. Hydrogen fluoride.</li> <li>Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers.</li> </ul>	
5.3. Special protective equipment and prec	cautions for fire-fighters	
Firefighting instructions Protection during firefighting	<ul> <li>In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.</li> <li>Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".</li> </ul>	

SECTION 6: Accidental release measur	res
6.1. Personal precautions, protective equip	ment and emergency procedures
General measures	: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level.

### **6.2. Environmental precautions**

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.	
Methods for cleaning up	: Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion- proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.	
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".	
6.4. Reference to other sections		

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including a	
	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas.</li> <li>Refer to Section 10 on Incompatible Materials.</li> <li>Store in dry, cool, well-ventilated area.</li> <li>Do not store in glass.</li> </ul>

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters		
Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,1	2,15,18-hexaoxaheneicosanoyl fluoride (13140-24-4)	
No additional information available		
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

#### Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

### Personal protective equipment symbol(s):



#### Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 100 – 102 °C (@ 0.9 mm Hg)
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,8 g/ml (@ 20 °C)
Molecular mass	: 1162,15 g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

**10.2. Chemical stability** 

The product is stable at normal handling and storage conditions.

**10.3. Possibility of hazardous reactions** 

Contact with acids liberates toxic gas. Contact with water liberates toxic gas.

**10.4. Conditions to avoid** 

Keep away from heat, sparks and flame.

**10.5. Incompatible materials** 

Acids. Glass. Strong bases. Strong oxidizing agents. Water.

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

### **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

: Harmful if swallowed.
: Harmful in contact with skin.
: Harmful if inhaled.
: Causes severe skin burns.
: Causes serious eye damage.
: Not classified
: May cause respiratory irritation.
: Not classified
: Not classified
: No data available
: Absorption of excessive F- can result in acute systemic fluorosis with hypocalcemia, interference
with various metabolic functions and organ damage (heart, liver, kidneys).
: The most important known symptoms and effects are described in the labelling (see section 2.2)
and/or in section 11.
: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,12,15,18-hexaoxaheneicosanoyl fluoride (13140-24-4)				
t. PBT -				
Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,12,15,18-hexaoxaheneicosanoyl fluoride (13140-24-4)				
emicals that and have				

12.5. Other adverse effects


No additional information available

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations Additional information Ecology - waste materials	<ul> <li>Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.</li> <li>See the EPA's Interim Guidance on PFAS Destruction and Disposal.</li> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Recycle the material as far as possible.</li> <li>This material is considered to be a "Forever chemical". Prevent any possible release to the environment. Do not discharge into drains. Take all necessary measures to prevent accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems, or emergency response.</li> </ul>		

SECTION 14: Transport information				
14.1. UN number				
DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA)	: UN3265 : Not applicable : 3265 : 3265			
14.2. UN proper shipping name				
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Corrosive liquid, acidic, organic, n.o.s.</li> <li>Not applicable</li> <li>CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.</li> <li>Corrosive liquid, acidic, organic, n.o.s.</li> </ul>			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	: 148 - Except for transportation by aircraft, when transported as a limited quantity or a consumer commodity, the maximum net capacity specified in §173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons).
	B2 - MC 300, MC 301, MC 302, MC 303, MC 305, and MC 306 and DOT 406 cargo tanks are not authorized.
	IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T11 - 6 178.274(d)(2) Normal
	<ul> <li>TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image)</li> <li>Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.</li> <li>TP27 - A portable tank having a minimum test pressure of 4 bar (400 kPa) may be used provided</li> </ul>
	the calculated test pressure is 4 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
TDG No data available	
IMDG	
Special provision (IMDG) Limited quantities (IMDG)	: 274 : 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: B
IATA	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA)	: 0.5L : 851
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 051 : 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
CAO max net quantity (IATA)	. JUL

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special provision (IATA) ERG code (IATA) : A3, A803 : 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not applicable

## **SECTION 15: Regulatory information**

### **15.1. US Federal regulations**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### **15.2. International regulations**

#### CANADA

Perfluoro-2,5,8,11,14,17-hexamethyl-3,6,9,12,15,18-hexaoxaheneicosanoyl fluoride (13140-24-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

Full text of H-phrases		
H302	Harmful if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	


NFPA health hazard :	3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard :	0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.



Hazard Rating Health

Flammability Physical

- : 3 Serious Hazard Major injury likely unless prompt action is taken and medical treatment is given
- : 0 Minimal Hazard Materials that will not burn
- : 1 Slight Hazard Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Safety Data Sheet (SDS), USA