

2-Propylpentanoyl chloride Safety Data Sheet 2116522 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/13/2016 Version: 1.0

SECTION 4. Identification				
SECTION 1: Identification				
1.1. Identification				
Product form	: Substance			
Substance name	: 2-Propylpentanoyl chloride			
CAS No	: 2936-08-5			
Product code		: 2116-5-22		
Formula	: C8H15CIO			
Synonyms	: 2-n-Propylpentanoyl chloride	2-n-Propylvaleryl chloride; 2,2-Di-n-propylace	tyl chloride	
Other means of identification	: MFCD00051446			
1.2. Relevant identified uses of the s	ubstance or mixture and uses advi	sed against		
Use of the substance/mixture	: Laboratory chemicals Manufacture of substances Scientific research and devel	opment		
1.3. Details of the supplier of the safe	ety data sheet			
SynQuest Laboratories, Inc. P.O. Box 309 Alachua, FL 32615 - United States of Americ T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs				
1.4. Emergency telephone number				
Emergency number	: (844) 523-4086 (3E Company	- Account 10069)		
SECTION 2: Hazard(s) identificati	on			
2.1. Classification of the substance of				
Classification (GHS-US)				
Eye Dam. 1 H318 - Causes serious eye STOT SE 3 H335 - May cause respirato Full text of H-phrases: see section 16				
2.2. Label elements				
GHS-US labeling				
Hazard pictograms (GHS-US)	: GHS05 GHS07			
Signal word (GHS-US)	: Danger			
Hazard statements (GHS-US)	: H227 - Combustible liquid H314 - Causes severe skin b H335 - May cause respiratory	, ,		
Precautionary statements (GHS-US)	P260 - Do not breathe fumes P264 - Wash skin thoroughly P271 - Use only outdoors or P280 - Wear protective glove P301+P330+P331 - If swallov P303+P361+P353 - If on skir skin with water/shower P304+P340 - If inhaled: Rem P305+P351+P338 - If in eyes lenses, if present and easy to P310 - Immediately call a PO P321 - Specific treatment (se P363 - Wash contaminated c	after handling h a well-ventilated area s/protective clothing/eye protection/face protective ved: rinse mouth. Do NOT induce vomiting (or hair): Take off immediately all contaminated by person to fresh air and keep comfortable for chick Rinse cautiously with water for several minuted do. Continue rinsing SON CENTER or doctor/ physician e supplemental first aid instructions on this laboration of the several several several minuted the supplemental first aid instructions on this laboration the supplemental first aid instructions on this laboration (or hair): Take of the several several minuted the supplemental first aid instructions on this laboration (or hair): Take of the several several minuted the several several several several several several minuted (or hair): Take of the several s	ed clothing. Rinse or breathing es. Remove contact el)	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	P403 P405	P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to an approved waste disposal plant		
.3. Other hazards		aurantea Otaanah		
Other hazards not contributing to the lassification	: Lach	rymator. Stench.		
.4. Unknown acute toxicity (GHS US)				
lot applicable				
ECTION 3: Composition/informatio	n on ir	ngredients		
.1. Substance				
ubstance type	: Mone	o-constituent		
Name		Product identifier	%	Classification (GHS-US)
2-Propylpentanoyl chloride (Main constituent)		(CAS No) 2936-08-5	<= 100	Flam. Liq. 4, H227 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
ull text of H-phrases: see section 16				
.2. Mixture				
ot applicable				
ECTION 4: First aid measures				
1. Description of first aid measures irst-aid measures general	· In co	so of accident or if you fool unwell, sook a	nodical advica i	mmodiately (show the label
-	wher	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.		
rst-aid measures after inhalation	respi	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.		
irst-aid measures after skin contact	med	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention.		
irst-aid measures after eye contact	pres	Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
irst-aid measures after ingestion		IOT induce vomiting. Never give anything the out with water. Get immediate medical		
.2. Most important symptoms and effect	ts, both	acute and delayed		
ymptoms/injuries		The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.		
ymptoms/injuries after inhalation		Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.		
.3. Indication of any immediate medica	attentio	on and special treatment needed		
reat symptomatically.				
ECTION 5: Firefighting measures				
.1. Extinguishing media				
uitable extinguishing media		hol resistant foam. Carbon dioxide. Dry po opriate for surrounding fire.	owder. Water sp	oray. Use extinguishing media
.2. Special hazards arising from the su	ostance	or mixture		
ire hazard	: Thermal decomposition generates: Carbon oxides. Hydrogen chloride.			
xplosion hazard		Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture.		
leactivity		Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.		
.3. Advice for firefighters				
irefighting instructions		 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". 		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1. Personal procedures Ceneral measures : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, furnes, vapor or spray. 6.1.1. For non-emergency personnel Emergency procedures contained : Only qualified personnel equipped with suitable protective equipment may intervene. 6.1.2. For emergency responders Protective equipment Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: 'Exposure controls/personal protection'. Emergency procedures : Gas/vapor heavier than air. May accumulate in contined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Mathods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Use explosion-proof equipment information Store information : For disposal of solid materials or residues refer to section 13: 'Disposal considerations'. 6.4. Reference to other sections No additional Information available SECTION 7: Handling and storage : Handle enpty containers with care be	SECTION 6: Accidental release measures			
General measures Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. 6.1.1. For non-emergency personnel Emergency procedures Only qualified personnel equipped with suitable protective equipment may intervene. 6.1.2. For emergency responders Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures Casivapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Avoid release to the environment. Notify authonities if product enters severs or public waters. 6.3. Methods and material for containment and cleaning up For containment For containment : Stop leak if safe to do so. Dike for recovery or aborbent. Use explosion-proof equipment. Take up small splils with dry chemical absorbent. Weep or shovel splils into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13: "Disposal considerations". SECTION 7: Handling and storage : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work staton. Do not breathe fumes, mist, spray, vapors. Wearpersonal protec				
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. 6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8. "Exposure controls/personal protection". Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignino. 6.2. Environmental precautions		: Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes,		
6.1.2. For emergency responders Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up For containment For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up :: Take up large spills with purp or vacuum and finish with dry chemical absorbent. Use explosion-porof equipment. Take up small spills with dry chemical absorbent. Use explosion-porof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections Additional hazards when processed Y : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breat hurma, six, sirga, vapors. Wear persona	6.1.1. For non-emergency personnel			
Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Emergency procedures : GasAvapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with purp or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up smag lights with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available : Do not handle until all safety precautions have been read and understood. Ensure good ventiliation of the work station. Do not breat humas, signa, vapors. Wear personal protective equipment. Avoid containt with sin and eyes. Keep away from ignition sources (including static discharges). Proce grounding procedures to avoid static electricity should be followed. Use only non-sparking tolos. Precauti	Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.		
refer to section 8: "Exposure controls/personal protection". Emergency procedures Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipoment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13: "Disposal considerations". 6.4. Reference to other sections No additional information available Emergency procedures with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good vertex discharges. Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or stoke when using this product. Alwasy wash ha	6.1.2. For emergency responders			
Ievel. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of ignition. 6.2. Environmental precautions Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, dr	Protective equipment			
Avoid release to the environment. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECCTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventiliation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with splin and upper forw group from groupment fools. Hygiene measures : Handle ansocrdance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Texchnical measures : Comply with	Emergency procedures	level. Consider the risk of potentially explosive atmospheres. Eliminate every possible source of		
6.3. Methods and material for containment and cleaning up For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections . No additional information available . SECTION 7: Handling and storage . 7.1. Precautions for safe handling : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety proceautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities : Comply with applicable regulations. Storage	6.2. Environmental precautions			
For containment : Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECETION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, includimg any incompatibilities Technical measures : Comply with applicable regulations. Sto	Avoid release to the environment. Notify authoriti	es if product enters sewers or public waters.		
Methods for cleaning up : Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procdures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert g	6.3. Methods and material for containme	nt and cleaning up		
explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep container dgs. Incompatible materials : Refer to Section 10 on Incompatible Materials. </td <td>For containment</td> <td>: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.</td>	For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.		
Other information : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". 6.4. Reference to other sections No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	Methods for cleaning up	explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel		
No additional information available SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	Other information			
SECTION 7: Handling and storage 7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	6.4. Reference to other sections			
7.1. Precautions for safe handling Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	No additional information available			
Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	SECTION 7: Handling and storage			
Precautions for safe handlingDo not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilitiesTechnical measures: Comply with applicable regulations.Storage conditions: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.Incompatible materials: Refer to Section 10 on Incompatible Materials.	7.1. Precautions for safe handling			
ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools.Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilitiesTechnical measures: Comply with applicable regulations.Storage conditions: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.Incompatible materials: Refer to Section 10 on Incompatible Materials.	Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
T.2. Conditions for safe storage, including any incompatibilities Technical measures : Comply with applicable regulations. Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	Precautions for safe handling	ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Keep away from ignition sources (including static discharges). Proper grounding procedures to avoid static electricity should be		
Technical measures: Comply with applicable regulations.Storage conditions: Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas.Incompatible materials: Refer to Section 10 on Incompatible Materials.	Hygiene measures			
Storage conditions : Keep container closed when not in use. Keep away from ignition sources. Moisture sensitive. Keep contents under inert gas. Incompatible materials : Refer to Section 10 on Incompatible Materials.	7.2. Conditions for safe storage, including any incompatibilities			
Incompatible materials Keep contents under inert gas. : Refer to Section 10 on Incompatible Materials.				
	Storage conditions			
Storage area : Store in dry, cool, well-ventilated area.	Incompatible materials	: Refer to Section 10 on Incompatible Materials.		
	Storage area	: Store in dry, cool, well-ventilated area.		

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda		
SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	I chemical properties	
Physical state	: Liquid	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 68 - 70 °C (@ 10 mm Hg)	
Flash point	: 67 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Vapor pressure	: No data available	
Relative density	: No data available	
Relative vapor density at 20 °C	: No data available	
Specific gravity / density	: 0.95 g/ml (@ 25 °C)	
Molecular mass	: 162.66 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	ty	

10.1. Reactivity

Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Alcohols. Oxidizing agents. Strong bases. Water.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTI	SECTION 11: Toxicological information		
11.1.	Information on toxicological effects		
Acute to	xicity	: Not classified	
Skin cor	rosion/irritation	: Causes severe skin burns and eye damage.	
Serious	eye damage/irritation	: Causes serious eye damage.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECT	ON 12: Ecological information
12.1.	Toxicity
No addi	tional information available
12.2.	Persistence and degradability
No addi	tional information available
12.3.	Bioaccumulative potential
No addi	tional information available
12.4.	Mobility in soil
No addi	tional information available
12.5.	Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste treatment methods	: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber.
Waste disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Recycle the material as far as possible.
SECTION 14: Transport information	

Department of Transportation (DOT)

Department of Transportation (D
In accordance with DOT
Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Symbols

- : UN3265 Corrosive liquid, acidic, organic, n.o.s., 8, III
- : UN3265
- : Corrosive liquid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



- : III Minor Danger
- : 203
- : 241
- : G Identifies PSN requiring a technical name

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	 IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.
TDG No additional information available	
Transport by sea	
UN-No. (IMDG)	: 3265
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA) Packing group (IATA)	 : 3265 : Corrosive liquid, acidic, organic, n.o.s. : 8 - Corrosives : III - Minor Danger
SECTION 15: Pogulatory information	

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic

Substances Control Act (ISCA) Inventory except for:		
2-Propylpentanoyl chloride	CAS No 2936-08-5	100%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

2-Propylpentanoyl chloride (2936-08-5)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1A	Skin corrosion/irritation Category 1A
STOT SE 3 H227	Specific target organ toxicity (single exposure) Category 3
	Combustible liquid
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
NFPA fire hazard NFPA reactivity	 : 0 - Materials that will not burn. : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.