

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS ID: 2116605 Issue date: 19.01.2018 Revision date: 18.12.2023 Version: 1.1

SECTION 1: Identification

| 1.1. Identification | | | |
|--|---|---------------------------|--|
| Product form Substance name CAS-No. Product code Formula Synonyms Other means of identification | Substance Tetrafluorosuccinyl chloride 356-15-0 2116-6-05 C4Cl2F4O2 Perfluorosuccinyl chloride MFCD00013653 | | |
| 1.2. Recommended use and restrictions on | ise | | |
| Use of the substance/mixture | : Laboratory chemicals Manufacture of substa Scientific research and | ances | |
| 1.3. Supplier | | | |
| SynQuest Laboratories, Inc. Inc. P.O. Box 309 Alachua, FL, Alachua, 32615 United States of America T (386) 462-0788 - F (386) 462-7097 info@synquestlabs.com - www.synquestlabs.com | | | |
| 1.4. Emergency telephone number | | | |
| Emergency number : (844) 523-4086 (3E Company - Account 10069) | | | |
| SECTION 2: Hazard(s) identification | | | |
| 2.1. Classification of the substance or mixt | re | | |
| GHS US classification | | | |
| Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity – Single exposure, Cate Respiratory tract irritation | H314 H318 gory 3, H335 | Causes serious eye damage | |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

| : | | |
|---|--------|--|
| : | Danger | |

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

- : H314 Causes severe skin burns and eye damage H335 - May cause respiratory irritation : P260 - Do not breathe fumes, mist, spray, vapors. P264 - Wash skin thoroughly after handling
 - P271 Use only outdoors or in a well-ventilated area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label)

P363 - Wash contaminated clothing before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant

| 2.3. Other hazards which do not result in class | ssification |
|---|----------------|
| Other hazards which do not result in classification : | : Lachrymator. |
| 2.4. Unknown acute toxicity (GHS US) | |
| No additional information available | |

SECTION 3: Composition/Information on ingredients

3.1. Substances

Substance type

: Mono-constituent

| Name | Product identifier | % | GHS US classification |
|--|--------------------|---|--|
| Tetrafluorosuccinyl chloride (Main constituent) | CAS-No.: 356-15-0 | | Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

| SECTION 4: First-aid measures | | |
|--|--|--|
| 4.1. Description of first aid measures | | |
| First-aid measures general | : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area. | |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention. | |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get immediate medical advice/attention. | |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. | |
| First-aid measures after ingestion | : Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth out with water. Get immediate medical advice/attention. | |
| 4.2. Most important symptoms and effects (acute and delayed) | | |

 Symptoms/effects
 : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Symptoms/effects after inhalation | |
|-----------------------------------|--|
|-----------------------------------|--|

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

| SECTION 5: Fire-fighting measures | | | |
|---|---|--|--|
| 5.1. Suitable (and unsuitable) extinguishing media | | | |
| Suitable extinguishing media | : Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray. Use extinguishing media appropriate for surrounding fire. | | |
| 5.2. Specific hazards arising from the chem | ical | | |
| Fire hazard Explosion hazard | Thermal decomposition generates: Carbon oxides. Hydrogen chloride. Hydrogen fluoride. Risk of explosion if heated under confinement. Use water spray or fog for cooling exposed containers. May form flammable/explosive vapor-air mixture. | | |
| 5.3. Special protective equipment and precautions for fire-fighters | | | |
| Firefighting instructions Protection during firefighting | In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Wear gas tight chemically protective clothing in combination with self contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". | | |

| SECTION 6: Accidental release measures | | | |
|--|---|--|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | | |
| General measures | : Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe gas, fumes, vapor or spray. | | |
| 6.1.1. For non-emergency personnel | | | |
| Emergency procedures | : Only qualified personnel equipped with suitable protective equipment may intervene. | | |
| 6.1.2. For emergency responders | | | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". | | |
| Emergency procedures | : Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. | | |

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

| 6.3. Methods and material for containment and cleaning up | | |
|---|---|--|
| For containment Methods for cleaning up | Stop leak if safe to do so. Dike for recovery or absorb with appropriate material. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area. | |
| Other information | : For disposal of solid materials or residues refer to section 13 : "Disposal considerations". | |
| 6.4. Reference to other sections | | |

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 7: Handling and storage | | | |
|--|---|--|--|
| 7.1. Precautions for safe handling | | | |
| Precautions for safe handling Hygiene measures | Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. | | |
| 7.2. Conditions for safe storage, including | any incompatibilities | | |
| Technical measures Storage conditions Incompatible materials Storage area | Comply with applicable regulations. Keep container closed when not in use. Moisture sensitive. Keep contents under inert gas. Refer to Section 10 on Incompatible Materials. Store in dry, cool, well-ventilated area. | | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Tetrafluorosuccinyl chloride (356-15-0) | |
|---|--|
| No additional information available | |
| 8.2. Appropriate engineering controls | |
| Appropriate engineering controls | : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers |

should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. 29 CFR 1910.138: Hand Protection

Eye protection:

Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection

Personal protective equipment symbol(s):



Other information:

Safety shoes. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|---|-------------------------|
| Color | : No data available |
| Odor | : No data available |
| Odor threshold | : No data available |
| рН | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 54 °C (@ 758 mm Hg) |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 1,6032 g/ml (@ 20 °C) |
| Molecular mass | : 226,941 g/mol |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| | |

9.2. Other information

Refractive index

: 1,3566 (@ 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with water. Reacts with water, generates gases or heat. Reacts on exposure to water with some metals to release highly explosive/flammable hydrogen gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, sparks and flame. Moisture.

10.5. Incompatible materials

Alcohols. Bases. Oxidizing agents. Water.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

| 11.1. Information on toxicological eff | ects |
|--|---|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. |
| Symptoms/effects after inhalation | : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. |

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

| Tetrafluorosuccinyl chloride (356-15 | 5-0) |
|---|---|
| Persistence and degradability | Not readily biodegradable. May cause long-term adverse effects in the environment. PBT - Persistent, Bioaccumulative and Toxic. |
| | |
| 12.3. Bioaccumulative potential | |
| 12.3. Bioaccumulative potential Tetrafluorosuccinyl chloride (356-15 | j-0) |
| | 5-0) Perfluorinated alkanes (PFAs, "forever chemicals") are long lasting, widely used chemicals the break down slowly over time. The potential hazards of PFAs are under investigation and have not been established. |

12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal considerations | | |
|--|---|--|
| 13.1. Disposal methods | | |
| Waste treatment methods | : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. | |
| Sewage disposal recommendations | : See the EPA's Interim Guidance on PFAS Destruction and Disposal. | |
| Product/Packaging disposal recommendations | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Additional information | : Recycle the material as far as possible. |
|---------------------------|---|
| Ecology - waste materials | : This material is considered to be a "Forever chemical". Prevent any possible release to the |
| | environment. Do not discharge into drains. Take all necessary measures to prevent accidental |
| | discharge of products into drains and waterways due to the rupture of containers or transfer |
| | systems, or emergency response. |

| SECTION 14: Transport information | |
|--|---|
| 14.1. UN number | |
| DOT NA No UN-No. (TDG) UN-No. (IMDG) UN-No. (IATA) | : UN3265 : Not applicable : 3265 : 3265 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) | Corrosive liquid, acidic, organic, n.o.s. Not applicable CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. Corrosive liquid, acidic, organic, n.o.s. |
| 14.3. Transport hazard class(es) | |
| DOT Transport hazard class(es) (DOT) Hazard labels (DOT) | : 8 : 8 CORROSIVE |
| TDG Transport hazard class(es) (TDG) | : Not applicable |
| IMDG Transport hazard class(es) (IMDG) Hazard labels (IMDG) | : 8 : 8 |
| IATA Transport hazard class(es) (IATA) Hazard labels (IATA) | |
| 14.4. Packing group | |
| Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA) | : III : Not applicable : III : III |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 14.5. Environmental hazards | |
|---|--|
| Other information | : No supplementary information available. |
| 14.6. Special precautions for user | |
| DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) | UN3265 386 - Notwithstanding the provisions of §177.834(I) of this subchapter, cargo heaters may be used when weather conditions are such that the freezing of a wetted explosive material is likely. Shipments must be made by private, leased or contract carrier vehicles under exclusive use of the offeror. Cargo heaters must be reverse refrigeration (heat pump) units. Shipments made in accordance with this Special provision are excepted from the requirements of §173.60(b)(4) of this subchapter. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location DOT Vessel Stowage Other | MAWP. 154 203 241 5 L 60 L A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. 40 - Stow "clear of living quarters" |
| TDG No data available | |
| IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA) | 274 1 L E2 P001 IBC02 T11 TP2, TP27 F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES B |
| PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) | : 0.5L : 851 : 1L |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| CAO packing instructions (IATA) | : 855 |
|---------------------------------|------------|
| CAO max net quantity (IATA) | : 30L |
| Special provision (IATA) | : A3, A803 |
| ERG code (IATA) | : 8L |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

100%

| Tetrafluorosuccinyl | chloride |
|---------------------|----------|
|---------------------|----------|

CAS-No. 356-15-0

15.2. International regulations

CANADA

No additional information available

EU-Regulations

| Tetrafluorosuccinyl chloride (356-15-0) | |
|--|------|
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substan | ces) |

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 18.12.2023

| Full text of H-phrases | |
|------------------------|---|
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H335 | May cause respiratory irritation |

| NFPA health hazard | : 3 - Materials that, under emergency conditions, can cause serious or |
|--------------------|--|
| | permanent injury. |
| NFPA fire hazard | : 1 - Materials that must be preheated before ignition can occur. |
| NFPA reactivity | : 2 - Materials that readily undergo violent chemical change at elevated |
| | temperatures and pressures. |
| | |



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Health | : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given |
|--------------|---|
| Flammability | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Physical | : 2 Moderate Hazard - Materials that are unstable and may undergo violent chemical changes at normal temperature and pressure with low risk for explosion. Materials may react violently with water or form peroxides upon exposure to air. |

Safety Data Sheet (SDS), USA